

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Freeman	√		
Veleta	√		
Ziegner	√		

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: JUN 18 2025

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: JUN 18 2025

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

**Dana Kosco
Secretary of the Commission**



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Posey County Highway Department
Other Party: CenterPoint Energy Indiana
Case Number: 32299
Date of Advisory Meeting: 4/24/2025
Date of Damage: 5/31/2024
Damage Location: 2696 Farmersville Road, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 33563
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/2/2024
Damage Location: 5030 Independence Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deig Bros Lumber & Construction Co, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33642
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/22/2024
Damage Location: 818 Orchard Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33681
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/25/2024
Damage Location: Gordon Road and Airport Road, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Slusser's Green Thumb
Other Party: Northern Indiana Public Service Company
Case Number: 33569
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/4/2024
Damage Location: 1325 East Fort Wayne Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indy Water Heater & Softener LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33749
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/17/2024
Damage Location: 10600 Karen Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 33581
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/6/2024
Damage Location: 101 West Butler, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33357
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/1/2024
Damage Location: 117th Street and Center Street, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Bergman
Other Party: Northern Indiana Public Service Company
Case Number: 33589
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/8/2024
Damage Location: 3525 Boger Avenue, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ashraf Ali
Other Party: Northern Indiana Public Service Company
Case Number: 33238
Date of Advisory Meeting: 4/24/2025
Date of Damage: 9/17/2024
Damage Location: 2525 Silverleaf Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground
Other Party: CenterPoint Energy Indiana
Case Number: 31215
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/18/2023
Damage Location: 113 West North E Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Warren Directional
Other Party: CenterPoint Energy Indiana
Case Number: 31208
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/30/2023
Damage Location: 14717 Buente Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Helebo Trenching, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33707
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/9/2024
Damage Location: 10400 Somerford Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: U T S Construction Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33700
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/9/2024
Damage Location: 13841 North Fairwood Drive, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Austin Biggerstaff Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33763
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/27/2024
Damage Location: 12576 Lowery Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33603
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/12/2024
Damage Location: 2042 Vermont Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33590
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/8/2024
Damage Location: 2651 Scott Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L & D Communication LLC
Case Number: 33451
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/29/2024
Damage Location: 2312 Utica Sellersburg Road, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Vincennes
Case Number: 33543
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/12/2024
Damage Location: 1531 Prairie Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Peerless Enterprises Inc dba Peerless Fence
Case Number: 33560
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/1/2024
Damage Location: 329 Dogwood Street Northwest, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 33727
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/2/2024
Damage Location: North Seminole Circle and South Calhoun Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Columbia City
Case Number: 33738
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/12/2024
Damage Location: 373 North Walnut Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 33811
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/19/2024
Damage Location: 6802 Decatur Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: D H M Contracting LLC
Case Number: 33770
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/17/2024
Damage Location: 1322 Maumee Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33774
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/18/2024
Damage Location: 157 North East Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33778
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/19/2024
Damage Location: 1526 Magnolia Avenue, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premium Concrete Services, Inc.
Other Party:
Case Number: 33685
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/16/2024
Damage Location: 502 West Lincoln Avenue, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Flagship Underground LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33285
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/1/2024
Damage Location: 401 East Dixie Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinite Energy Services
Other Party: CenterPoint Energy Indiana
Case Number: 30433
Date of Advisory Meeting: 4/24/2025
Date of Damage: 7/25/2023
Damage Location: 3744 Creekside Court, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Barberry LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33625
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/18/2024
Damage Location: 313 East Main Street, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bary Excavating & Tree Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32966
Date of Advisory Meeting: 4/24/2025
Date of Damage: 8/22/2024
Damage Location: 1467 Villa Court, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: JJAMCO Construction
Other Party: Northern Indiana Public Service Company
Case Number: 33598
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/11/2024
Damage Location: 30315 North Shore Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vision Concrete Construction LLC
Other Party: Citizens Gas
Case Number: 33787
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/19/2024
Damage Location: East New York Street & Temple Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Desabatine Brothers Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 33587
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/8/2024
Damage Location: 1401 East 100 North, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A E F Construction
Other Party: Citizens Gas
Case Number: 33615
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/2/2024
Damage Location: 130 Penn Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eaton Fencing, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33661
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/16/2024
Damage Location: 7320 East 600 North, Hamlet

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justins Septic & Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33600
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/11/2024
Damage Location: 1601 East Madison Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: N O R A A Contracting LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33593
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/9/2024
Damage Location: 820 East Terrace Bay Court, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rob Davis
Other Party: Citizens Gas
Case Number: 32935
Date of Advisory Meeting: 4/24/2025
Date of Damage: 8/28/2024
Damage Location: 5912 East 16th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robinson & Sons Fence Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33596
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/10/2024
Damage Location: 1011 Ames Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Stephens Tree & Stump Removal Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33024
Date of Advisory Meeting: 4/24/2025
Date of Damage: 8/24/2024
Damage Location: 2509 Pleasant Plain Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Citizens Gas
Case Number: 33617
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/4/2024
Damage Location: 1234 Westfield Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jam Excavating Services Inc.
Other Party: Citizens Gas
Case Number: 33512
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/29/2024
Damage Location: East 82nd Street & Hague Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33670
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/20/2024
Damage Location: 522 West Winona Avenue, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33775
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/18/2024
Damage Location: 2101 Emmett Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: RLA Utilities, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33716
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/13/2024
Damage Location: 1372 South 10th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Florian Fire Protection LLC
Other Party: Citizens Gas
Case Number: 33784
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/9/2024
Damage Location: 5345 West 81st, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hasco Paving
Other Party: Citizens Gas
Case Number: 33788
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/26/2024
Damage Location: 4301 West Bradbury Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Fiber Solutions LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33694
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/3/2024
Damage Location: 1033 Hunter Boulevard, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Caribbean Pools, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33586
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/8/2024
Damage Location: 327 Sedgewood Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J E S Indiana, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33753
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/19/2024
Damage Location: 3725 East Mesa Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwestern Electric of Indianapolis, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33551
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/15/2024
Damage Location: 1124 Crest and East National, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A M Comm Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33672
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/21/2024
Damage Location: 5013 Canterbury Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G R Smith & Son Contracting Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33550
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/15/2024
Damage Location: 4907 Highland Drive, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J W Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33523
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/2/2024
Damage Location: 2348 Evans Lane, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Warsaw
Other Party: Northern Indiana Public Service Company
Case Number: 33472
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/18/2024
Damage Location: 615 South Columbia Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D & M B LLC DBA Barnett Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 33726
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/2/2024
Damage Location: 13065 County Road 20, Lot 2, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Seasons Heating & Air Conditioning Company Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33436
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/24/2024
Damage Location: 5545 East Earl Young Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justin Dorsey Plumbing
Other Party: CenterPoint Energy Indiana
Case Number: 31981
Date of Advisory Meeting: 4/24/2025
Date of Damage: 4/4/2024
Damage Location: 179 North State Road 59, Centerpoint

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dead Center Underground, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33571
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/5/2024
Damage Location: 21064 County Road 40, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrasource Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33490
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/24/2024
Damage Location: 6174 Old US Highway 27, Pleasant Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crawford Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33575
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/5/2024
Damage Location: 119 South Baxter, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Lawn Care LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33297
Date of Advisory Meeting: 4/24/2025
Date of Damage: 10/5/2024
Damage Location: 2628 Turley Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Garcia
Other Party: Northern Indiana Public Service Company
Case Number: 33572
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/5/2024
Damage Location: 206 Esmond Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Abonmarche Consultants of Indiana, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33667
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/19/2024
Damage Location: 2411 Winter Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roto-Rooter of Kokomo
Other Party: Northern Indiana Public Service Company
Case Number: 33781
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/28/2024
Damage Location: 109 Pheasant Drive Southeast, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Force Construction
Other Party: CenterPoint Energy Indiana
Case Number: 33632
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/19/2024
Damage Location: 2380 25th Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hyre Homes & Gutters LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33682
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/26/2024
Damage Location: 179 Heatherhill Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D Quality Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33742
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/3/2024
Damage Location: 834 Poplar Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Professional Electrical LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33810
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/18/2024
Damage Location: 1106 Pike Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steinberger Construction Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33712
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/11/2024
Damage Location: 105 North 36th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rudolf Excavating, Inc.
Other Party: Citizens Gas
Case Number: 33618
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/4/2024
Damage Location: 1401 Wedt Dr. Martin Luther King Jr Street,
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawn Stars Landscaping LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33585
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/7/2024
Damage Location: 7015 Nordale Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid-States Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33602
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/12/2024
Damage Location: 53788 County Road 9, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reynolds Construction of Indiana, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33636
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/19/2024
Damage Location: 1280 West 236th Street, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33580
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/6/2024
Damage Location: 727 Growth Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Higher Ground Excavation LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33588
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/8/2024
Damage Location: 505 South Main Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M G L Strategies, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33666
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/19/2024
Damage Location: 2169 Austin Street, Lot 47, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Atkinson
Other Party: Northern Indiana Public Service Company
Case Number: 33662
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/17/2024
Damage Location: 59070 Elm Road, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elvin Peachey
Other Party: CenterPoint Energy Indiana
Case Number: 33748
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/17/2024
Damage Location: 620 Primrose Court, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arturo Marquez
Other Party: Northern Indiana Public Service Company
Case Number: 33679
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/24/2024
Damage Location: 1417 West 400 South, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Denny Steele
Other Party: Northern Indiana Public Service Company
Case Number: 33779
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/20/2024
Damage Location: 10497 North State Road 3, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jacob Steuer
Other Party: Northern Indiana Public Service Company
Case Number: 33680
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/24/2024
Damage Location: 545 North 300 East, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Rogers
Other Party: Northern Indiana Public Service Company
Case Number: 33782
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/28/2024
Damage Location: 2566 South Strawtown Pike, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Wnenk
Other Party: Northern Indiana Public Service Company
Case Number: 33678
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/23/2024
Damage Location: 2622 East 850 North Building Bunk House, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Fort Wayne
Other Party: Northern Indiana Public Service Company
Case Number: 33729
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/3/2024
Damage Location: 2328 North Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & G Underground Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33692
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/3/2024
Damage Location: 8189 Beaver Ridge, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Earth, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33731
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/9/2024
Damage Location: 501 West South Street Building Stadium, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wisel Enterprise, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33769
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/16/2024
Damage Location: 9908 Privet Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Decked Out of Northwest Indiana LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33734
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/11/2024
Damage Location: 1019 Francis Place, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aquila Corp
Other Party: CenterPoint Energy Indiana
Case Number: 33648
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/25/2024
Damage Location: 11415 North US Highway 41, Rosedale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Interior Pro LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33783
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/30/2024
Damage Location: 3717 McCormick Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Lawn & Landscape Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33747
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/17/2024
Damage Location: 4679 Oakley Terrace, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Utilities One
Other Party: Northern Indiana Public Service Company
Case Number: 33737
Date of Advisory Meeting: 4/24/2025
Date of Damage: 12/12/2024
Damage Location: 209 South Colony Drive, Garrett

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E J Plumbing LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33795
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/7/2025
Damage Location: 7950 North County Road 650 East, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Circle R Mechanical Contractors Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33841
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/29/2025
Damage Location: 365 Eggleston Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lashure Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33793
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/4/2025
Damage Location: 8745 South Street, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Terry Hudson
Other Party: Midwest Natural Gas Corporation
Case Number: 33889
Date of Advisory Meeting: 4/24/2025
Date of Damage: 2/22/2025
Damage Location: 13993 W 230 N, Linton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Evansville (Water & Sewer)
Case Number: 33836
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/24/2025
Damage Location: 3404 Waggoner Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Berry-It, Inc.
Case Number: 33838
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/25/2025
Damage Location: 925 East Noble Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Powers Welding
Case Number: 33844
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/31/2025
Damage Location: 5615 Woodland Knoll Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Bowen Engineering Corporation
Case Number: 33845
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/29/2025
Damage Location: 5509 South 250 East, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Mainstream Fiber Networks, LLC
Case Number: 33875
Date of Advisory Meeting: 4/24/2025
Date of Damage: 2/5/2025
Damage Location: 3005 East 800 South, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Robinson Excavation LLC
Case Number: 33879
Date of Advisory Meeting: 4/24/2025
Date of Damage: 2/6/2025
Damage Location: 2415 Arleth Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Kokopelli LLC
Case Number: 33880
Date of Advisory Meeting: 4/24/2025
Date of Damage: 2/7/2025
Damage Location: 6450 Wallingford Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milenium, Inc.
Case Number: 33882
Date of Advisory Meeting: 4/24/2025
Date of Damage: 2/7/2025
Damage Location: 2358 West US Highway 40, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Rams Underground Group LLC
Case Number: 33801
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/9/2025
Damage Location: 2100 North 20th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Anchored Concrete LLC
Other Party: Citizens Gas
Case Number: 33790
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/19/2025
Damage Location: 2142 Pennsylvania Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A M P P Construction Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 33808
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/27/2025
Damage Location: 708 Englewood Drive, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Berry-It, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33803
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/15/2025
Damage Location: 118 West Noble Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Groundhog Excavation LLC
Other Party: Citizens Gas
Case Number: 33849
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/27/2025
Damage Location: 5321 Staughton Drive, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reed & Sons Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33799
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/14/2025
Damage Location: 1489 North Blue Bluff Road, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M G L Strategies, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33817
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/6/2025
Damage Location: 20 Kincaid Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Kankakee Valley REMC
Case Number: 33816
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/6/2025
Damage Location: 391 East 400 North, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co.
Other Party: Northern Indiana Public Service Company
Case Number: 33821
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/12/2025
Damage Location: 82 Hepburn Way, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade, Inc. - Gas
Other Party: Northern Indiana Public Service Company
Case Number: 33820
Date of Advisory Meeting: 4/24/2025
Date of Damage: 1/10/2025
Damage Location: 268 Sandalwood Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R D T Investments LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33341
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/09/2024
Damage Location: 298 West Adams Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman