

**ORIGINAL**

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Freeman			√
Veleta	√		
Ziegner	√		

**IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )**

**APPROVED: JUL 16 2025**

**ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

**IT IS SO ORDERED.**

**HUSTON, BENNETT, VELETA, AND ZIEGNER CONCUR; FREEMAN ABSENT:**

**APPROVED: JUL 16 2025**

**I hereby certify that the above is a true  
and correct copy of the Order as approved.**

---

**Dana Kosco  
Secretary of the Commission**



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aquila Corp  
Other Party: CenterPoint Energy Indiana  
Case Number: 33802  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/14/2025  
Damage Location: 1718 East US Highway 41, Attica

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Burtner Electric  
Other Party: Citizens Gas  
Case Number: 33851  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/5/2025  
Damage Location: 5431 Whittier Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nottingham Excavating LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33934  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/27/2025  
Damage Location: 726 South Massachusetts Avenue, Matthews

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ben Marrs Electric LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33825  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/16/2025  
Damage Location: 728 Lillian Way, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jameson Property Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33831  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 1776 East 116<sup>th</sup> Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hamm Well Drilling  
Other Party: Citizens Gas  
Case Number: 33943  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/24/2025  
Damage Location: 3544 South Harding Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gene B Glick Company Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 33940  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/27/2025  
Damage Location: 3524 East John Hinkle Place, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dynamic Concrete  
Other Party: Indiana Natural Gas Corporation  
Case Number: 33892  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/28/2025  
Damage Location: 428 Town Hill Road E, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Nicole Pinedo  
Other Party: CenterPoint Energy Indiana  
Case Number: 33878  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/6/2025  
Damage Location: 2305 Culverson Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

A handwritten signature in blue ink, appearing to read "Jeremy Comeau".

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & G Underground Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33924  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/19/2025  
Damage Location: Aurelius Drive, Lot 6, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Energy Group - Water  
Other Party: Citizens Gas  
Case Number: 33848  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/25/2025  
Damage Location: 3433 North Butler Avnue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Fiber Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33826  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/16/2025  
Damage Location: 1866 South Center Road, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shawn Powell Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33839  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/26/2025  
Damage Location: 901 South Cullen Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S M E  
Other Party: CenterPoint Energy Indiana  
Case Number: 33829  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/22/2025  
Damage Location: Winery Road and Indiana Route 66, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Snedegar Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33840  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/29/2025  
Damage Location: 1020 East Glezen Street, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Fiber Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33926  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/24/2025  
Damage Location: 11 Chickadee Lane, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hydromax Plumbing, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33928  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/25/2025  
Damage Location: 1177 Hunter Boulevard, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ervin Cable Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33858  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 633 Tanguy Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwestern Indiana Telephone Co.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33857  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 732 Druim Trail, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gradex, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33834  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/23/2025  
Damage Location: 3967 Ladoga Road, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Von Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33856  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/16/2025  
Damage Location: 206 South Harrison Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reliable Comfort Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 33887  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/14/2025  
Damage Location: 6049 East Meadow Ridge Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Geurnsey  
Other Party: Midwest Natural Gas Corporation  
Case Number: 33920  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 3/7/2025  
Damage Location: 515 Mt. Zion Road, Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & F Construction  
Other Party: CenterPoint Energy Indiana  
Case Number: 33832  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/23/2025  
Damage Location: 1913 Syracuse Court, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33835  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/23/2025  
Damage Location: 8700 Roberts Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rams Underground Group LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33933  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/27/2025  
Damage Location: 1330 Central Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Combs Landscaping & Nursery, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33827  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 2699 Creek Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawyer Excavation  
Other Party: Midwest Natural Gas Corporation  
Case Number: 33804  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/23/2025  
Damage Location: 203 N. Main St., Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

A handwritten signature in blue ink, appearing to read "Jeremy Comeau".

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & A Fiber Utility LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33843  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/30/2025  
Damage Location: 271 North Cherry Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33929  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/24/2025  
Damage Location: 325 East Main Street, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blankenberger Brothers, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33830  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/22/2025  
Damage Location: 304 East Mill Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 33884  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/10/2025  
Damage Location: 2742 Apache Drive, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Huntington County Highway Department  
Other Party: CenterPoint Energy Indiana  
Case Number: 33931  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/27/2025  
Damage Location: 570 West State Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & K Underground Utilities, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33885  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/11/2025  
Damage Location: Forest Drive & Pinewood Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Aircon Engineering Inc  
Case Number: 33922  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/18/2025  
Damage Location: 721 Montgomery Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Nobis Technology LLC  
Case Number: 33937  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/28/2025  
Damage Location: 10188 Summerlin Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 33939  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/21/2025  
Damage Location: 8533 West Delphi Pike, Converse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Calumet Civil Contractors, Inc.  
Case Number: 33852  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/12/2025  
Damage Location: 4729 Earlham Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Niblock Excavating, Inc.  
Case Number: 33815  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/3/2025  
Damage Location: 820 South 10<sup>th</sup> Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Michigan City Department of Waterworks  
Case Number: 33854  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/16/2025  
Damage Location: 1225 Lake Shore Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: LaPorte WaterWorks  
Case Number: 33863  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/23/2025  
Damage Location: 1738 5<sup>th</sup> Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: A M P P Construction Inc.  
Case Number: 33867  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/28/2025  
Damage Location: 724 West Creighton Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Fort Wayne  
Case Number: 33893  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/28/2025  
Damage Location: 722 West Creighton Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Fort Wayne  
Case Number: 33902  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/5/2025  
Damage Location: 1633 West Main Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: J D & M B LLC DBA Barnett Contracting  
Case Number: 33906  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/6/2025  
Damage Location: 6926 Trafalgar Street, Building C, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Berne  
Other Party: Northern Indiana Public Service Company  
Case Number: 33894  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/30/2025  
Damage Location: 765 Lehman Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33818  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/8/2025  
Damage Location: 714 North West Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33846  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/31/2025  
Damage Location: 125 Newman Road & Besing Road, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33911  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/11/2025  
Damage Location: 725 North Lake Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33823  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/14/2025  
Damage Location: 1607 North Buckeye Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S L B Pipe Solutions LLC  
Other Party: Citizens Gas  
Case Number: 33789  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/16/2025  
Damage Location: 319 South Lynhurst Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Flagship Underground LLC  
Case Number: 33883  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/8/2025  
Damage Location: 2295 West Bloomfield Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Pro Star Underground  
Case Number: 33935  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/28/2025  
Damage Location: 955 Cambridge Lane, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: S C Case Excavating LLC  
Case Number: 33980  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 3/12/2025  
Damage Location: 315 Mulberry Boulevard, Centerville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Sunrise Telecom Inc.  
Case Number: 33837  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/25/2025  
Damage Location: 125 State Road 68 & Redbud Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 33874  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/4/2025  
Damage Location: 5220 South 800 East, Upland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Lawyer Excavation  
Case Number: 33925  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/24/2025  
Damage Location: 809 A Avenue E, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: SouthMid Fiber LLC  
Case Number: 33932  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/26/2025  
Damage Location: 4633 Jackson Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J & K Underground Utilities, LLC  
Case Number: 33966  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 3/3/2025  
Damage Location: 5575 South Fairfax Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Benemerito Construction Inc  
Case Number: 33866  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/25/2025  
Damage Location: 1007 Williams Street, Angola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hoosierland Excavating, LLC  
Case Number: 33871  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/29/2025  
Damage Location: 1015 East 12<sup>th</sup> Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: PinPoint Directional Drilling, Inc.  
Case Number: 33910  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/10/2025  
Damage Location: East Berry Street and Harmar Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bart W Bunn Trucking Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 33860  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 150 East Lake Road, Geneva

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: MasTec, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33909  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/10/2025  
Damage Location: 1006 Angela Drive, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33862  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/18/2025  
Damage Location: 2443 West 42<sup>nd</sup> Court, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33872  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/29/2025  
Damage Location: 27330 State Road 4, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33917  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/13/2025  
Damage Location: 798 Timberline Parkway, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 33859  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 1/17/2025  
Damage Location: 216 Franklin Avenue, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sage Drilling, Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 33912  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 2/11/2025  
Damage Location: 1123 Westwind Trail, Berne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Lantech Communications  
Case Number: 33812  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/19/2024  
Damage Location: 0632 West Nowak Drive, Lot 38, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Rodriguez Landscaping & Construction Inc  
Case Number: 33813  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/20/2024  
Damage Location: 1950 West Fox Lake Road, Angola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: New Innovations  
Case Number: 33814  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/23/2024  
Damage Location: 1947 East 37<sup>th</sup> Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T L T Underground, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33695  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/4/2024  
Damage Location: 1224 Mary Street & 11<sup>th</sup> Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(other)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Super T  
Other Party: CenterPoint Energy Indiana  
Case Number: 33765  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/30/2024  
Damage Location: 742 Woodcote Lane, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: 

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lamb Excavating LLC  
Other Party: Westfield Gas Corporation  
Case Number: 33621  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/25/2024  
Damage Location: 853 Arkansas Court, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground  
Other Party: CenterPoint Energy Indiana  
Case Number: 33713  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/11/2024  
Damage Location: 324 West 10<sup>th</sup> Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground  
Other Party: CenterPoint Energy Indiana  
Case Number: 33715  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/12/2024  
Damage Location: 319 West 12<sup>th</sup> Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000; training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Energy Group - Water  
Other Party: CenterPoint Energy Indiana  
Case Number: 33697  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/5/2024  
Damage Location: 7727 Chestnut Eagle Court, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33612  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/15/2024  
Damage Location: 1118 West 4<sup>th</sup> Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: Citizens Gas  
Case Number: 33063  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 9/16/2024  
Damage Location: 9123 Warwick Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: R L M Underground  
Other Party: CenterPoint Energy Indiana  
Case Number: 33690  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/2/2024  
Damage Location: 1105 West 11<sup>th</sup> Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & G Excavation  
Other Party: CenterPoint Energy Indiana  
Case Number: 33647  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/25/2024  
Damage Location: 605 Ewing Lane, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A N R Utility Construction  
Other Party: Northern Indiana Public Service Company  
Case Number: 33611  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/15/2024  
Damage Location: 619 West Franklin Street, Suite A, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Luis Avendano  
Other Party: Northern Indiana Public Service Company  
Case Number: 33736  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/12/2024  
Damage Location: 205 Water Street, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evolution Underground LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33710  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/11/2024  
Damage Location: 3000 Brandt Road, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Fiberoptics Corp  
Other Party: CenterPoint Energy Indiana  
Case Number: 33638  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/20/2024  
Damage Location: 936 Broadmoor Terrace, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 33627  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/18/2024  
Damage Location: 7351 Dunmore Point, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wallace Construction Inc  
Other Party: Community Natural Gas Inc  
Case Number: 33722  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/11/2024  
Damage Location: 250 McCormicks Creek Road, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$5,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S L B Pipe Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33746  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/17/2024  
Damage Location: 464 Village Road, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 33732  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/10/2024  
Damage Location: 7849 Taft Street, Suite A, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S L B Pipe Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33631  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/19/2024  
Damage Location: 50 State Road 135, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evolution Underground LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33702  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/9/2024  
Damage Location: 3200 Brandt Road, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peerless Enterprises Inc dba Peerless Fence  
Other Party: CenterPoint Energy Indiana  
Case Number: 33709  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/2/2024  
Damage Location: 614 East Broadway Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Osterman  
Other Party: CenterPoint Energy Indiana  
Case Number: 33652  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/30/2024  
Damage Location: 1147 East Boonville New Harmony Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lane Magers  
Other Party: CenterPoint Energy Indiana  
Case Number: 33699  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/7/2024  
Damage Location: 2418 39<sup>th</sup> Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Logan Canaday  
Other Party: Northern Indiana Public Service Company  
Case Number: 33741  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/14/2024  
Damage Location: 19417 County Line Road, Milford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Victor Celiselis  
Other Party: Citizens Gas  
Case Number: 33619  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/19/2024  
Damage Location: 4533 North High School Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Jason Deom  
Other Party: Community Natural Gas Inc  
Case Number: 33686  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/13/2024  
Damage Location: 14937 N 600 E, Santa Claus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Fox Contractors Corp.  
Case Number: 33725  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/2/2024  
Damage Location: 1036 Saint Mary's Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Milenium, Inc.  
Case Number: 33740  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/13/2024  
Damage Location: 227 Lakeview Drive, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Good Shepherd Fence Company LLC  
Other Party: Citizens Gas  
Case Number: 33616  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/3/2024  
Damage Location: 1333 Fletcher Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northeastern REMC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33739  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/12/2024  
Damage Location: 4828 Windrow Way Lot 71, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Surf Air Wireless LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33772  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/17/2024  
Damage Location: 61601 County Road 13, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 33730  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/4/2024  
Damage Location: 303 East 4th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 33752  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/19/2024  
Damage Location: 647 Magnolia Drive, Lot 101, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Property Specialist Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 33656  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/5/2024  
Damage Location: 726 Arch Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Property Specialist Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 33657  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/6/2024  
Damage Location: 726 Arch Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H E D Companies LLC  
Other Party: Citizens Gas  
Case Number: 33226  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 10/9/2024  
Damage Location: 2251 Dequincy Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hammond Career Center  
Other Party: Northern Indiana Public Service Company  
Case Number: 33658  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/8/2024  
Damage Location: 936 Willow Court, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Home Improver LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33635  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/19/2024  
Damage Location: 1729 West 11<sup>th</sup> Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michiana Backyard Builders LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33728  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/3/2024  
Damage Location: 755 West Van Buren Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman





## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tree Palms Landscape LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33676  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 11/23/2024  
Damage Location: 50636 Clover Hills Drive, Granger

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W G Underground LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 33771  
Date of Advisory Meeting: 5/22/2025  
Date of Damage: 12/17/2024  
Damage Location: 593 North 250 West, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman