

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

Commissioner	Yes	No	Not Participating
Swinger	√		
Bain	√		
Deig	√		
Jerrells	√		
Ziegner	√		

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: SEP 02 2026

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

SWINGER, BAIN, DEIG, JERRELLS, AND ZIEGNER CONCUR:

APPROVED: SEP 02 2026

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

**Dana Kosco
Secretary of the Commission**



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B K Services, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35354
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/9/2025
Damage Location: 823 Main Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction
Other Party: CenterPoint Energy Indiana
Case Number: 34322
Date of Advisory Meeting: 5/14/2026
Date of Damage: 5/1/2025
Damage Location: 610 North Jackson Street, Putnam

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: America's Backyard Fencing
Other Party: Northern Indiana Public Service Company
Case Number: 35048
Date of Advisory Meeting: 5/14/2026
Date of Damage: 7/29/2025
Damage Location: 13671 Doffin Street Lot 34, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Delta Foundations Inc
Other Party: Citizens Gas
Case Number: 35190
Date of Advisory Meeting: 5/14/2026
Date of Damage: 8/27/2025
Damage Location: 9151 Willow Run Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Payton & Son Concrete, Inc.
Other Party: Citizens Gas
Case Number: 35192
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/3/2025
Damage Location: 9059 Steinbeck Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eugenius Construction Inc
Other Party: Citizens Gas
Case Number: 35196
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/7/2025
Damage Location: 1141 West 35th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC
Other Party: Citizens Gas
Case Number: 35199
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/8/2025
Damage Location: 808 North Layman Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robinson Trenching & Directional Boring, Inc.
Other Party: Citizens Gas
Case Number: 35386
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/25/2025
Damage Location: 1940 Rosedale Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: Citizens Gas
Case Number: 35393
Date of Advisory Meeting: 5/14/2026
Date of Damage: 9/30/2025
Damage Location: 3730 Washington Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Incored International LLC
Other Party: Citizens Gas
Case Number: 35411
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/11/2025
Damage Location: 7312 Sunset Point Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vancel Contracting LLC
Other Party: Citizens Gas
Case Number: 35413
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/13/2025
Damage Location: 12315 East 86th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gradex, Inc.
Other Party: Westfield Gas Corporation
Case Number: 35414
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/13/2025
Damage Location: 302 W Main St, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: United Nations General Contracting, LLC
Other Party: Citizens Gas
Case Number: 35415
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/16/2025
Damage Location: 5472 N Park Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Accelerated Underground Construction
Other Party: Citizens Gas
Case Number: 35656
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/27/2025
Damage Location: 8066 Dowitch Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: Citizens Gas
Case Number: 35657
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/27/2025
Damage Location: 3558 Washington Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Basement Systems of Indiana, LLC
Other Party: Citizens Gas
Case Number: 35659
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/30/2025
Damage Location: 8851 Anchorage Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Baptist College Inc
Other Party: CenterPoint Energy Indiana
Case Number: 35760
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/27/2025
Damage Location: 1231 Commission Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wharff Excavating, LLC
Other Party: Citizens Gas
Case Number: 35783
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/6/2025
Damage Location: 4965 Massachusetts Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500, \$2,500 escalation for self-repair and concealment

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Comfort Air (WCA Group, LLC)
Other Party: Citizens Gas
Case Number: 35784
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/7/2025
Damage Location: 2440 North Willow Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 317 Plumb It
Other Party: Citizens Gas
Case Number: 35792
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/3/2025
Damage Location: 9208 Morningstar Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: New Gen Landscaping LLC
Other Party: Citizens Gas
Case Number: 35796
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/21/2025
Damage Location: 7721 Scarborough Boulevard South Drive,
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Helene for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: The Robert Henry Corporation
Case Number: 35819
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/23/2025
Damage Location: 1901 David Drive, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: V T F Excavation, LLC
Case Number: 35848
Date of Advisory Meeting: 5/14/2026
Date of Damage: 10/31/2025
Damage Location: 3122 Bowser Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baldwin Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 35852
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/3/2025
Damage Location: 2127 Boxwood Drive, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$3,000; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **Mandatory training in addition to penalty, because excavator failed to complete training in a previous case.**

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Randy Cassady
Other Party: CenterPoint Energy Indiana
Case Number: 35875
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/6/2025
Damage Location: 4888 South Rogers Street, Clear Creek

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grenline, LLC
Other Party: Citizens Gas
Case Number: 36082
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/26/2025
Damage Location: 8316 Flat Branch Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Duncan Utility Specialist LLC
Other Party: Citizens Gas
Case Number: 36083
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/4/2025
Damage Location: 1334 East Market Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eugenius Construction Inc
Other Party: Citizens Gas
Case Number: 36084
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/9/2025
Damage Location: 7325 Lowe Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party: Citizens Gas
Case Number: 36085
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/10/2025
Damage Location: 7535 Sand Run Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrastructure Contractors, Inc.
Other Party: Westfield Gas Corporation
Case Number: 36087
Date of Advisory Meeting: 5/14/2026
Date of Damage: 11/20/2025
Damage Location: 126 East Spring Mill Pointe Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Strata Environmental Contractors LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36096
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/16/2025
Damage Location: 1390 South Ohio Street, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Above All Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36097
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/17/2025
Damage Location: 1022 South Maple Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in cursive script, reading "Beth E. Heline".

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grenline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36103
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/20/2025
Damage Location: 1428 Laurel Oak Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 1st Choice Construction
Other Party: CenterPoint Energy Indiana
Case Number: 36111
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/30/2025
Damage Location: 2800 West Memorial Drive Lot 138, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J V C Contracting Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 36119
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/5/2025
Damage Location: 5206 Ojibway Drive, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

A handwritten signature in cursive script, reading "Beth E. Heline".

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3 Crosses LLC
Other Party: Citizens Gas
Case Number: 36130
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/8/2026
Damage Location: 3949 Rookwood Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R C Underground, LLC
Other Party: Citizens Gas
Case Number: 36131
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/2/2026
Damage Location: 3206 CORK BEND DR, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J2LR Contractors LLC
Other Party: Citizens Gas
Case Number: 36133
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/23/2025
Damage Location: 10 S MICKLEY AVE, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party: Citizens Gas
Case Number: 36134
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/22/2025
Damage Location: 7708 Highridge Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: CorGroup, LLC
Case Number: 36136
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/12/2026
Damage Location: 3348 Tacoma Avenue, Marion

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mercer Realty
Other Party: Community Natural Gas Inc
Case Number: 36139
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/27/2025
Damage Location: 706 Meadows Dr, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carl Yoder
Other Party: Northern Indiana Public Service Company
Case Number: 36143
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/16/2025
Damage Location: 70965 County Road 7, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Todd**

Additional Information:

APPROVED: _____

A handwritten signature in cursive script, reading "Beth E. Heline".

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Acculevel, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 36145
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/17/2025
Damage Location: 1105 Glenwood Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Doug Jones
Other Party: Northern Indiana Public Service Company
Case Number: 36154
Date of Advisory Meeting: 5/14/2026
Date of Damage: 12/24/2025
Damage Location: 11219 1st Road, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Triple Seven Communication LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36157
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/2/2026
Damage Location: 695 Caesar Court, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wilson Scott Modernizing LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36160
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/5/2026
Damage Location: 10258 Nicole Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Altstadt Hoffman Plumbing Service, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36168
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/9/2026
Damage Location: 2518 Adams Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T M Telecom LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36173
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/13/2026
Damage Location: 16708 Fort Wayne Avenue, Eaton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Fiber Solutions LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36175
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/13/2026
Damage Location: 6349 Red Oak Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T S W Utility Solutions, Inc.
Other Party: Westfield Gas Corporation
Case Number: 36194
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/16/2026
Damage Location: 1836 SR 32 W, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C A Advanced, Inc.
Case Number: 36220
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/7/2026
Damage Location: 12985 Sunnyside Drive, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F G Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36221
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/6/2026
Damage Location: 1255 West Barner Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Morphey Construction, Inc.
Case Number: 36222
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/9/2026
Damage Location: East 103rd Street and Ruckle Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Temple & Temple Excavating & Paving Inc.
Case Number: 36223
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/9/2026
Damage Location: 724 West Main Street, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Frankfort Sewer Department
Case Number: 36224
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/10/2026
Damage Location: 401 West Walnut Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Danbert Inc.
Case Number: 36226
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/10/2026
Damage Location: 2705 West Riggin Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dan Cristiani Excavating Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36229
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/9/2026
Damage Location: 4th Street and East Elm Street, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Danbert Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36231
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/11/2026
Damage Location: 2709 West Riggin Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Electricom, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36233
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/11/2026
Damage Location: 4366 East Birch Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & S Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36236
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/12/2026
Damage Location: 4819 Rosie Boulevard, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons L.L.C.
Other Party: CenterPoint Energy Indiana
Case Number: 36239
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/11/2026
Damage Location: 1175 North County Road 350 West, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 36243
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/9/2026
Damage Location: 1424 West 8th Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Nivek Earthworks LLC
Case Number: 36244
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/16/2026
Damage Location: 6525 Stellhorn Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Holley
Other Party: Northern Indiana Public Service Company
Case Number: 36247
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/17/2026
Damage Location: 8101 Kinnerk Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rodriguez Landscaping & Construction Inc
Other Party: Northern Indiana Public Service Company
Case Number: 36248
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/17/2026
Damage Location: 200 West Michael Street, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S D A C O Z Holdings, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 36249
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/17/2026
Damage Location: 402 Royal Road, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Prime Contracting LLC
Other Party: Northern Indiana Public Service Company
Case Number: 36251
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/21/2026
Damage Location: 933 North 500 East, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Austgen Equipment, Inc.
Case Number: 36252
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/22/2026
Damage Location: 10519 Baker Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Freeflow Environmental Inc.
Case Number: 36253
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/22/2026
Damage Location: 445 Wessex Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jansen Cable Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 36254
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/22/2026
Damage Location: 620 West Main Street, Brook

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of South Bend Water Works Department
Other Party: Northern Indiana Public Service Company
Case Number: 36256
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/28/2026
Damage Location: 805 Golfview Lane, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DeYoung's Dirt Works, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 36258
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/30/2026
Damage Location: 308 15th Street Southeast, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alberto Avila
Other Party: Northern Indiana Public Service Company
Case Number: 36260
Date of Advisory Meeting: 5/14/2026
Date of Damage: 1/31/2026
Damage Location: 327 Hope Boulevard, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Todd**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: JR's Services & Recovery LLC
Other Party: Citizens Gas
Case Number: 36287
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/11/2026
Damage Location: 1665 Lyhurst Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Healthy Home Experts, LLC
Other Party: Citizens Gas
Case Number: 36288
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/16/2026
Damage Location: 1223 E 10th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Multifamily Contract Services 228, Inc.
Other Party: Citizens Gas
Case Number: 36292
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/28/2026
Damage Location: 819 Cloverleaf Ter, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Marko & Miro Home & Business Remodeling Co.
Case Number: 36293
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/28/2026
Damage Location: 932 BROADWAY ST, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Helene for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagner Electric Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36295
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/16/2026
Damage Location: 8204 Highway 311, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Hayes
Other Party: CenterPoint Energy Indiana
Case Number: 36296
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/16/2026
Damage Location: 1121 South Red Bank Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36299
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/18/2026
Damage Location: 1025 Cherry Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brothers Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36300
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/18/2026
Damage Location: 11564 Allisonville Road, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M C Underground Inc
Case Number: 36301
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/18/2026
Damage Location: 100 Doncaster Drive, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bi-State Management LLC
Other Party: CenterPoint Energy Indiana
Case Number: 36303
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/19/2026
Damage Location: 1801 Ekin Avenue, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Carter Management Group LLC
Case Number: 36304
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/20/2026
Damage Location: 336 Circle Drive, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: H G Heinz Inc.
Case Number: 36305
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/21/2026
Damage Location: 216 Manilla Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Citizens Energy Group - Water
Case Number: 36306
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/21/2026
Damage Location: 302 Wessex Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Q C Communications, Inc.
Case Number: 36310
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/24/2026
Damage Location: 1200 Morton Avenue, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lafayette Drill & Co
Case Number: 36311
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/24/2026
Damage Location: 4804 Indiana Route 25, Westpoint

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Fry
Other Party: CenterPoint Energy Indiana
Case Number: 36314
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/25/2026
Damage Location: 655 West Freeman Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in cursive script, reading "Beth E. Heline".

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Martin County Highway Road
Case Number: 36316
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/26/2026
Damage Location: 608 Church Street, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Maximus Underground Utilities, LLC
Case Number: 36317
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/25/2026
Damage Location: South Well Street and West Webster Avenue, Mecca

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Benjamin Franklin Plumbing
Other Party: CenterPoint Energy Indiana
Case Number: 36319
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/26/2026
Damage Location: 901 West Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Axis Fiber Solutions
Case Number: 36324
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/25/2026
Damage Location: 2050 North Graham Road, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Greencastle
Other Party: CenterPoint Energy Indiana
Case Number: 36325
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/26/2026
Damage Location: 612 East Walnut Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: The Hydaker-Wheatlake Company
Case Number: 36328
Date of Advisory Meeting: 5/14/2026
Date of Damage: 2/17/2026
Damage Location: 1500 East McGalliard Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Belcher Electric LLC
Other Party: Citizens Gas
Case Number: 36375
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/23/2026
Damage Location: 1544 Alouette Dr, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Beth E. Heline for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: G V J Underground LLC
Case Number: 36378
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/2/2026
Damage Location: 205 East Howard Avenue, Arcadia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Infinite Energy Services
Case Number: 36381
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/4/2026
Damage Location: 1356 Rutherglen Court, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: D M C R Underground LLC
Case Number: 36383
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/4/2026
Damage Location: 1290 Sunfish Court, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gehring Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 36390
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/9/2026
Damage Location: 2975 North 500 West, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joshua Jackson
Other Party: CenterPoint Energy Indiana
Case Number: 36403
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/14/2026
Damage Location: 1814 East 450 South, Jonesboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in cursive script, reading "Beth E. Heline".

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dwayne Walters
Case Number: 36405
Date of Advisory Meeting: 5/14/2026
Date of Damage: 3/14/2026
Damage Location: 4781 West Smith Valley Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lineal Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34457
Date of Advisory Meeting: 10/15/2025
Date of Damage: 5/22/2025
Damage Location: 300 Naomi Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metz Sewer Plumbing & Pumping LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33669
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/20/2024
Damage Location: 3846 Schneider Street, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

Beth E. Heline for Ben Warren, Chairman