

ORIGINAL

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: OCT 14 2020

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR

APPROVED: OCT 14 2020

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Schneider
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Knack Construction LLC**
Other Party: **Citizens Gas**
Case Number: **20828**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **8/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J M T Landscape Group LLC**
Other Party: **Citizens Gas**
Case Number: **21154**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Southwest Paving**
Other Party: **Sycamore Gas Company**
Case Number: **21219**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vest Custom Homes Inc.**
Other Party: **Citizens Gas**
Case Number: **21273**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mac's Septic LLC**
Other Party: **Citizens Gas**
Case Number: **21274**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A 2 Design LLC**
Other Party: **Citizens Gas**
Case Number: **21275**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Natural Gas Corporation**
Other Party: **Diamond Communications**
Case Number: **21158**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Bedell Plumbing**
Case Number: **21159**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **White Construction, Inc.**
Case Number: **21271**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Sub-Surface of Indiana, Inc.**
Case Number: **21282**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Indiana Reclamation & Excavating, Inc.**
Case Number: **21289**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ohio Valley Gas Corp**
Other Party: **Lankford Excavating, LLC**
Case Number: **21293**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ohio Valley Gas Corp**
Other Party: **Wiley Water Systems, Inc.**
Case Number: **21295**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Natural Gas Corporation**
Other Party: **Solutions Contracting LLC**
Case Number: **21405**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Natural Gas Corporation**
Other Party: **Do It Right Construction**
Case Number: **21407**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ohio Valley Gas Corp**
Other Party: **Steckler Landscaping LLC**
Case Number: **21410**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Watson Excavating, Inc. (Redkey)**
Case Number: **21415**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Precision Excavation**
Case Number: **21421**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Exterior Service LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **20678**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **6/27/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blake Hensley Construction**
Other Party: **Community Natural Gas Inc**
Case Number: **21269**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James Meyers Concrete**
Other Party: **Citizens Gas**
Case Number: **21283**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bartholomew County REMC**
Other Party: **Vectren Energy Delivery**
Case Number: **21400**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21519**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Fence Company, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21562**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21493**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Push Underground Construction LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21502**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blake Patrick**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21349**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Noel Howard**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21351**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Watson Excavating, Inc. (Redkey)**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21414**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$4,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marion Yoder**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21428**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mo & Sons Construction LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21429**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hagerman Construction Corp.**
Other Party: **Vectren Energy Delivery**
Case Number: **21479**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwestern Electric, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21418**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Martin's Farm Drainage, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21515**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Matthew Flynn**
Other Party: **Vectren Energy Delivery**
Case Number: **21520**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Crosby Excavating, Inc.**
Case Number: **21545**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Grimmer Construction Co.**
Case Number: **21558**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hasse Construction Co., Inc.**
Case Number: **21560**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Always Underground, Inc.**
Case Number: **21564**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Always Underground, Inc.**
Case Number: **21565**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hipskind Concrete**
Case Number: **21571**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hunter Transit, LLC**
Case Number: **21573**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hoosier Cable Services, Inc. (Valparaiso)**
Case Number: **21574**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Electric**
Case Number: **21593**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **K & K Earth Moving, Inc.**
Case Number: **21597**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Kimble's Plumbing**
Case Number: **21607**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Phend & Brown, Inc.**
Case Number: **21609**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sub Terra Solutions, LLC**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **20482**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **7/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jam Excavating Services Inc.**
Other Party: **Citizens Gas**
Case Number: **21278**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gastoll Concrete**
Other Party: **Citizens Gas**
Case Number: **21279**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Calumet Civil Contractors, Inc.**
Other Party: **Citizens Gas**
Case Number: **21281**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: **Escalated to add mandatory training where the respondent had has 18 tolerance zone violations, with three occurring within roughly a month's time of each other in 2019, and has shown a pattern of noncompliance and indifference, including not paying the penalties in the last three Ind. 811 Law cases, not responding in cases since around 2018, and not calling 911 in this case.**

APPROVED: Delana J. Poon /for Scott Sontag

Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Saul Enriquez**
Other Party: **Citizens Gas**
Case Number: **21284**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hartco Cable, Inc.**
Other Party: **Citizens Gas**
Case Number: **21290**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meade Industries, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21350**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Arc American, Inc.**
Other Party: **Citizens Gas**
Case Number: **21277**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jim Brown**
Other Party: **Citizens Gas**
Case Number: **21280**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wright Services LLC**
Other Party: **Citizens Gas**
Case Number: **21285**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Prestigious Foundations, LLC**
Other Party: **Citizens Gas**
Case Number: **21287**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Richard Lampert**
Other Party: **Ohio Valley Gas Corp**
Case Number: **21292**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawrence Excavating & Concrete**
Other Party: **Ohio Valley Gas Corp**
Case Number: **21294**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vanarsdale Construction LLC**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **21353**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **already trained 1/7/20**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City-Wide Paving, Inc.**
Other Party: **Bainbridge, Town of**
Case Number: **21354**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Williams Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21424**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$3,000; can complete training instead of paying \$3,000 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **Penalty escalated for failure to train in Case 18523**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Electricom, Inc.**
Case Number: **21422**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Summers of Kokomo, Inc.**
Case Number: **21432**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana American Water Co. DBA Indiana American**
Case Number: **21437**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **H & G Underground Utilities, LLC**
Case Number: **21439**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Quamtech Communications**
Case Number: **21440**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Infrasource Construction, LLC**
Case Number: **21446**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fleming Excavating, Inc.**
Case Number: **21447**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Rex Construction Company, Inc.**
Case Number: **21448**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **McKibbin Excavating**
Case Number: **21450**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **L G S Plumbing, Inc.**
Case Number: **21458**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/14/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Q C Communications, Inc.**
Case Number: **21460**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **J E Reedy, Inc.**
Case Number: **21480**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schutt-Lookabill Co., Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21492**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **already completed 2/4/20**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fence Boss LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21634**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chris Bott**
Other Party: **Vectren Energy Delivery**
Case Number: **21670**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/19/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bowen Engineering Corp.**
Other Party: **Vectren Energy Delivery**
Case Number: **21671**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/21/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Low Voltage Industries, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21420**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bridge Landscaping LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21430**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Environmental Construction, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21431**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lonnie Au**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21434**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fine Line Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21436**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ritchie Builders, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21438**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A to Z Bob's Remodeling**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21449**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bir & Son Well Services, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21478**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Russell Trucking & Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **21485**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rudy's Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **21486**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Richard Bernick**
Other Party: **Vectren Energy Delivery**
Case Number: **21503**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **21530**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **M T D Drilling LLC**
Case Number: **21531**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fort Wayne City Utilities**
Case Number: **21611**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Elkhart**
Case Number: **21615**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Roto Rooter - Elk Grove**
Case Number: **21621**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Johnson County REMC**
Case Number: **21628**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Blankenberger Brothers, Inc.**
Case Number: **21640**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Total Development Systems, LLC**
Case Number: **21648**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **H I S Constructors, Inc.**
Case Number: **21656**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dashiell Contracting**
Case Number: **21658**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Duke Energy Indiana**
Case Number: **21663**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Total Development Systems, LLC**
Case Number: **21664**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kreager Group, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21445**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gaunt & Son Asphalt, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21451**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Harrington Heights Lot Owners Assoc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21452**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **PirTano Construction Company, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21457**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Woodlake Estates**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21461**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bunn, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21490**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J E Reedy, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21499**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$4,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schutt-Lookabill Co., Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21517**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **already completed 2/4/20**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ace Home Improvement**
Other Party: **Vectren Energy Delivery**
Case Number: **21521**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Josh Eicher**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21426**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Moilanen**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21427**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Wardell Jr.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21433**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Colgrove**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21453**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/13/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Roach**
Other Party: **Vectren Energy Delivery**
Case Number: **21487**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nancy Wathen**
Other Party: **Vectren Energy Delivery**
Case Number: **21505**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tony Manlief**
Other Party: **Vectren Energy Delivery**
Case Number: **21507**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Harvey Construction**
Case Number: **21672**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Lubovich Excavating, Inc.**
Case Number: **21679**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: Walters

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Hoosier Underground**
Case Number: **21682**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Service Electric Company**
Case Number: **21688**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **I C R Fence**
Case Number: **21693**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21694**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Anything Underground LLC**
Case Number: **21696**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **J S McCullough Excavating LLC**
Case Number: **21697**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Internattional Inc.**
Case Number: **21699**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Midwest Paving LLC**
Case Number: **21703**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **S E I Excavation**
Case Number: **21704**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Meade, Inc.**
Case Number: **21744**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rick's Roofing Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21525**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/14/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Asplundh Construction Corp.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21540**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoerstman General Contracting, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21542**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gatlin Plumbing & Heating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21544**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Steigerwald Construction LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21566**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Milestone Contractors, LP**
Other Party: **Vectren Energy Delivery**
Case Number: **21629**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy**
Other Party: **Vectren Energy Delivery**
Case Number: **21630**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Anderson Construction Company**
Other Party: **Vectren Energy Delivery**
Case Number: **21632**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Deig Bros Lumber & Construction Co, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21647**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Matt Parmelee**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21441**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Fort Wayne**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21443**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mohammed Azam**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21444**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gary Blume**
Other Party: **Vectren Energy Delivery**
Case Number: **21482**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Country Club of Old Vincennes**
Other Party: **Vectren Energy Delivery**
Case Number: **21500**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Setser Septic, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21512**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Axe Excavating & Services**
Other Party: **Vectren Energy Delivery**
Case Number: **21514**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C L S Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **21528**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Arc American, Inc.**
Case Number: **21484**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Infrastructure Systems, Inc.**
Case Number: **21488**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **21489**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **21494**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Estes Excavating, Inc.**
Case Number: **21495**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Telecom Placement, Inc.**
Case Number: **21501**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Arc American, Inc.**
Case Number: **21506**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Midwest Paving LLC**
Case Number: **21508**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **D & D Fence & Construction**
Case Number: **21509**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Blankenberger Brothers, Inc.**
Case Number: **21511**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **R C I Contracting, Inc.**
Case Number: **21513**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Total Development Systems, LLC**
Case Number: **21518**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **F D & Sons Concrete**
Other Party: **Vectren Energy Delivery**
Case Number: **21652**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bayer's Plumbing, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21654**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Roberts Boring/Trenching/Excavating LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21655**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weddle Bros. Construction Co., Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21657**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Helebo Trenching, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21662**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C H S Electric LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21666**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Luke Fisher**
Other Party: **Vectren Energy Delivery**
Case Number: **21669**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Campbell Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **21675**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | | |
|--|--|------------------------------------|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Potholing | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Probing | | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | | | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Earl Peters**
Other Party: **Community Natural**
Case Number: **21156**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: Wilson Water & Sewer Service, Inc.
Other Party: **Citizens Gas**
Case Number: 20256
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **6/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vincent Tyler**
Other Party: **Citizens Gas**
Case Number: **21148**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reed & Sons Construction, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21378**
Date of Advisory Meeting: **8/18/2020**
Date of Damage: **9/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of \$
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren
Chairman