

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
 APPROVING ADVISORY COMMITTEE)
 RECOMMENDATIONS PURSUANT TO)
 INDIANA CODE CHAPTER 8-1-26.)

APPROVED: NOV 03 2021

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:

APPROVED: NOV 03 2021

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3D Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23728
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/2/2020
Damage Location: 514 West Grant Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Concrete Leveling
Other Party: CenterPoint Energy Indiana
Case Number: 23294
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/18/2020
Damage Location: 368 E Sherman St, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Aaron Smith
Other Party: Northern Indiana Public Service Company
Case Number: 23173
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/25/2020
Damage Location: 6000 N 1200 E, Orland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Access Plumbing & Heating
Other Party: CenterPoint Energy Indiana
Case Number: 23324
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 1735 W 53rd St, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Adam Geyer
Other Party: Aurora Utilities
Case Number: 23000
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/1/2020
Damage Location: 408 Bridgeway St, Aurora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Advanced Foundation Service LLC
Other Party: Citizens Gas
Case Number: 23110
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 1155 S State Ave, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)


The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allan Julian
Other Party: CenterPoint Energy Indiana
Case Number: 23039
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/28/2020
Damage Location: 11525 Saint Wendell Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allen Roberts
Other Party: CenterPoint Energy Indiana
Case Number: 23040
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/24/2020
Damage Location: 50 Cove Ct, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ambrose Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23382
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 124 E Powell Ave, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Walters**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Electric Power DBA Indiana Michigan Power
Other Party: CenterPoint Energy Indiana
Case Number: 23317
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 121 E Center St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amor Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23417
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 163 West 7th Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Angela Butrum
Other Party: Fountaintown Gas Company, Inc
Case Number: 23239
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/16/2020
Damage Location: 301 E Madison Street, Kennard

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arrow Fence Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23747
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/9/2020
Damage Location: 7128 Bohnke Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Austin Biggerstaff Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23372
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 6668 Hidden Meadow Pass, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Austin Schaber
Other Party: Indiana Natural Gas Corporation
Case Number: 22999
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/31/2020
Damage Location: 615 S Adams Street, French Lick

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B & E Concrete, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23744
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/9/2020
Damage Location: 192 Virginia Court, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B & H Septic, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23309
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 1140 Moran St, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & T Drainage, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23371
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/3/2020
Damage Location: 505 Swan St, Marshall

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Badger Daylighting Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 23285
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 2165 Adams Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baumgartner & Co Asphalt Services
Other Party: CenterPoint Energy Indiana
Case Number: 23381
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/11/2020
Damage Location: 603 Brewer Pl, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beaty Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23393
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/11/2020
Damage Location: 19 N Harrison St, Boggstown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blazer Farms
Other Party: Northern Indiana Public Service Company
Case Number: 23431
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/27/2020
Damage Location: 4708 W 200 N, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 23384
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/14/2020
Damage Location: 226 N Monroe St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:

Debra J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brad's Lawn Care LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23398
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 1025 South Armstrong Street, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Burdette Builders, Inc.
Other Party: Fountaintown Gas Company, Inc
Case Number: 23104
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/8/2020
Damage Location: 227 Connelly Street, Osgood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C & T Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23467
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: 304 N Glick St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Carl Daulton Construction
Other Party: Midwest Natural Gas Corporation
Case Number: 23050
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/5/2020
Damage Location: 1209 W. Mulberry St., Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Casebolt Contracting, LLC
Other Party: Ohio Valley Gas Corp
Case Number: 23453
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/8/2020
Damage Location: 10500 Aberdeen Way, Tell City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Casey Clark
Other Party: Northern Indiana Public Service Company
Case Number: 23725
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 401 East Fairview Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: failure to plan

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Casey Johnson
Other Party: Northern Indiana Public Service Company
Case Number: 23441
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/30/2020
Damage Location: 3200 Bryan Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cedrick Alexander
Other Party: Northern Indiana Public Service Company
Case Number: 23413
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 4641 Lafayette Esplanade, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Sturgeon
Other Party: CenterPoint Energy Indiana
Case Number: 23327
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/18/2020
Damage Location: 319 Perrin Ln, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Circle City Land Holdings Corp.
Other Party: Citizens Gas
Case Number: 23121
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/30/2020
Damage Location: 145 Hoefgen St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Peon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Brazil
Other Party: CenterPoint Energy Indiana
Case Number: 23307
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 711 S Grant, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Kokomo
Other Party: Northern Indiana Public Service Company
Case Number: 23422
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 806 South Jay Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Clark Construction & Concrete
Other Party: Northern Indiana Public Service Company
Case Number: 23736
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/3/2020
Damage Location: 1034 Foster Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **bent over the line and taped it.**

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cobalt Civil, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23208
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/4/2020
Damage Location: 307 N 6th St, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cobalt Civil, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23749
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 845 Cambridge Drive, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Corbett Properties, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23218
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/12/2020
Damage Location: 136 1/2 Bolwing Ln, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Country Lane Hardscapes, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23427
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 506 South Main Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Crone Customs L.L.C
Other Party: Citizens Gas
Case Number: 23522
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 2919 Kaskaskia Way, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Culy Contracting, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23325
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 208 W 4th St, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Concrete Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23373
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/4/2020
Damage Location: Morning Dawn Dr, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Danny Chappel
Other Party: CenterPoint Energy Indiana
Case Number: 23329
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 3407 Jay Dr, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Darrel's Stump Grinding, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23302
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 10417 Downen Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delora J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dave O'Mara Contractor, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23386
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/14/2020
Damage Location: 625 E 9th, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Blackburn
Other Party: CenterPoint Energy Indiana
Case Number: 23222
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/6/2020
Damage Location: 2305 Main St / 2310 Wessel, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Flores
Other Party: Citizens Gas
Case Number: 23536
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: 1797 Somerset Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Kendall
Other Party: Northern Indiana Public Service Company
Case Number: 23286
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/11/2020
Damage Location: 916 S 8th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dennis Bradford
Other Party: CenterPoint Energy Indiana
Case Number: 23019
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/24/2020
Damage Location: 1912 Mulberry St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Stuller
Other Party: Northern Indiana Public Service Company
Case Number: 23764
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/15/2020
Damage Location: 1635 3rd Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:


Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dennis Trucking Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23475
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: E Franklin and N Vine, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Devries Design & Landscape LLC
Other Party: Citizens Gas
Case Number: 23113
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 6855 Powder Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Diggin & Dozin Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23726
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 21533 State Road 120, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dirt & Demo
Other Party: Citizens Gas
Case Number: 23516
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/9/2020
Damage Location: 3040 Bentwood Cir S Dr, Fairland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Doug Miller
Other Party: Indiana Natural Gas Corporation
Case Number: 23446
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 9 W 2nd Street, Birdseye

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D-Squared Construction
Other Party: CenterPoint Energy Indiana
Case Number: 23314
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 7 Millside Dr, Yoder

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dyer Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23436
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/28/2020
Damage Location: 1231 Harrison Street, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Edward Hull
Other Party: CenterPoint Energy Indiana
Case Number: 23326
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 7620 Moss creek Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Elite Electrical Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23420
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 2100 Lake Avenue, Louisville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Exceptional Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23319
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/28/2020
Damage Location: 4740 Orchid Ct, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Findlay Drilling, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23367
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 1050 Windwood Lane, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23730
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/2/2020
Damage Location: 3319 Vesey Avenue, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Flow Pro Plumbing & Drain Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23313
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 5210 Elderberry Rd, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Floyd Henney Builders Inc
Other Party: Northern Indiana Public Service Company
Case Number: 23289
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/3/2020
Damage Location: 6302 Schlatter Road, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Forever Green Lawn Care, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23283
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 2725 West 65th Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **pinched off the line, attempting to slow/stop the flow of gas**

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fox Contractors Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 23823
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/17/2020
Damage Location: 2503 North Highlands Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: G E Marshall, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23432
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/27/2020
Damage Location: 1703 East 69th Avenue, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: G T Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23207
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/5/2020
Damage Location: 8 W 600 N, Moores Hill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gaunt & Son Asphalt, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23429
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 111 Falls Avenue, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gehring Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23310
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 6087 W David Wayne Dr, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gilberto Avila
Other Party: Northern Indiana Public Service Company
Case Number: 23416
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 6717 Carolina Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Grant County Construction Team
Other Party: CenterPoint Energy Indiana
Case Number: 23323
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 212 E North A St, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Great Lakes Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23370
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/2/2020
Damage Location: 30 Foxwood Ct, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Greg Breitzke
Other Party: Northern Indiana Public Service Company
Case Number: 23740
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/5/2020
Damage Location: 239 E 300 S, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23761
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/14/2020
Damage Location: 2375 Cass Street, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Halo Construction
Other Party: Citizens Gas
Case Number: 23346
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 1625 Nowland Ave, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:

Delana J. Poon /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent:	Henn & Sons Construction Services, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	23443
Date of Advisory Meeting:	6/8/2021
Date of Damage:	8/31/2020
Damage Location:	3600 Michigan Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana Outback Corporation
Other Party: Northern Indiana Public Service Company
Case Number: 23423
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 6872 W 320 S, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrastructure Systems, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23203
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/4/2020
Damage Location: 2515 Blackiston Mill Rd, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J & W Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23458
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/27/2020
Damage Location: 1321 E 1st St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J C Cutting Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23305
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/20/2020
Damage Location: 4122 Mellen Dr, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J E Reedy, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23378
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/9/2020
Damage Location: 4302 Magus Ct, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: James Stanger Excavating Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23311
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 1105 W 3rd St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jamniczky Contracting, Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 23106
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 5452 S. C.R. 50 E., Huntingburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jeff Jones
Other Party: Northern Indiana Public Service Company
Case Number: 23404
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/18/2020
Damage Location: 1427 North Elmer Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jeff Wilkinson
Other Party: CenterPoint Energy Indiana
Case Number: 23023
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/24/2020
Damage Location: 1620 Cincinnati Ave, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jeremy Grant
Other Party: Northern Indiana Public Service Company
Case Number: 23191
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/30/2020
Damage Location: 605 West Park Drive, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Joel Conrad
Other Party: Northern Indiana Public Service Company
Case Number: 23177
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/27/2020
Damage Location: 1016 South 7th Street, New Paris

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: John Mattingly Homes, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23212
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 1171 Lakefield Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson's Sewer Service
Other Party: CenterPoint Energy Indiana
Case Number: 23301
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 503 E Monroe, Fowler

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jordan Kohlhouse
Other Party: CenterPoint Energy Indiana
Case Number: 23375
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/7/2020
Damage Location: 1415 Prairie Dr, Bruceville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jose Flores
Other Party: Northern Indiana Public Service Company
Case Number: 23284
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/10/2020
Damage Location: 7537 Tapper Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Josh Tang
Other Party: Northern Indiana Public Service Company
Case Number: 23755
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/11/2020
Damage Location: 814 North Saint Louis Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Joshua Hacker
Other Party: Northern Indiana Public Service Company
Case Number: 23437
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/29/2020
Damage Location: 6580 County Road 427, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Justen Cable Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23399
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 20 Marine Drive Apartment 5, Ingleside

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information: **no penalty "reset" where the last three cases are in collection**

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Katie Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23374
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/8/2020
Damage Location: 331 S 14th Street, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kenneth Cree
Other Party: Northern Indiana Public Service Company
Case Number: 23411
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/20/2020
Damage Location: 55 West Main Street, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kenneth E Young
Other Party: CenterPoint Energy Indiana
Case Number: 23385
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/11/2020
Damage Location: 3476 W 50 N, Richland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delisa J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kent's Concrete, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23209
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/6/2020
Damage Location: 7301 E Buddy Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delora J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Keske Construction
Other Party: Northern Indiana Public Service Company
Case Number: 23754
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 525 Evergreen Lane, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kiefer-Gibson LLC
Other Party: Citizens Gas
Case Number: 23339
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/28/2020
Damage Location: 412 W Mccarty St, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Krilich Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23409
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/20/2020
Damage Location: 650 Eleanor Rose Court Lot 217, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: L G S Plumbing, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23815
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: 221 Fagen Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:

Delva J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: L-A Electric
Other Party: Northern Indiana Public Service Company
Case Number: 23396
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 925 South Greene Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lee Cato
Other Party: Northern Indiana Public Service Company
Case Number: 23737
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/3/2020
Damage Location: 5202 Bowser Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Libs Paving Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23387
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/15/2020
Damage Location: 406 Accrusia Ave, Floyds Knobs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Losson Excavating, Septic & Drain, Inc.
Other Party: Midwest Natural Gas Corporation
Case Number: 23049
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/8/2020
Damage Location: 1209 W. Mulberry St., Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M7 Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23418
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 2050 Beauty Creek Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:

Delana J. Poon /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mark Morron Excavating, LLC
Other Party: Citizens Gas
Case Number: 23519
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/3/2020
Damage Location: 2515 Georgetown Rd, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Martin Leuker
Other Party: Northern Indiana Public Service Company
Case Number: 23277
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/1/2020
Damage Location: 4018 Covington Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matthew Scott
Other Party: Northern Indiana Public Service Company
Case Number: 23757
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/13/2020
Damage Location: 79 Daniel Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mattingly Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23380
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 20116 Hampton Park Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Maurer Well Service, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23400
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 19891 Detroit Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Michael Valdez
Other Party: Northern Indiana Public Service Company
Case Number: 23816
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: 10413 Snowy Owl Court, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Michiana Utility Construction Inc
Other Party: Northern Indiana Public Service Company
Case Number: 23756
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/12/2020
Damage Location: 54557 Buckeye Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mike Lacy
Other Party: Citizens Gas
Case Number: 23537
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/16/2020
Damage Location: 1310 N Pennsylvania St, Jasonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Sewer & Drain LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23445
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 6490 S 850 W, Larwill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Monte Richey
Other Party: CenterPoint Energy Indiana
Case Number: 23223
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/13/2020
Damage Location: 866 N State Road 29, Michigantown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mr. Wrench DD LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23172
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/24/2020
Damage Location: 60687 County Road 37, Building Chicken,
Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mt. Carmel Stabilization Group, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23419
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 1607 East 69th Avenue, Mt. Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nyirabakunzy Umutesi
Other Party: Northern Indiana Public Service Company
Case Number: 23276
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/1/2020
Damage Location: 1309 Rockne Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delwa J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: One House At A Time
Other Party: Citizens Gas
Case Number: 23341
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/27/2020
Damage Location: 359 Terrace Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paschal Miguel
Other Party: CenterPoint Energy Indiana
Case Number: 23042
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/25/2020
Damage Location: 1710 Halford St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Patrick Hearne
Other Party: Northern Indiana Public Service Company
Case Number: 23185
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/29/2020
Damage Location: 574 East Clear Lake Drive, Spring

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pioneer Land Service, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23383
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/12/2020
Damage Location: 944 Fry Rd, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Premium Concrete Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23288
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/12/2020
Damage Location: 1910 Catalpa Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: R V Sutton, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23745
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/9/2020
Damage Location: 550 West Beam Street, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Debra J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ramon Sanchez
Other Party: Northern Indiana Public Service Company
Case Number: 23282
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/9/2020
Damage Location: 4207 South Calhoun Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Renascent, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23316
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/25/2020
Damage Location: 610 W McGalliard RD, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Richards Pool Service Inc
Other Party: Northern Indiana Public Service Company
Case Number: 23750
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 1316 Millennium Drive, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23290
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/6/2020
Damage Location: 0737 West US Highway 6, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Riley's Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23368
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/1/2020
Damage Location: 3018 Grande Pt, Lanesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training (already completed 3/15/21)

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Robert Butler
Other Party: Northern Indiana Public Service Company
Case Number: 23435
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/28/2020
Damage Location: 2320 South US Highway 35, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Robinson Trenching & Directional Boring, Inc.
Other Party: Citizens Gas
Case Number: 23345
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 7381 Taos Tr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rosas Otoniel
Other Party: Citizens Gas
Case Number: 23538
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/15/2020
Damage Location: 1646 Countryside Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)


The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Schrader Real Estate & Auction of Fort Wayne, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23279
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/5/2020
Damage Location: 1715 Norland Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Scott / Julie Chase
Other Party: CenterPoint Energy Indiana
Case Number: 23388
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/6/2020
Damage Location: 6878 Hillcrest Drive, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Selge Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23179
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/28/2020
Damage Location: 1319 Winsted Drive, Niles

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Seth Zartman
Other Party: Northern Indiana Public Service Company
Case Number: 23281
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/8/2020
Damage Location: 59275 County Road 3, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shari Szilaghyi
Other Party: Northern Indiana Public Service Company
Case Number: 23743
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/7/2020
Damage Location: 7495 East Point Road Extension, Building Garage,
New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Shawn Staggs
Other Party: CenterPoint Energy Indiana
Case Number: 23204
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/5/2020
Damage Location: 2405 Joan Place, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sheref Nessem
Other Party: CenterPoint Energy Indiana
Case Number: 23220
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/3/2020
Damage Location: 10124 Guilford Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shiel Sexton
Other Party: Citizens Gas
Case Number: 23515
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/10/2020
Damage Location: 1011 E St Clair St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Shuck Corporation
Other Party: Citizens Gas
Case Number: 23340
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/28/2020
Damage Location: 3711 Brookside Parkway South Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delora J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sipes Asphalt Solutions Co.
Other Party: Citizens Gas
Case Number: 23343
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 2705 Fruitdale Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sitecrete, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23217
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/13/2020
Damage Location: 11479 Lantern Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Solar Freeze LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23280
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/6/2020
Damage Location: 0214 Marquis Road, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **pinched off the line, attempting to slow/stop the flow of gas**

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Stanley Faidley
Other Party: Citizens Gas
Case Number: 23347
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 1219 Kappes St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: State Barricading, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23768
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/15/2020
Damage Location: 602 East Jefferson Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Graber
Other Party: Northern Indiana Public Service Company
Case Number: 23397
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/17/2020
Damage Location: 15433 Antwerp Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steve Moore
Other Party: Northern Indiana Public Service Company
Case Number: 23440
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/30/2020
Damage Location: 12611 Anderson Road, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delwa J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steven Edwards
Other Party: Citizens Gas
Case Number: 23338
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/30/2020
Damage Location: 8650 Fall Creek Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Superior Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23412
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/21/2020
Damage Location: 3801 West Ferguson Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T S F CO., INC.
Other Party: CenterPoint Energy Indiana
Case Number: 23035
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/27/2020
Damage Location: 10914 Woodside Dr S, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Terry Thornsbury
Other Party: Northern Indiana Public Service Company
Case Number: 23741
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/6/2020
Damage Location: 6416 Orchard Lake Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: The Westfield Sprinkler Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23312
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/24/2020
Damage Location: 13976 Wilmuth, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thomas Trucking & Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 23297
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/19/2020
Damage Location: 1850 S Walnut St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delora J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Tri-Star Fence Co.
Other Party: Citizens Gas
Case Number: 23342
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/26/2020
Damage Location: 6901 E 38th St, Williamsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: Delora J. Poon /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Troy Eads Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23759
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/14/2020
Damage Location: 13393 North State Road 13, Lagro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Delora J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Turk Brothers Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23442
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 12377 Brookside Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: V & H Excavating Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23739
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/4/2020
Damage Location: 219 Wade Place, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: V I P Foliage & Landscape, LLC
Other Party: Ohio Valley Gas Corp
Case Number: 23454
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/14/2020
Damage Location: 9115 Cambridge Rd., Tell City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: W R Johnson Excavation LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23321
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 517 Parkhurst Ct, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wayne Winkler
Other Party: Northern Indiana Public Service Company
Case Number: 23407
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/19/2020
Damage Location: 5760 E 100 N, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: White Construction, Inc.
Other Party: Citizens Gas
Case Number: 23512
Date of Advisory Meeting: 6/8/2021
Date of Damage: 9/15/2020
Damage Location: 327 Park St, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:

Delora J. Poon /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**

1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wickey Construction
Other Party: Northern Indiana Public Service Company
Case Number: 23444
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/31/2020
Damage Location: 409 Highland Avenue, Geneva

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wilcox Well Service
Other Party: Northern Indiana Public Service Company
Case Number: 23176
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/27/2020
Damage Location: 6710 N 700 E, Camden

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Will Power Excavation LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23037
Date of Advisory Meeting: 6/8/2021
Date of Damage: 7/24/2020
Damage Location: 1732 W 116th St, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: damaging lines

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Workman Concrete Inc
Other Party: Northern Indiana Public Service Company
Case Number: 23287
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/12/2020
Damage Location: 426 South Porter Street, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **pinched off the line, attempting to slow/stop the flow of gas**

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Yoder Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23291
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/13/2020
Damage Location: 85 Lane 101 Ball Lake, Hamilton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Delana J. Peon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Zack Myers
Other Party: Northern Indiana Public Service Company
Case Number: 23292
Date of Advisory Meeting: 6/8/2021
Date of Damage: 8/13/2020
Damage Location: 6413 West 131st Avenue Lot 25, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: damaging lines

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: K & C Home Improvements LLC
Other Party: CenterPoint Energy Indiana
Case Number: 22916
Date of Advisory Meeting: 5/18/2021
Date of Damage: 7/8/2020
Damage Location: 1637 E Cherry Ln, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Peon* /for Ben Warren
Ben Warren, Chairman