

# ORIGINAL

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	✓		
Veleta	✓		
Ziegner	✓		

## INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )                            APPROVED: DEC 10 2025  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )

### ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

**IT IS SO ORDERED.**

**HUSTON, ZIEGNER, AND VELETA CONCUR:**

**APPROVED: DEC 10 2025**

**I hereby certify that the above is a true  
and correct copy of the Order as approved.**

---

**Dana Kosco**  
**Secretary of the Commission**



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Duke Energy Indiana  
Case Number: 34342  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/7/2025  
Damage Location: 5235 South Old State Road 37, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Bobby Luttrell & Sons L.L.C.  
Case Number: 34717  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/17/2025  
Damage Location: 2223 West County Road 300 South, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Utility Management and Construction LLC  
Case Number: 34740  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/25/2025  
Damage Location: 217 Poplar Grove Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Dave O'Mara Contractor, Inc.  
Case Number: 34749  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/27/2025  
Damage Location: 549 East Main Street, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: T & R Contractors, Inc.  
Case Number: 34751  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/26/2025  
Damage Location: 902 West Main Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: William Charles Construction Co  
Case Number: 34757  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/30/2025  
Damage Location: 837 West Auman Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: J P Pipe Installation LLC  
Case Number: 34758  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/30/2025  
Damage Location: 414 South D Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: SMW Construction Company  
Case Number: 34954  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/22/2025  
Damage Location: 4407 Kamer Miller Road, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

## **Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Watson Excavating, Inc. (Redkey)  
Case Number: 34957  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/22/2025  
Damage Location: 401 East Main Street, Van Buren

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Atlas Excavating, Inc.  
Case Number: 34970  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/29/2025  
Damage Location: 4280 Yeager Road, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Hummel Electric, Inc.  
Case Number: 34972  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/28/2025  
Damage Location: 6Th Street & Vigo Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 34984  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/23/2025  
Damage Location: 31 South State Street, Markleville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nova Inc dba Nova Basement Systems  
Other Party: Northern Indiana Public Service Company  
Case Number: 34312  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 51104 North Shore Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shoda Sewer Service  
Other Party: Northern Indiana Public Service Company  
Case Number: 34395  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/5/2025  
Damage Location: 7536 Winchester Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: ACE Underground Services LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34414  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/9/2025  
Damage Location: 1319 North Lima Road, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Material Supply LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34308  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 721 West 78th Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Directional Boring Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34413  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/9/2025  
Damage Location: 118 East Wayne Street, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 34433  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/15/2025  
Damage Location: 5781 East 100 South, Mill Creek

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 34315  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 915 West Main Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nunez Electric  
Other Party: Northern Indiana Public Service Company  
Case Number: 34407  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/8/2025  
Damage Location: 1015 Country Club Road, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Youngs Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34394  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/5/2025  
Damage Location: 2652 Jaclyn Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34205  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/11/2025  
Damage Location: 318 East Lake Street, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amazing Underground  
Other Party: Northern Indiana Public Service Company  
Case Number: 34269  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/16/2025  
Damage Location: 651 Armory Road, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: J & E Utilities  
Other Party: Northern Indiana Public Service Company  
Case Number: 34293  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/24/2025  
Damage Location: 426 North Main Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

### Abstentions: **Smith**

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joink LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34437  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/16/2025  
Damage Location: 203 Main Street, Clay City

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Low Voltage Industries, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 34292

Date of Advisory Meeting: 10/15/2025

Date of Damage: 4/24/2025

Damage Location: 2032 South 550 East, Knox

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink, appearing to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pro Electric  
Other Party: Northern Indiana Public Service Company  
Case Number: 34278  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/18/2025  
Damage Location: 120 Sager Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Silvers Concrete & Paving LLC  
Other Party: Citizens Gas  
Case Number: 34486  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/4/2025  
Damage Location: 209 Buckingham Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Fortville  
Other Party: CenterPoint Energy Indiana  
Case Number: 34456  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/23/2025  
Damage Location: 406 South Maple Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Whalen Construction Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34556  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/6/2025  
Damage Location: 50 Devonwood Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34200  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/10/2025  
Damage Location: 205 East Lake Street, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Elevation Excavation, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34464  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 4400 Hamilton Run, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

**\$3,000**

### Abstentions:

### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34207  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/14/2025  
Damage Location: 2010 Lincoln Highway East, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Landscape Designs of Indianapolis, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34475  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/30/2025  
Damage Location: 20027 Old Dock Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

**\$3,500**

### Abstentions:

#### Additional Information:

APPROVED: 

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Anderson  
Other Party: CenterPoint Energy Indiana  
Case Number: 34557  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/10/2025  
Damage Location: 1611 Poplar Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade, Inc. - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 34501  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/19/2025  
Damage Location: 1864 West 20th Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:

S & S Directional Boring, LTD

Other Party:

Northern Indiana Public Service Company

Case Number:

34386

Date of Advisory Meeting:

10/15/2025

Date of Damage:

5/1/2025

Damage Location:

1840 North Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34275  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/18/2025  
Damage Location: 1728 North Tyland Boulevard, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34507  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/22/2025  
Damage Location: 2407 Edsall Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34421  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/12/2025  
Damage Location: 5575 West Wilmens Trail, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:

S & S Directional Boring, LTD

Other Party:

Northern Indiana Public Service Company

Case Number:

34494

Date of Advisory Meeting:

10/15/2025

Date of Damage:

5/16/2025

Damage Location:

2718 North Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Silvers Concrete & Paving LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34447  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/19/2025  
Damage Location: 582 South Masters Drive, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Techno Drill, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34365  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/15/2025  
Damage Location: 3844 Estella Drive, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Techno Drill, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34465  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 3809 Morehouse Road, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boender Electric of Indiana, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 34272

Date of Advisory Meeting: 10/15/2025

Date of Damage: 4/18/2025

Damage Location: 9330 Wicker Avenue, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cedar Rustic Fence Co.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34389  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/3/2025  
Damage Location: 7041 Starling Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: ServPro of Starke, Marshall, Pulaski, & Fulton Counties

Other Party: Northern Indiana Public Service Company

Case Number: 34512

Date of Advisory Meeting: 10/15/2025

Date of Damage: 5/23/2025

Damage Location: 710 South Franklin Street, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions: Smith

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Brezko  
Other Party: CenterPoint Energy Indiana  
Case Number: 34567  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/11/2025  
Damage Location: 400 South Water Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Bougie  
Other Party: Northern Indiana Public Service Company  
Case Number: 34318  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/30/2025  
Damage Location: 13927 Wicker Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Franklin Ramerez  
Other Party: Citizens Gas  
Case Number: 34378  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/18/2025  
Damage Location: 931 Arbor Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joel Difiore
Other Party:	Northern Indiana Public Service Company
Case Number:	34300
Date of Advisory Meeting:	10/15/2025
Date of Damage:	4/25/2025
Damage Location:	522 East Dahlgren Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawrence Trammel  
Other Party: Northern Indiana Public Service Company  
Case Number: 34432  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/15/2025  
Damage Location: 1116 East Winona Avenue, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lupe Sanchez

Other Party: Citizens Gas

Case Number: 34370

Date of Advisory Meeting: 10/15/2025

Date of Damage: 5/10/2025

Damage Location: 8221 E 47Th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corporation  
Other Party: CenterPoint Energy Indiana  
Case Number: 34562  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/9/2025  
Damage Location: 1980 West Deaver Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(other)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

## INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Hartman Electric, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34419  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/12/2025  
Damage Location: 3740 Edison Lakes Parkway, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

### Abstentions: **Smith**

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & S Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34696  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/11/2025  
Damage Location: 119 Dagny Drive, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McNamee Landscaping Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34540  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/4/2025  
Damage Location: 1445 Bellows Avenue, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kreager Group, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34319  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/30/2025  
Damage Location: 9380 East State Road 250, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: C C & T Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34345  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/7/2025  
Damage Location: 10648 Penn Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: American Veteran Exteriors LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34274  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/18/2025  
Damage Location: 723 Washington Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grand Designs Landscaping & Hardscaping LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34522  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/28/2025  
Damage Location: 48 EMS B61L Lane, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lunder Underground Services Corp  
Other Party: Northern Indiana Public Service Company  
Case Number: 34295  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/24/2025  
Damage Location: 1290 West 4th Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M G M Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34499  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/19/2025  
Damage Location: 1 Buffington Harbor Drive, Gary

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Land Surveying Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 34393  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/5/2025  
Damage Location: 4216 Hanna Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Morley & Associates Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	34452
Date of Advisory Meeting:	10/15/2025
Date of Damage:	5/21/2025
Damage Location:	Lot 30 and 31 Persimmon Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nature's Wood Products dba Tri-Power Recycling  
Other Party: Northern Indiana Public Service Company  
Case Number: 34416  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/10/2025  
Damage Location: 1503 McNaughton Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Southern Indiana Builders LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34468  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 600 East George Street, Washington

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Electric Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34448  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/20/2025  
Damage Location: 6100 Hometown Boulevard, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.  
Other Party: Citizens Gas  
Case Number: 34586  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/17/2025  
Damage Location: 8840 New Church Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34443  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/19/2025  
Damage Location: 223 North Alfonse Street, Ingalls

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Green Light Lawn Care Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 34356  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/14/2025  
Damage Location: 622 Rose Street, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lake County Highway Department  
Other Party: Northern Indiana Public Service Company  
Case Number: 34303  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/25/2025  
Damage Location: 13112 Iowa Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34309  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 68440 State Road 23, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: S A M M Trucking & Excavating Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34348  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/9/2025  
Damage Location: 2217 Harding Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

**\$3,000**

### Abstentions:

#### Additional Information:

APPROVED: 

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D & M B LLC DBA Barnett Contracting  
Other Party: Fountaintown Gas Company, Inc  
Case Number: 34266  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/7/2025  
Damage Location: 6038 S 600 E, Waldron

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 34328  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/2/2025  
Damage Location: 3414 River Bluff Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hittle Landscaping, Inc.  
Other Party: Westfield Gas Corporation  
Case Number: 34372  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/13/2025  
Damage Location: 393 W Tournament Trail, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hittle Landscaping, Inc.  
Other Party: Citizens Gas  
Case Number: 34379  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/23/2025  
Damage Location: 4536 Laughter Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Lineal Contracting, Inc.  
Case Number: 34712  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/16/2025  
Damage Location: 934 Aries Boulevard, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Foundations by Thompson  
Case Number: 34715  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/17/2025  
Damage Location: 7125 East Rising Sun Circle North, Camby

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Lineal Contracting, Inc.  
Case Number: 34718  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/17/2025  
Damage Location: 874 Scorpio Court, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Broadband of Indiana LLC  
Case Number: 34722  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/18/2025  
Damage Location: 319 Spring Street, Jeffersonv

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Town of Chandler  
Case Number: 34723  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/19/2025  
Damage Location: 436 Westbriar Circle, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 34725  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/18/2025  
Damage Location: 416 South State Street, Markleville

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Rams Underground Group LLC  
Case Number: 34731  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/23/2025  
Damage Location: 708 Shawnee Avenue, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Intren, LLC  
Case Number: 34735  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/24/2025  
Damage Location: South Main Street Road & East Henry Road,  
Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Earley Electric, Inc.  
Case Number: 34739  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/25/2025  
Damage Location: 2239 West Haven Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana

Other Party: Drainage Construction Unlimited, Inc.

Case Number: 34743

Date of Advisory Meeting: 10/15/2025

Date of Damage: 6/25/2025

Damage Location: 12025 Hoosier Road, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Evansville Water and Sewer Utility  
Case Number: 34832  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/8/2025  
Damage Location: 537 Van Dusen Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Drent Excavation Co., LLC  
Case Number: 34835  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/8/2025  
Damage Location: 2800 West Memorial Drive Lot 127, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Axis Fiber Solutions  
Case Number: 34836  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/8/2025  
Damage Location: 13792 North Murphy Road, Carbon

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

## INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana

Other Party: Fox Contractors Corp.

Case Number: 34838

Date of Advisory Meeting: 10/15/2025

Date of Damage: 7/9/2025

Damage Location: 821 Division Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Blankenberger Brothers, Inc.  
Case Number: 34840  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/10/2025  
Damage Location: 2229 West Indiana Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: 3D Company, Inc.  
Case Number: 34841  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/10/2025  
Damage Location: North Jefferson Street & East Columbus Avenue,  
Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: MAC Construction & Excavating, Inc.  
Case Number: 34844  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/10/2025  
Damage Location: 2020 Perry Crossing Road, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

## **Mike Braun, Governor**

**Ben Warren, Chairman**

## INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Michael Nisle  
Case Number: 34849  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/13/2025  
Damage Location: 4026 West Carmola Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


## IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

## Ben Warren, Chairman

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Linetec Services, LLC  
Case Number: 34850  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/13/2025  
Damage Location: 806 South Luick Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Q C Communications, Inc.

**Other Party:**

Case Number: 34384

Date of Advisory Meeting: 10/15/2025

Date of Damage: 6/2/2025

Damage Location: S Miller St, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-19(c)**

The Advisory Committee recommends the following civil penalty:

**\$500**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.  
Other Party: Citizens Gas  
Case Number: 34369  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/9/2025  
Damage Location: 3916 Washington Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Q C Communications, Inc.  
Other Party: Citizens Gas  
Case Number: 34380  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/28/2025  
Damage Location: 5221 Victory Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

### Abstentions: Warren

#### Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McIndy Plumbing & Drains Service, LLC  
Other Party: Citizens Gas  
Case Number: 34377  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/16/2025  
Damage Location: 8737 Chateaugay Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Practical Property Group, LLC  
Other Party: Citizens Gas  
Case Number: 34481  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/30/2025  
Damage Location: 7936 Beaumont Green Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nobis Technology LLC  
Other Party: Citizens Gas  
Case Number: 34487  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/9/2025  
Damage Location: 3309 Decker Ridge Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T S W Utility Solutions, Inc.  
Other Party: Citizens Gas  
Case Number: 34490  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/12/2025  
Damage Location: 3218 N Tacoma Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 317 Hoosier Painting  
Other Party: Citizens Gas  
Case Number: 34588  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/20/2025  
Damage Location: 11517 Hidden Bay, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A B C O Electrical Construction & Design LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34517  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 9960 Mississippi Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Concrete Leveling & Caulking  
Other Party: Northern Indiana Public Service Company  
Case Number: 34664  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/2/2025  
Damage Location: 1926 East Bowman Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Copeland Contracting  
Other Party: Northern Indiana Public Service Company  
Case Number: 34503  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/22/2025  
Damage Location: 2501 Hazelwood Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Faith Builders Promotions Incorporated  
Other Party: CenterPoint Energy Indiana  
Case Number: 34721  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/18/2025  
Damage Location: 1207 South Madison Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lease Excavating & Hauling LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34673  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/4/2025  
Damage Location: 1496 Meridian Road, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & R Excavating  
Other Party: Indiana Utilities Corporation  
Case Number: 34762  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/23/2025  
Damage Location: 1170 Monroe Street, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ocofler Construction LLC  
Other Party: Citizens Gas  
Case Number: 34615  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/9/2025  
Damage Location: 3166 Mabel Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P M Electrical LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34697  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/11/2025  
Damage Location: 1188 West 400 South, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Platinum Crete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34665  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/2/2025  
Damage Location: 1825 Kensington Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

### Abstentions: **Smith**

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ridgerunner Excavating  
Other Party: Ohio Valley Gas Corp  
Case Number: 34594  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/3/2025  
Damage Location: 5291 Gellert Lane, Guilford

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Superior Electric & Plumbing LLC  
Other Party: Midwest Natural Gas Corporation  
Case Number: 34592  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/8/2025  
Damage Location: 129 Fifth Street, Plainville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Byron Aldrich  
Other Party: Northern Indiana Public Service Company  
Case Number: 34662  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/1/2025  
Damage Location: 56230 Cedar Road, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erwin Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34466  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 821 Sagamore Parkway South, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L Johnson, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34724  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/19/2025  
Damage Location: 10417 East US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3D Company, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34714  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/16/2025  
Damage Location: 654 North Elm Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Summers of Fort Wayne, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34273  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/18/2025  
Damage Location: 2304 Chestnut Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Gradex, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34470  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/30/2025  
Damage Location: 2009 East National Highway, Washington

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

### Abstentions:

### Additional Information:

APPROVED: 

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC  
Other Party: Citizens Gas  
Case Number: 34375  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/15/2025  
Damage Location: 5445 N College Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brooks Construction Company, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34317  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/30/2025  
Damage Location: 13511 Illinois Street, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

## **Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Brooks Construction Company, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34340  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/7/2025  
Damage Location: 945 Wright Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34555  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/10/2025  
Damage Location: 203 West Pearl Street, North Salem

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34759  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/27/2025  
Damage Location: 913 Washington Avenue, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daily's Home Improvement LLC d/b/a C M C Remodeling

Other Party: CenterPoint Energy Indiana

Case Number: 34753

Date of Advisory Meeting: 10/15/2025

Date of Damage: 6/30/2025

Damage Location: 1220 North Red Bank Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indianapolis Power & Light DBA A E S Indiana  
Other Party: Citizens Gas  
Case Number: 33942  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 2/24/2025  
Damage Location: 528 Highland Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Summers of Marion, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34563  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/10/2025  
Damage Location: 4019 South Adams Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Whisler Excavation  
Other Party: CenterPoint Energy Indiana  
Case Number: 34332  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/3/2025  
Damage Location: 950 Starkey Road, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

## **Training or \$5,000 if respondent fails to complete training**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aurora Utilities  
Other Party: American Dirt Work  
Case Number: 34861  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 8/9/2025  
Damage Location: 159 Florence Drive, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: U T S Construction Services LLC  
Case Number: 34613  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/8/2025  
Damage Location: 971 Udell Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Indiana Foundation Service, Inc.  
Case Number: 34923  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/18/2025  
Damage Location: 5409 E 19Th Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Citizens Energy Group - Gas  
Case Number: 34925  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/23/2025  
Damage Location: 5119 Rolling Meadows Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Scott Sontag, Vice Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Community Natural Gas Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 34597  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/27/2025  
Damage Location: 103 N 1st Avenue, Holland

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Natural Gas Corporation  
Other Party: Midwestern Electric of Indianapolis, Inc.  
Case Number: 34988  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 8/22/2025  
Damage Location: Corner of US 31 & Lake Road, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Gary Material Supply LLC  
Case Number: 34143  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 3/28/2025  
Damage Location: 780 West 79th Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Standard Optic General Services Corp  
Case Number: 34289  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/23/2025  
Damage Location: 13909 Surrey Trace Lot 13, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Pierce Electric Co. Inc.  
Case Number: 34405  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/8/2025  
Damage Location: 1144 Corby Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: N L S Hauling LLC  
Case Number: 34406  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/8/2025  
Damage Location: 2421 Lillie Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Crosby Excavating, Inc.  
Case Number: 34424  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/14/2025  
Damage Location: 2618 Edsall Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Premier Directional Boring Inc.  
Case Number: 34511  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/23/2025  
Damage Location: 22081 County Road 4, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

## INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: American Electric Power DBA Indiana Michigan Power  
Case Number: 34519  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 418 Garden Street, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

## **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

\$1,000

## Abstentions: Smith

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Techcom LLC  
Case Number: 34677  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/6/2025  
Damage Location: 1051 Meadows, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: NIPSCO - Gas  
Case Number: 34687  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/9/2025  
Damage Location: 23715 Florence Ave, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Porter Installations, Inc.  
Case Number: 34692  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/10/2025  
Damage Location: 1109 Pine Lake Ave, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Grimmer Construction Inc.  
Case Number: 34695  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/11/2025  
Damage Location: 202 North Taylor Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: L G S Plumbing, Inc.  
Case Number: 34699  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/12/2025  
Damage Location: 910 Morthland Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: Modus Utility Group  
Case Number: 34595  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/2/2025  
Damage Location: 202 West Harrison Street, St. Paul

The IURC Pipeline Safety Division finds the following violation(s):

#### **IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Flynn & Sons Excavating & Paving, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34576  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/13/2025  
Damage Location: 1116 Lincoln Avenue, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrastructure Systems, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34451  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/21/2025  
Damage Location: 1112 Butler Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

## **Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Kosciusko REMC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34388  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/1/2025  
Damage Location: 2860 Greenacre Court, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

## Abstentions: Smith

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Libs Paving Company, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34472  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/30/2025  
Damage Location: 1800 Mcdonald Avenue, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Earth, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34527  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/29/2025  
Damage Location: 721 Ziegler Road, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gehring Underground, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34463  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/27/2025  
Damage Location: 704 West 7th Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34504  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/22/2025  
Damage Location: 2333 Rhode Island Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

A handwritten signature in blue ink that appears to read "Jeremy Comeau".

APPROVED: \_\_\_\_\_ Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Krafft Water Solutions LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34521  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/28/2025  
Damage Location: 9056 Wayne Trace, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

## **Training or \$5,000 if respondent fails to complete training**

## Abstentions: **Smith**

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T C R Construction LLC  
Other Party: Citizens Gas  
Case Number: 34585  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/16/2025  
Damage Location: 2045 N Post Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons L.L.C.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34716  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/16/2025  
Damage Location: 400 South Eureka Road, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Picket Ridge Fencing LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34663  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/2/2025  
Damage Location: 510 Sunset Lane, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rusco LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 33828  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 1/17/2025  
Damage Location: 722 South Bosell Court, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Starke County Highway Department  
Other Party: Northern Indiana Public Service Company  
Case Number: 34398  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/6/2025  
Damage Location: 7540 East 350 South, Knox

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Utilities One  
Other Party: Northern Indiana Public Service Company  
Case Number: 34510  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/23/2025  
Damage Location: 14866 Old Timber Pass Lot 57, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pioneer Masonry, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34199  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/10/2025  
Damage Location: 52158 County Road 11, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: Smith

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & M Concrete Const LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34304  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/25/2025  
Damage Location: 13906 Aslan Passage, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Hahn Excavating Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 34713  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/16/2025  
Damage Location: 6715 Loehrlein Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Dave O'Mara Contractor, Inc.

Other Party: Sycamore Gas Company

Case Number: 34761

Date of Advisory Meeting: 10/15/2025

Date of Damage: 6/27/2025

Damage Location: 363 Short Street, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

### Abstentions:

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jerome Sims  
Other Party: Northern Indiana Public Service Company  
Case Number: 34420  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/12/2025  
Damage Location: 1503 Austin Avenue, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: New Tech Corp  
Other Party: Northern Indiana Public Service Company  
Case Number: 34314  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 1508 Campbell Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

## **Training or \$5,000 if respondent fails to complete training**

## Abstentions: Smith

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Paul L. Kroll  
Other Party: Northern Indiana Public Servic  
Case Number: 34688  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/10/2025  
Damage Location: 410 Roosevelt Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

## **Training or \$5,000 if respondent fails to complete training**

## Abstentions: Smith

#### Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Renovations Inc by Wagler  
Other Party: Northern Indiana Public Service Company  
Case Number: 34297  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/25/2025  
Damage Location: 2500 Bellfontaine Apartment 100, Hamilton

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Two Wire Comm  
Other Party: Northern Indiana Public Service Company  
Case Number: 34310  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/28/2025  
Damage Location: 810 East Clark Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Real Estate Services LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34719  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/17/2025  
Damage Location: 3675 Newhouse Place, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

### **Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Anthony Chinn  
Other Party: CenterPoint Energy Indiana  
Case Number: 34459  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/24/2025  
Damage Location: 423 East Lakewood Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandon Summer  
Other Party: Northern Indiana Public Service Company  
Case Number: 34497  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/18/2025  
Damage Location: 665 Sprunger Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Heusinkveld  
Other Party: Northern Indiana Public Service Company  
Case Number: 34302  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/25/2025  
Damage Location: 5633 Wildrose Lane Lot 179, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Ford  
Other Party: Northern Indiana Public Service Company  
Case Number: 34305  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/26/2025  
Damage Location: 8366 East 50 North, Mill Creek

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Buonocore  
Other Party: Northern Indiana Public Service Company  
Case Number: 34267  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/16/2025  
Damage Location: 10808 Bethel Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jonathon Keller  
Other Party: CenterPoint Energy Indiana  
Case Number: 34750  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/29/2025  
Damage Location: 1306 Morningside Drive, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joseph Miller  
Other Party: Northern Indiana Public Service Company  
Case Number: 34496  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/17/2025  
Damage Location: 10490 West 750 North, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Julia Cruse  
Other Party: Midwest Natural Gas Corporation  
Case Number: 34532  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/23/2025  
Damage Location: 14372 W 800 N, Jasonville

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Keith Hostetler  
Other Party: Northern Indiana Public Service Company  
Case Number: 34390  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/3/2025  
Damage Location: 7007 North 800 West, Etna Green

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kevin Richardson  
Other Party: Northern Indiana Public Service Company  
Case Number: 34306  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 4/26/2025  
Damage Location: 509 North Hathaway Street, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



# STATE OF INDIANA

**Mike Braun, Governor**

**Ben Warren, Chairman**

# INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way  
Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Clint Willis  
Other Party: Community Natural Gas Inc  
Case Number: 34598  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 7/5/2025  
Damage Location: 9250 SR 65, Cynthiana

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

## Warning letter

### Abstentions:

### Additional Information:

APPROVED: 



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Larry Gruber  
Other Party: Northern Indiana Public Service Company  
Case Number: 34680  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 6/7/2025  
Damage Location: 7303 Baylor Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Collins  
Other Party: Northern Indiana Public Service Company  
Case Number: 34513  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/23/2025  
Damage Location: 8001 West Applewood Drive, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## STATE OF INDIANA

Mike Braun, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Devoe  
Other Party: Northern Indiana Public Service Company  
Case Number: 34397  
Date of Advisory Meeting: 10/15/2025  
Date of Damage: 5/5/2025  
Damage Location: 8095 Frazer Beach Road, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

### **IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

### **Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman