

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	✓		
Freeman	✓		
Krevda	✓		
Ober	✓		
Ziegner	✓		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: DEC 09 2020

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER AND ZIEGNER CONCUR:

APPROVED: DEC 09 2020

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Schneider
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: La Iglesia Inglesa Del Dios Viviente
Other Party: Citizens Gas
Case Number: 21169
Date of Advisory Meeting: 10/10/2020
Date of Damage: 9/15/19
Damage Location: 3743 E Pleasant Run Parkway S Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jonah Development Corp.
Other Party: Midwest Natural Gas Corporation
Case Number: 21406
Date of Advisory Meeting: 9/8/2020
Date of Damage: 10/31/19
Damage Location: 1128 W. McClain Ave., Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Madison Cottages
Other Party: Northern Indiana Public Service Company
Case Number: 21442
Date of Advisory Meeting: 10/10/2020
Date of Damage: 10/7/19
Damage Location: 1322 East 17th Street, Fowler

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mullis Construction & Contracting, LLC
Other Party: Vectren Energy Delivery
Case Number: 21522
Date of Advisory Meeting: 10/10/2020
Date of Damage: 10/12/19
Damage Location: 6430 N Viking Ridge, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alma Ramirez
Other Party: Northern Indiana Public Service Company
Case Number: 21548
Date of Advisory Meeting: 9/8/2020
Date of Damage: 10/19/19
Damage Location: 230 South 4th Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hughes Paving Company, Inc.
Other Party: Indiana Natural Gas Corporation
Case Number: 21580
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/25/19
Damage Location: 982 S Hancock St, French Lick

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Weihe Construction Inc.
Other Party: Citizens Gas
Case Number: 21581
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/21/19
Damage Location: 8310 Bash St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A J J Construction Company
Other Party: Citizens Gas
Case Number: 21585
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/14/19
Damage Location: 7020 Madison Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J L D Services LLC
Other Party: Citizens Gas
Case Number: 21587
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/14/19
Damage Location: 7430 Madison Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Smith Projects, Inc.
Other Party: Midwest Natural Gas Corporation
Case Number: 21591
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/10/19
Damage Location: 1479 N. State St., North Vernon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Rock Trucking & Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 21606
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/4/19
Damage Location: Notre Dame Avenue & Almond Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Twin City Electric Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21610
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/6/19
Damage Location: 4179 West US 24, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Divine
Other Party: Northern Indiana Public Service Company
Case Number: 21620
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/9/19
Damage Location: 1120 East 3rd Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Montoya Directional Drilling LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21625
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/13/19
Damage Location: 57191 Pear Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metcon LTD, LLC
Other Party: Sycamore Gas Company
Case Number: 21676
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/21/19
Damage Location: 451 Progress Street, Brookville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Pete's Trenching
Other Party: Midwest Natural Gas Corporation
Case Number: 21677
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/19/19
Damage Location: South 7th Street (Austin Sewer Dept.), Austin

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hi Top Realty & Rental Service
Other Party: Vectren Energy Delivery
Case Number: 21681
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/5/19
Damage Location: 604 S Canal St, Alexandria

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D G H Electric LLC
Other Party: Vectren Energy Delivery
Case Number: 21685
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/5/19
Damage Location: 3483 Apollo Ln, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steve Hobbs
Other Party: Vectren Energy Delivery
Case Number: 21689
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/5/19
Damage Location: 1630 Woodlawn Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Snedegar Construction, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21698
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/6/19
Damage Location: 3707 W Denise Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Happe & Sons Construction, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21709
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/14/19
Damage Location: 5317 Kratzville Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fritchys Landscaping, LLC
Other Party: Vectren Energy Delivery
Case Number: 21712
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/19/19
Damage Location: 1492 Daylight Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Millennium Contractors, LLC
Other Party: Vectren Energy Delivery
Case Number: 21713
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/20/19
Damage Location: 930 S White Ave, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Emerald Construction & Remodeling LLC
Other Party: Vectren Energy Delivery
Case Number: 21714
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/22/19
Damage Location: 1780 W Huntsville Rd, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Vectren Energy Delivery
Case Number: 21718
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/16/19
Damage Location: 3273 Mikkola Ct, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Cloverdale
Other Party: Vectren Energy Delivery
Case Number: 21721
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/19/19
Damage Location: 252 N Lafayette, Cloverdale

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Madison
Other Party: Vectren Energy Delivery
Case Number: 21722
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/18/19
Damage Location: 126 West St, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Riley's Excavating LLC
Other Party: Vectren Energy Delivery
Case Number: 21724
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/18/19
Damage Location: 9305 Gleneagle Ct, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagler & Sons Construction
Other Party: Vectren Energy Delivery
Case Number: 21725
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/19/19
Damage Location: 1138 E State Road 241, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrastructure Systems, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21737
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/25/19
Damage Location: 5157 Pence, Mecca

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heather Wilson
Other Party: Vectren Energy Delivery
Case Number: 21741
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/26/19
Damage Location: 112 Windhortst Ct, Seymour

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Case Construction, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21742
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/27/19
Damage Location: 606 Willow Ln, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500; no ticket escalation - additional civil penalty of \$1,000

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fort Wayne Generators LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21745
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/15/19
Damage Location: 3333 West Hamilton Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Done Right Construction
Other Party: Northern Indiana Public Service Company
Case Number: 21746
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/16/19
Damage Location: 2963 Katelyn Cove Lot 66, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cristina Gutierrez
Other Party: Northern Indiana Public Service Company
Case Number: 21747
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/16/19
Damage Location: 333 Humphrey Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D V G Team, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21752
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/19/19
Damage Location: 9381 West 97th Place Lot 508, St. John

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mo & Sons Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21757
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/21/19
Damage Location: 3508 Evans Avenue Lot 3, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lan-Con, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21758
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/22/19
Damage Location: 1409 North Wayne Street, Angola

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jacob Novak
Other Party: Northern Indiana Public Service Company
Case Number: 21761
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/24/19
Damage Location: 909 West 40th Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremy Ogden
Other Party: Northern Indiana Public Service Company
Case Number: 21763
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/25/19
Damage Location: 209 Michigan Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dave's Tree Service, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21764
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/25/19
Damage Location: 6846 Carolina Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D & R Site Services Co.
Other Party: Northern Indiana Public Service Company
Case Number: 21768
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/26/19
Damage Location: 3825 Evergreen Street, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21770
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/27/19
Damage Location: Jackson Road & Grass Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Spencer
Other Party: Northern Indiana Public Service Company
Case Number: 21773
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/28/19
Damage Location: 1229 High Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Quality Pole Inspection & Maintenance, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21774
Date of Advisory Meeting: 10/10/2020
Date of Damage: 11/30/19
Damage Location: 609 South 28th Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & M Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21775
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/2/19
Damage Location: 305 West Pratt Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(expired)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evans Construction
Other Party: Northern Indiana Public Service Company
Case Number: 21776
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/2/19
Damage Location: 2103 East Street, North Manchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Potter's Lawn Care & Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 21777
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/2/19
Damage Location: 732 West 100 South, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21779
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/3/19
Damage Location: 9904 West 99th Avenue, St. John

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas
Other Party: Northern Indiana Public Service Company
Case Number: 21785
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/10/19
Damage Location: 2900 North Apperson Way Trail 326, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D Luginbill Trucking, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21791
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/11/19
Damage Location: 134 South 10th Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C Lee Construction Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21793
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/13/19
Damage Location: 2901 Tompkins, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodland Restoration, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21794
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/13/19
Damage Location: 172 Shenandoah Court, Kouts

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Emerick Builders LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21795
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/14/19
Damage Location: 6615 Monroeville Road, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Funk Concrete
Other Party: Northern Indiana Public Service Company
Case Number: 21796
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/14/19
Damage Location: 10865 South Lehe Road, Brookston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Service Plus Heating & Air Conditioning Inc.
Other Party: Citizens Gas
Case Number: 21797
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/26/19
Damage Location: 2863 Sutherland Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D B L Communications LLC
Other Party: Citizens Gas
Case Number: 21798
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/25/19
Damage Location: 6335 N Keystone Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Liberty Fence
Other Party: Citizens Gas
Case Number: 21799
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/13/19
Damage Location: 7425 Shadow Wood Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Melvin's Landscaping
Other Party: Citizens Gas
Case Number: 21800
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/7/19
Damage Location: 418 Sanders St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erick Kisby
Other Party: Vectren Energy Delivery
Case Number: 21804
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/2/19
Damage Location: 3377 S 25 E, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corp.
Other Party: Vectren Energy Delivery
Case Number: 21805
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/3/19
Damage Location: 17 S 6th, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T C S Communications, LLC
Other Party: Vectren Energy Delivery
Case Number: 21810
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/4/19
Damage Location: 8815 N Waveryly Park Rd, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dunkley Farms & Excavating
Other Party: Vectren Energy Delivery
Case Number: 21811
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/4/19
Damage Location: 325 S 9th, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J R Kelly Company Inc
Other Party: Vectren Energy Delivery
Case Number: 21812
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/5/19
Damage Location: 500 Allison Rd, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training; already completed 4/17/20

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lankford Excavating, LLC
Other Party: Vectren Energy Delivery
Case Number: 21814
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/5/19
Damage Location: 1970 E Dallas Dr, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; already completed 12/12/19

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hinchman Construction LLC
Other Party: Vectren Energy Delivery
Case Number: 21818
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/7/19
Damage Location: 11251 Durango, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Huff Concrete
Other Party: Vectren Energy Delivery
Case Number: 21819
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/6/19
Damage Location: 4568 Lexington Row, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hanna Xcavating
Other Party: Vectren Energy Delivery
Case Number: 21823
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/10/19
Damage Location: 301 E Winslow Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deig Bros Lumber & Construction Co, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21826
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/12/19
Damage Location: 1601 Jackson Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dan Cristiani Excavating Co., Inc.
Other Party: Vectren Energy Delivery
Case Number: 21840
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/17/19
Damage Location: 1407 Adams St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Pathfinder Services Inc.
Other Party: Vectren Energy Delivery
Case Number: 21849
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/26/19
Damage Location: 717 German St, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr. Rooter Plumbing (Central Indiana Plumbing)
Other Party: Vectren Energy Delivery
Case Number: 21853
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/30/19
Damage Location: 1513 Stirling Dr, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Landworks Inc.
Other Party: Citizens Gas
Case Number: 21861
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/3/20
Damage Location: 4243 Crittenden Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Reclamation & Excavating, Inc.
Other Party: Citizens Gas
Case Number: 21862
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/2/20
Damage Location: 5445 Walton St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D Luginbill Trucking, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21866
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/16/19
Damage Location: 210 South 10th Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21870
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/19/19
Damage Location: 4711 Miami Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Redkey)
Other Party: Northern Indiana Public Service Company
Case Number: 21871
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/20/19
Damage Location: 1187 East Monroe Lot 7, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D Luginbill Trucking, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21872
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/20/19
Damage Location: 128 South 10th Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parkman Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21874
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/20/19
Damage Location: 126 West 625 North, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Griffith
Other Party: Northern Indiana Public Service Company
Case Number: 21878
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/26/19
Damage Location: 645 North Glenwood Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 21884
Date of Advisory Meeting: 10/10/2020
Date of Damage: 12/31/19
Damage Location: 2670 Pierce Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L N R Companies, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21899
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/8/20
Damage Location: 987 Oak Terrace Rd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hudson Plumbing LLC
Other Party: Vectren Energy Delivery
Case Number: 21900
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/13/20
Damage Location: 11230 N State Road 67, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W R Johnson Excavation LLC
Other Party: Vectren Energy Delivery
Case Number: 21906
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/14/20
Damage Location: 5691 Surrey Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; already completed 1/27/20

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp
Other Party: Ohio Valley Gas Corp
Case Number: 21913
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/29/20
Damage Location: Franklin Street and Washington Street, Troy

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ironclad Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21921
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/9/20
Damage Location: 5711 N 700 E, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Southern Electric & Construction, LLC
Other Party: Citizens Gas
Case Number: 21933
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/31/20
Damage Location: 8009 W Washington St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Landmark Excavating
Other Party: Citizens Gas
Case Number: 21935
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/27/20
Damage Location: 4240 N Park Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indy Excavating & Utilities, LLC
Other Party: Citizens Gas
Case Number: 21936
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/20/20
Damage Location: 323 Reisner St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dingman & Son Excavating
Other Party: Vectren Energy Delivery
Case Number: 21939
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/16/20
Damage Location: 720 S Noble St, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21946
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/21/20
Damage Location: 1627 Shepherd Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lewen Line Construction Inc.
Other Party: Vectren Energy Delivery
Case Number: 21952
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/27/20
Damage Location: 220 Bartholomew Blvd, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dan Cristiani Excavating Co., Inc.
Other Party: Vectren Energy Delivery
Case Number: 21957
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/29/20
Damage Location: 2707 Victory Ct, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thieneman Group
Other Party: Vectren Energy Delivery
Case Number: 21960
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/29/20
Damage Location: 4001 Williams Crossing Way, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blankenberger Brothers, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21963
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/30/20
Damage Location: 1709 Shepherd Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chad Rice
Other Party: Vectren Energy Delivery
Case Number: 21965
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/31/20
Damage Location: 421 Coronado Dr, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Land Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 21974
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/22/20
Damage Location: 4811 Hessen Cassel Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Town of Avilla
Other Party: Northern Indiana Public Service Company
Case Number: 21975
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/23/20
Damage Location: 417 Stewart Creek Run, Avilla

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Del's General Home Services
Other Party: Northern Indiana Public Service Company
Case Number: 21976
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/23/20
Damage Location: 1517 Sherman Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Earthcom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 21982
Date of Advisory Meeting: 10/10/2020
Date of Damage: 1/27/20
Damage Location: 55443 County Road 31, Bristol

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Nasby Construction LLC
Case Number: 21991
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/3/20
Damage Location: 104 E Main St, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Lykins Contracting LLC
Case Number: 21995
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/7/20
Damage Location: N Church and Third St, Lizton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Utility Service Crew LLC
Case Number: 21996
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/6/20
Damage Location: 328 N CR 450 E, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: City of Noblesville
Case Number: 21999
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/11/20
Damage Location: 5th St & Christion Ave, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Setser Cable Construction LLC
Case Number: 22004
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/17/20
Damage Location: 988 Laurel Ln, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22014
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/17/20
Damage Location: 617 Bellemeade Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Bright's Sewer And Septic
Case Number: 22019
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/26/20
Damage Location: 1522 W Spenser Ave, Marion

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Whalen Construction Co., Inc.
Case Number: 22026
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/2/20
Damage Location: 1253 US HWY 31, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: A & B Excavating
Case Number: 22031
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/3/20
Damage Location: 6746 N SR 3, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Indianapolis Power & Light
Case Number: 22033
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/4/20
Damage Location: 5868 E SR 144, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Internattional Inc.
Case Number: 22037
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/9/20
Damage Location: 10923 Valley Forge Circle, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Push Underground Construction LLC
Case Number: 22042
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/5/20
Damage Location: 3113 Holmans Ln, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Preferred Mechanical Services
Case Number: 22047
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/9/20
Damage Location: 812 Wallington Cir, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Duke Energy Indiana
Case Number: 22051
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/14/20
Damage Location: Park and Kossuth, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lazer Excavating Company
Other Party: Vectren Energy Delivery
Case Number: 22057
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/7/20
Damage Location: 19127 Donelson Ct, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: Robinson Trenching & Directional Boring, Inc.
Case Number: 22067
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/5/20
Damage Location: 10523 Lighthouse Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jasper Municipal Gas
Other Party: Hummel Electric, Inc.
Case Number: 22073
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/23/20
Damage Location: 3606 Newton St, Jasper

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Barrett's Excavating, LLC
Case Number: 22088
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/1/20
Damage Location: 3728 Wabash Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22090
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/1/20
Damage Location: 206 3rd St, Oolitic

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: B & T Drainage, Inc.
Case Number: 22092
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/6/20
Damage Location: 1430 Chestnut St, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Gridlock Traffic Systems, Inc.
Case Number: 22095
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/6/20
Damage Location: 10 Locust Drive, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Hudson Plumbing LLC
Case Number: 22099
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/3/20
Damage Location: 740 S Main St, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: B & G Underground, Inc
Case Number: 22105
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/7/20
Damage Location: 9785 Windermere Blvd, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Quality Fence Company, Inc.
Case Number: 22113
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/9/20
Damage Location: 3955 Shadow Hill Ct, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22121
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/15/20
Damage Location: 653 E Jessica St, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22122
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/15/20
Damage Location: E 8th St & N Cherry St, Rushville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Lykins Contracting LLC
Case Number: 22124
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/15/20
Damage Location: 10815 Broadway St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Dunkley Farms & Excavating
Case Number: 22154
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/20/20
Damage Location: 18506 S Rangeline Rd, Clinton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Elements Concrete, LLC
Case Number: 22155
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/21/20
Damage Location: 12156 N. Meridian St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Young Men's Club of West Terre Haute, Inc.
Case Number: 22167
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/28/20
Damage Location: E Paris Ave and McIlroy, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Lykins Contracting LLC
Case Number: 22170
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/26/20
Damage Location: 10800 Broadway Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Dennis Trucking Co., Inc.
Case Number: 22176
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/31/20
Damage Location: 8 Chickadee Lane, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: B & T Drainage, Inc.
Case Number: 22181
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/17/20
Damage Location: 851 Bridge St, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Katlin Saffell
Case Number: 22193
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/3/20
Damage Location: 310 South Adams Street, Boswell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Logansport
Case Number: 22197
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/5/20
Damage Location: 100 Court Park, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 22199
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/7/20
Damage Location: 3648 Jackson Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22200
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/7/20
Damage Location: 3648 Jackson Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Elmer's Service, LLC
Case Number: 22205
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/10/20
Damage Location: 10649 Kings Court, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Ray's Excavating, Inc.
Case Number: 22206
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/11/20
Damage Location: 41 South Oval Avenue, Beverly Shores

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: J & J Electric of Indiana, Inc.
Case Number: 22217
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/20/20
Damage Location: 8688 W 200 S, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: H & G Underground Utilities, LLC
Case Number: 22220
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/24/20
Damage Location: Main Street & Park Avenue, North Judson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Carlisle Utility Contractors, Inc.
Case Number: 22223
Date of Advisory Meeting: 10/10/2020
Date of Damage: 2/26/20
Damage Location: 244 Allegius Drive, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22228
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/1/20
Damage Location: 816 Kentucky Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22229
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/1/20
Damage Location: 2516 Fillmore Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Grimmer Construction Inc.
Case Number: 22238
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/5/20
Damage Location: 734 Cleveland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Mulchworx, LLC
Case Number: 22246
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/11/20
Damage Location: 5617 Squiredale Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: J F Electric, Inc. of Illinois
Case Number: 22251
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/16/20
Damage Location: 2001 South Taylor Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22256
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/22/20
Damage Location: 2620 Madison Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Precision Utilities Group, Inc.
Case Number: 22260
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/25/20
Damage Location: 51732 Lakeland Road, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: John Fegaras
Case Number: 22267
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/28/20
Damage Location: 9011 West 200 North, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Jodace Corporation
Case Number: 22269
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/29/20
Damage Location: 251 North 1st Street, Brook

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22270
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/30/20
Damage Location: 101 Ellsworth, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Elmer's Service, LLC
Case Number: 22271
Date of Advisory Meeting: 10/10/2020
Date of Damage: 3/30/20
Damage Location: 120 South Second Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Duke Energy Indiana
Case Number: 22291
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/16/20
Damage Location: 1107 College Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Reitz Electric Service, Inc.
Case Number: 22297
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/20/20
Damage Location: 8901 Hedden Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Mishawaka
Case Number: 22334
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/1/20
Damage Location: 1202 Lincolnway East, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Rothenberger Co., Inc.
Case Number: 22336
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/2/20
Damage Location: 1509 Cinnamon Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: CenturyLink, Inc.
Case Number: 22341
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/3/20
Damage Location: 51 EMS B25 Lane, Pierceton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hoosier Cable Services, Inc. (Merrillville)
Case Number: 22350
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/7/20
Damage Location: 207 St Rd 212, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: LaPorte County Highway Department
Case Number: 22351
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/7/20
Damage Location: 1000 North & 300 east, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: MapleNet Wireless, Inc.
Case Number: 22353
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/8/20
Damage Location: 24975 County Road 6, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: American Electric Power DBA Indiana Michigan Power
Case Number: 22361
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/9/20
Damage Location: 2026 Kenwood Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Woodruff & Sons, Inc.
Case Number: 22362
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/10/20
Damage Location: 211 North Court Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Midwest Paving LLC
Case Number: 22434
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/20/20
Damage Location: 120 Michael Lane, Sharpsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Gatlin Plumbing & Heating, Inc.
Case Number: 22437
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/21/20
Damage Location: 7847 Burr Street, Schererville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Pemberton-Davis Electric, Inc.
Case Number: 22450
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/27/20
Damage Location: 1756 Ransom Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Land Construction Corp.
Case Number: 22451
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/27/20
Damage Location: 1203 Huffman Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Brackney, Inc.
Case Number: 22456
Date of Advisory Meeting: 10/10/2020
Date of Damage: 4/28/20
Damage Location: 217 West Water Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Infrastructure Systems, Inc.
Case Number: 22474
Date of Advisory Meeting: 10/10/2020
Date of Damage: 5/19/20
Damage Location: 1615 Conlin Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: The Robert Henry Corporation
Case Number: 22536
Date of Advisory Meeting: 10/10/2020
Date of Damage: 5/5/20
Damage Location: 345 N 175 E, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: O'Neal Excavating & Construction, Inc.
Case Number: 22544
Date of Advisory Meeting: 10/10/2020
Date of Damage: 5/7/20
Damage Location: 8020 Casa Grande Circle, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid Ohio Utilities, LLC
Other Party: Vectren Energy Delivery
Case Number: 21641
Date of Advisory Meeting: 9/8/2020
Date of Damage: 10/22/19
Damage Location: 8510 Broadway Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman