

**ORIGINAL**

*sel*  
*[Signature]*  
*DW* *SNK*

STATE OF INDIANA

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )**

**APPROVED: JAN 08 2020**

**ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

**IT IS SO ORDERED.**

**HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:**

**APPROVED: JAN 08 2020**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

*Mary M Becerra*  
\_\_\_\_\_  
**Mary M. Becerra**  
**Secretary of the Commission**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Carlos Vargas DBA Vargas Installation**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19539**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **11/2/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Blair Well & Pump LLC**  
Other Party: **Citizens Gas**  
Case Number: **19572**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **11/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A T & T**  
Other Party: **Citizens Gas**  
Case Number: **19865**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **2/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Liberty Developing, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19928**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **2/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **South FI Cable LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19937**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **3/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Brett McIntosh**  
Other Party: **Citizens Gas**  
Case Number: **19954**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **3/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
**Scott Sontag**  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Aurora Utilities**  
Other Party: **C C T Underground**  
Case Number: **20010**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tom Stevens**  
Other Party: **Ohio Valley Gas Corp**  
Case Number: **20045**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A-OK Landscape Services, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20077**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/12/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Toby Foster**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20078**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/12/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jason R Delaney**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20079**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Berry-It, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20081**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Snedegar Construction, Inc.**  
Case Number: **20083**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Taylor Bros. Construction Co. Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20085**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing                  | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing                    | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |   |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20086**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **T S W Utility Solutions, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20087**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Honorid Nunez**  
Other Party: **Citizens Gas**  
Case Number: **20088**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Carr Excavating & Grading, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20093**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Nava Underground, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20102**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(a)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Christopher Wilson**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20107**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Melvin Earley**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20115**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Misch Trucking & Excavating**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20116**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Selge Construction Co., Inc.**  
Case Number: **20117**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **H R P Construction**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20118**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/12/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **H & G Underground Utilities LLC**  
Case Number: **20119**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/12/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **C C & T Construction, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20121**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Robert Anderson**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20122**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:  \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Shelby's Construction & Woodworking LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20123**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair            |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Tanner Utilities Inc.**  
Case Number: **20124**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Matthew Latimer**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **20126**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Knippenberg Concrete Construction**  
Other Party: **Sycamore Gas Company**  
Case Number: **20129**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Sycamore Gas Company**  
Other Party: **Angel Excavating**  
Case Number: **20131**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Service Electric Company**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20132**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **20133**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:                     *Ben Warren*                      
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Fiber 1 Communications**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20134**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Omni Electric LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20135**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Dave O'Mara Contractor, Inc.**  
Case Number: **20136**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Salsbery Brothers**  
Case Number: **20137**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/17/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **20138**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/17/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **C T L Engineering of Indiana, Inc.**  
Case Number: **20141**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **County Materials Corp**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20142**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **20143**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/19/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Poindexter Excavating**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20144**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ ~~1,500~~ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tom Drexler Plumbing**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20145**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Schutt-Lookabill Co., Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20147**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **MAC Construction & Excavating, Inc.**  
Case Number: **20150**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Primetech Communications, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20151**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Q C Communications, Inc.**  
Case Number: **20152**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hittle Landscaping**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20153**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/25/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 2,500
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **INDOT**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20154**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Mr. Rooter Plumbing of Central Indiana**  
Case Number: **20155**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **William Huff**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20156**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Infrastructure Systems, Inc.**  
Case Number: **20157**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mann Plumbing**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20158**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Total Development Systems, LLC**  
Case Number: **20159**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Warrick County Highway Department**  
Case Number: **20160**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **McCullough Land Improvements, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20162**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **M - W Sales & Service**  
Other Party: **Indiana Utilities Corporation**  
Case Number: **20163**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |   |
|--|--|---|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                                  |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input checked="" type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                                 |
| <input type="checkbox"/> Demolitions               |  |   |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **RoadSafe Traffic Systems**  
Other Party: **Batesville Water & Gas**  
Case Number: **20164**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Star Excavating**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20165**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Precision Utilities Group, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20166**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/16/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **M. R. Louthian & Associates LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20167**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/17/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **F F C Fencing Co.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20168**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Failure to Plan
  - Self-Repair
  - Damaging Lines
  - Potholing
  - Using Stakes or Post Hole Diggers
  - Dig Tickets
  - Probing
  - White Lining
  - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Scot Spoljaric**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20169**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/20/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Green Veden LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20170**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/20/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **C Lee Construction Services, Inc.**  
Case Number: **20172**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hartco Cable, Inc.**  
Case Number: **20173**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dan's Landscaping & Lawn Maintenance, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20174**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Anthony Beckman**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20175**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hoosierland Excavating**  
Case Number: **20176**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Phend & Brown, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20177**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ziese & Sons Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20178**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ely Concrete, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20180**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northwest Indiana Fence Co.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20181**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Wayne Stoll**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20182**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Guadalupe Delgado Lemus**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20183**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/27/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana American Water Co. DBA Indiana American**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20184**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **North Side Plumbing & Heating**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20185**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Asplundh Construction Corp.**  
Case Number: **20187**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/30/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **K & B Contracting, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20191**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Internattional Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20192**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,500
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Tressler Backhoe & Trenching Inc.**  
Case Number: **20193**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **White Construction, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20194**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kevin Gillum**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20195**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Beaty Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20196**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Tyler Excavating**  
Case Number: **20197**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Stemaly Excavating, Inc.**  
Case Number: **20200**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Supple Trucking**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20201**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Winco Construction Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20204**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **United Construction Services LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20205**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Van Hoy & Sons Contracting, Inc.**  
Case Number: **20206**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **5 Star Electric, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20208**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Whisler Excavation**  
Case Number: **20209**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipeline, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20211**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 6,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Ragle, Inc.**  
Case Number: **20212**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Christian Electric, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20213**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R T Moore, Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20215**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/10/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Infrastructure Systems, Inc.**  
Case Number: **20216**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/10/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Whalen Construction Co., Inc.**  
Case Number: **20217**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/10/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jamie Ramirez**  
Other Party: **Citizens Gas**  
Case Number: **20240**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/10/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kyle Johnson**  
Other Party: **Citizens Gas**  
Case Number: **20241**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Custom Concrete Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20242**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **P.I.P.E., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20244**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20245**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/30/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20246**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/30/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Harvey Construction**  
Other Party: **Citizens Gas**  
Case Number: **20247**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **York Brothers Water & Sewer Service**  
Other Party: **Citizens Gas**  
Case Number: **20249**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/24/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group - Gas**  
Other Party: **Citizens Gas**  
Case Number: **20268**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 2,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20270**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **20271**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hasse Construction Co.**  
Case Number: **20273**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **D & B Plumbing LLC**  
Case Number: **20274**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A Stout Fence**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20275**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Bergstrom Home Improvement**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20276**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 1,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED: \_\_\_\_\_

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Alvey's Sign Co Inc**  
Case Number: **20277**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tornhill, Inc.** *Lawrence Tornquist*  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20278**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ronald Boling**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20279**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED: \_\_\_\_\_

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Matt Oliver**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20280**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Walsh & Kelly**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20283**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **McAllister General Contractors**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20284**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J J P Excavating LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20285**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Garcia Concrete Construction, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20286**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Holley's Landscaping LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20287**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Mineral Springs Property Management**  
Case Number: **20288**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mineral Springs Property Management**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20289**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Earth Services, LLC**  
Case Number: **20290**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dunigan Bros., Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20291**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Classic Construction**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20293**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED: \_\_\_\_\_

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Marthinus Stieler**  
Case Number: **20294**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Sattison Refrigeration**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20296**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **F & K Construction**  
Case Number: **20311**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **NIPSCO - Electric**  
Case Number: **20393**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **5/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **W R Johnson Excavation LLC**  
Case Number: **20572**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman