



**RETAIL FOOD ESTABLISHMENT  
INSPECTION REPORT**

State Form 48669 (R2/2-05)  
SDH Form 51-0001

BLACKFORD CO HEALTH DEPT  
506 E. VAN CLEVE  
HARTFORD CITY, IN 47348  
(765) 348-4317

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>Montpelier American Legion</b>	Telephone Number ( ) Establishment ( ) Owner	Date of Inspection (mm/dd/yr) <b>1-18-24</b>	ID # <b>5</b>
Establishment Address (number and street, city, state, ZIP code) <b>112 W GREEN Montpelier</b>		Follow-up	Release Date
Owner <b>MEMBERS</b>	Purpose: 1. Routine 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list) <b>ceiling collapse</b>	Summary of Violations: C ___ NC ___ R ___	
Owner's Address <b>SAME</b>		Menu Type (See back of page) 1 ___ 2 ___ 3 <input checked="" type="checkbox"/> 4 ___ 5 ___	
Person in Charge <b>ROBT BENBOW</b>			
Responsible Person's E-mail <b>N/A</b>			
Certified Food Handler <b>N/A</b>			

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			<p>CEILING IN BAR AREA COLLAPSED DUE TO FROZEN PIPE (H<sub>2</sub>O)</p> <p>BLACKFORD County Health inspection Legion will need opening inspection BEFORE COOKING, DRINKS ETC.</p> <p>Following needs cleaned:</p> <p>1) ALL SURFACES &amp; equipment in BAR AREA</p> <p>2) CEILING REPAIRED / REPLACED WITH smooth tiles, NOT PORIS</p> <p>3) walk in cooler has A LOT OF BLACK &amp; white SUBSTANCES ON CEILING AND WALLS</p> <p>4) MEETING ROOM kitchen, need to RE-WRAP utensils so food contact is covered</p> <p>5) ALL ALCOHOL BOTTLES WITH POURING CAPS, CAPS NEEDED WASHED REUSED, SANITIZED</p> <p>6) THIS FACILITY needs 21000 YEAR &amp; Fillout application Legion cannot open per STATE Code to Blackford Co</p>	

Received by (name and title printed): <b>TO INSPECT. BEFORE OPENING LEGION</b>	Inspected by (name and title printed): <b>Robert Benbow - EHS / FSD</b>
Received by (signature): <b>X Robert Benbow</b>	Inspected by (signature): <b>R Benbow EHS / FSD</b>
cc: <b>X ROBERT W BENBOW</b>	cc: