



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

BLACKFORD CO HEALTH DEPT
506 E. VAN CLEVE
HARTFORD CITY, IN 47348
(765) 348-4317

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name NEEDLERS FRESH MARKET # 925		Telephone Number 765 348-3399	Date of Inspection (mm/dd/yr) 10/26/23	ID # 5
Establishment Address (number and street, city, state, ZIP code) 1711 N WALNUT ST. HARTFORD CITY				
Owner G G II INDIANA LLC		Purpose: <input checked="" type="radio"/> 1. Routine <input type="radio"/> 2. Follow-up <input type="radio"/> 3. Complaint <input type="radio"/> 4. Pre-Operational <input type="radio"/> 5. Temporary <input type="radio"/> 6. HACCP <input type="radio"/> 7. Other (list)	Follow-up YES	Release Date 11/5/23
Owner's Address 317 W MAIN CROSS ST. FINDLAY OH			Summary of Violations: C 4 NC 5 R 1	
Person in Charge MARK HENDSELL			Menu Type (See back of page) 1 2 3 X 4 5	
Responsible Person's E-mail N/A				
Certified Food Handler MARK HENDSELL EXP Aug 24 2028				

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			"DELI"	
295	C		THE FOLLOWING FOOD CONTACT EQUIPMENT IS SOILED WITH FOOD DEBRIS: 1) MECHANICAL CAN OPENER & BLADE 2) MEAT SLICERS (STORED AS CLEAN) 3) SPATULA & LADLE (STORED AS CLEAN)	TODAY
399	NC		USING DUCT TAPE ON 3 BAY SINK TO STOP H ₂ O FROM DRAWING DOWN WALL	}
191	C		3-TYPES OF COLD SALADS - NOT DATE-MARKED WHEN MADE: IE MAC SALAD, KRUSCOMAR BBQ	
			"PRODUCE"	
173	C		EMPLOYEE GOING TO CUT A DIRTY WATER MELON AND I STOPPED HIM, WITHOUT WASHING FIRST	Corrected immediately
346	NC		NO SOAP TO WASH HANDS, THIS AREA USES THE PREP SINK (WHEN NOT IN USE TO WASH HANDS - PER CODE NEEDS HANDSINK)	TODAY
			"STORAGE AREAS"	
413	NC		BOTH DOORS BY EACH DOC HAS GAPS OR HOLES NEED FIXED / REPLACED	10-DAYS

Received by (name and title printed): X MARK HENDSELL	Inspected by (name and title printed): R Dale Carr - EUS
Received by (signature): X [Signature]	Inspected by (signature): [Signature] EUS
cc:	cc:

①



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

BLACKFORD CO HEALTH DEPT
506 E. VAN CLEVE
HARTFORD CITY, IN 47348
(765) 348-4317

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name NEEDLERS FRESH MARKET #295	Telephone Number 765-348-3399	Date of Inspection (mm/dd/yr) 10/26/23	ID # 5
Establishment Address (number and street, city, state, ZIP code) 1711 N WALNUT ST. HARTFORD CITY			
Owner EG II INDIANA INC	Purpose: 1. Routine	Follow-up YES	Release Date 11/5/23
Owner's Address 317 W MAIN CROSS ST. FINDLAY OH	2. Follow-up	Summary of Violations: C 4 NC 5 R 1	
Person in Charge MARK HENDSEY	3. Complaint	Menu Type (See back of page) 1 2 3 X 4 5	
Responsible Person's E-mail N/A	4. Pre-Operational		
Certified Food Handler MARK HENDSEY / Aug 24 2028	5. Temporary		
	6. HACCP		
	7. Other (list)		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			CONTINUED FROM PAGE 1	
			"STORAGE AREA"	
336	C	X	REPEAT FROM INSPECTION DATED 2/28/22 USING A "Y" BIB AT MOP SINKS BY EMPLOYEES BREAK AREA. BLACK HOSE LAYING IN MOP BUCKET, ALSO THE FAUCET DOESNT HAVE A BACK FLOW PREVENTION DEVICE (BACKSIPHONAGE)	[Handwritten squiggle]
			"MEAT ROOM"	
399	NC		IN WALK-IN REFRIGERATION AREA MEAT IS STORED TO CEILING IS RUSTED, HAS HOLES, AND APPEARS TO BE LEAKING ALSO TO INCLUDE WALK IN FREEZER BY EMPLOYEES BREAK AREA	
430	NC		CEILING TILES ARE MISSING AND A REPAIR WAS DONE AND IS NOT CLEANABLE AND FALLING OUT.	

Received by (name and title printed): X MARK HENDSEY	Inspected by (name and title printed): Rose Ann - EHS
Received by (signature): [Signature]	Inspected by (signature): [Signature]
cc:	cc:

(3)