

Specialty (HIV/STD) Clinic

Specialty Clinic Update- We are only scheduling appointments on Thursdays at this time.

Specialty Clinic

The Specialty Clinic provides confidential testing and treatment for gonorrhea, chlamydia and syphilis. We offer on-site medication dispensing, vaccinations, STD patient education and partner notification and treatment services. Follow-up appointments may be necessary to inform clients of their test results or administer treatments. All services are performed in a respectful, professional and confidential manner.

***** Please call to schedule an appointment *****

Insurance, Fees & Requirements:

- Clinic fees are due at the time of service
- HIV Testing: Free
- Chlamydia/Gonorrhea Testing Fee: \$25.00
- Syphilis Testing Fee: \$35.00
- Medication Administration: Free
- Fees are payable by cash, check, credit or debit card (Visa, Master Card and Discover)
 - A convenience fee is charged for each debit/credit card transaction.
- Persons with Medicaid or private health insurance should go to their doctor first.
- Call 574-935-8565 to schedule an appointment.
- Bring your photo ID to your appointment

STD Testing & Treatment

The Marshall County Health Department tests and treats for gonorrhea, chlamydia, and syphilis. We do not perform Pap Smears, nor test or treat herpes or genital warts. **Women with abdominal and/or pelvic pain should be seen by their healthcare provider.** Click on the links below to learn more about these and other sexually transmitted infections.

[Click here to learn more about STD's](#)

STD Partner Notification

Positive test results for HIV, chlamydia, gonorrhea and syphilis are reported by law to our health department by physicians, hospitals, laboratories and clinics. Our Disease Intervention Specialists follow-up on these reports with confidential partner notification services including: counseling, testing, and referral as needed to break the chain of infection.

Prevention of STDs and HIV

- Abstain from sex and injecting drugs to prevent HIV and STDs.
- Always use male or female condoms with sexual activity.
- Always use a new condom for each sexual act.
- Do not use natural membrane or sheepskin condoms.
- Limit your number of partners.
- Wait 1 week after you and your partner(s) have been treated for an STD before having sex.
- Do not share needles, syringes or injection drug equipment (cotton, cookers, rinse water etc.)