

Number of Citations	Facility Name	Address	City	Date	Purpose	Violation Type	Observation	Code	Immediate Correction	Inspector
2	219 Taproom	109 S 3rd St	Chesterton	08/26/26	Routine	C	Observed walk in cooler shelving with unsealed wood lining the shelves.	234(a)		Noah Weber
	219 Taproom	109 S 3rd St	Chesterton	08/26/26	Routine	Pf	Observed ice machine with black residue on internal surfaces.	306(a)		Noah Weber
13	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed not all sauce bottles labeled.	176(a)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	Pf	Observed little to no date marking or labeling on RTE foods within coolers.	214(a),(b),or(c)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed unsealed wood being used as a shelf in walk in cooler for kegs and tubs of food with heavy black debris build up along with an unsealed wood slab used as a divider on the top-level cheese shelving.	234(a)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed no caulking on ware wash sink and 3 bay sink.	284(a)or(b)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed sliver reach in cooler with heavy oil and food debris accumulation in need of cleaning on door handle, door frame, and internal shelving.	306(b)&(c)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	Pf	Observed heavy oil and black residue build up on pizza dough proofing shelves within walk in cooler, need cleaning. Observed pink residue on internal ice deflector blade of ice machine.	306(a)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	P	Observed dish machine with sanitizer levels to low with final rinse cycle.	318(a)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed bar hand sink air gap with minor spillage onto floor when running	363(a)(2)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed fly tape installed above food prep area	419(a)or(b)	Yes	Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed dust accumulation on ceiling air vents within kitchen.	443(a),(b)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	C	Observed grease and dust accumulation on hood vent above fry stations.	445(a)or(b)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	Pf	Observed fruit flies within bar area and house flies within kitchen.	450(a)(3)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/06/26	Routine	Pf	Observed no labeling on sani bottles within kitchen.	456(a)	Yes	Noah Weber
2	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/20/26	Follow-up	C	Observed bar hand sink air gap with minor spillage onto floor when running	363(a)(2)		Noah Weber
	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/20/26	Follow-up	Pf	Observed fruit flies within bar area and house flies within kitchen.	450(a)(3)		Noah Weber
1	AJ's Pizza Co	3050 Matson Dr	Chesterton	08/28/26	Routine	C	Observed bar hand sink air gap with minor spillage onto floor when running	363(a)(2)		Noah Weber
3	Burger King #5158	535 Indian Boundary Rd	Chesterton	08/07/26	Routine	C	Observed patty freezer with missing side metal plate.	286(a),(b),or(c)		Noah Weber
	Burger King #5158	535 Indian Boundary Rd	Chesterton	08/07/26	Routine	C	Observed dark grease accumulation on floor underneath grease recycler. Observed residue build up at x2 soda line drip lines.	443(a),(b)		Noah Weber
	Burger King #5158	535 Indian Boundary Rd	Chesterton	08/07/26	Routine	C	Observed minor amount of drain flies within kitchen. Proper pest control is in place	450(a)(1),(a)(2),or(a)(4)		Noah Weber
	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	C	Observed in use metal tongs stored on oven handle.	183(a)		Noah Weber
	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	P	Observed multiple soups and liquid cheeses not being reheated to 165 degrees F in a timely matter before hot holding at 135 degrees F.	206(a),(b),(c),or(d)	Yes	Noah Weber
	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	Pf	Observed milk not date marked at time of inspection.	214(a),(b),or(c)	Yes	Noah Weber
	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	Pf	Observed no chlorine testing strips at time of inspection.	281(a)		Noah Weber
7	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	C	Observed repurposing of old spice containers for misc. sauces.	304(a)or(b)		Noah Weber
	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	Pf	Observed ice machine internal ceiling with black residue.	306(a)		Noah Weber
3	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	08/07/26	Routine	P	Observed dish machine with no chlorine sanitizer with final rinse.	318(a)	Yes	Noah Weber
	Cherries and Berries Pancake House	791 Indian Boundary Rd	Chesterton	08/11/26	Routine	P	Observed cooked sausage set out on top of counter needing to be hot held.	213(a)(1)	Yes	Noah Weber
	Cherries and Berries Pancake House	791 Indian Boundary Rd	Chesterton	08/11/26	Routine	Pf	Observed pink residue on internal ceiling of large ice machine.	306(a)		Noah Weber
1	Cherries and Berries Pancake House	791 Indian Boundary Rd	Chesterton	08/11/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
	Chesterton Donuts / Dunkin Donuts	701 Plaza Dr	Chesterton	08/21/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	C	Observed cleaned plastic bins stacked together before properly air drying.	324(a)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	P	Observed 3 bay sink with weak spring on spray nozzle causing it to rest below the flood rim.	348(a)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	Pf	Observed mop sink installed in within bathroom with soap and paper towels and mirrors incentivizing it to be used as a hand sink as well.	359(a),(b),(c)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	C	Observed bathroom door not self-closing.	420(a)or(b)		Noah Weber

7	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	C	Observed hood vent grates with grease accumulation.	445(a)or(b)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	C	Observed x2 wet mops not positioned to properly air dry. Observed no mop hooks installed at mop sink.	447(a)		Noah Weber
	Chomp LLC	1453 Broadway	Chesterton	08/26/26	Routine	P	Observed quat sanitizer bucket testing over 500ppm.	461(a)	Yes	Noah Weber
3	Coffee Creek Donuts Inc. (Dunkin Donuts)	502 Pintail Trace	Chesterton	08/18/26	Routine	Pf	Observed minor black residue on internal ceiling of large ice machine.	306(a)		Noah Weber
	Coffee Creek Donuts Inc. (Dunkin Donuts)	502 Pintail Trace	Chesterton	08/18/26	Routine	C	Observed open dumpster at time of inspection.	400(a)	Yes	Noah Weber
	Coffee Creek Donuts Inc. (Dunkin Donuts)	502 Pintail Trace	Chesterton	08/18/26	Routine	C	Observed coffee milk spilled onto walk in cooler floor.	443(a),(b)		Noah Weber
8	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed 2 oz cup being used as scoop within coleslaw and sauce bin.	183(a)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed dry storage area shelving with absorbent unsealed particle board shelving.	226(a)(2),(a)(3),(a)(4), or(a)(5)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed internal facing door of beer walk in cooler constructed with unsealed wood panels.	234(a)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	Pf	Observed no chlorine testing strips available onsite.	281(a)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	Pf	Observed pink residue on deflector blade of ice machine. Observed residue on soda gun holster within bar.	306(a)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed kitchen hand sink with minor leak from base of nozzle.	363(a)(2)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed dumpster open at time of inspection.	400(a)		Noah Weber
	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	08/31/26	Routine	C	Observed missing floor tiles in kitchen cooking area.	442(a)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed sauce bottles with no labeling.	176(a)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed in use metal tongs stored on oven handle within kitchen.	183(a)		Noah Weber
11	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed tubs of food stored on floor of walk in cooler with no coverings.	189(a)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	Pf	Observed many RTE food items not labeled or date marked within coolers.	214(a),(b),or(c)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed walk in freezer with ice build up on floor.	286(a),(b),or(c)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	Pf	Observed chlorine sani testing strips with no visible expiration date on bottle.	301(a)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed soda machine underbelly with green residue.	306(b)&(c)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	Pf	Observed plunger on mounted can opener with black food debris in need of cleaning.	306(a)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed large amounts of food debris and water pooling underneath ware wash area leading into walk in cooler.	443(a),(b)	Yes	Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	C	Observed hood vent system with heavy grease build up.	445(a)or(b)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	Pf	Observed fruit flies in kitchen most likely coming from large bags of onions in storage.	450(a)(3)		Noah Weber
	El Cantarito / Chesterton	709 Plaza Dr Ste 4	Chesterton	08/05/26	Routine	Pf	Observed fruit flies in kitchen most likely coming from large bags of onions in storage.	450(a)(3)		Noah Weber
3	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/04/26	Follow-up	C	Observed dish machine with no sani pulling through system even with new chlorine bucket installed. Observed vacuum breaker on upper back end of dish machine leaking when operating.	286(a),(b),or(c)		Noah Weber
	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/04/26	Follow-up	P	Observed dish machine with no sanitizer while being used.	318(a)		Noah Weber
	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/04/26	Follow-up	C	Observed bar walk in cooler with walls and ceiling paint chipping and wood crumbling in need of repair. Observed large hole in floor of walk in cooler leading into basement. Contacted Dave at Building Dept. On 8/4 follow up was conducted, spoke with the Owner and the Building Department and there is a plan to redo all of the construction of the walk in cooler area within November. In the meantime the owner has been instructed to install a form of temporary support to safely cover the large hole within the walk in cooler floor. Inspector will return within 2 weeks for follow up.	442(a)		Noah Weber
	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/18/26	Follow-up	C	Observed dish machine with no sani pulling through system even with new chlorine bucket installed. Observed vacuum breaker on upper back end of dish machine leaking when operating.	286(a),(b),or(c)		Noah Weber
	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/18/26	Follow-up	P	Observed dish machine with no sanitizer while being used.	318(a)		Noah Weber
	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/18/26	Follow-up	P	Observed dish machine with no sanitizer while being used.	318(a)		Noah Weber

3	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	08/18/26	Follow-up	C	Observed bar walk in cooler with walls and ceiling paint chipping and wood crumbling in need of repair. Observed large hole in floor of walk in cooler leading into basement. Contacted Dave at Building Dept. On 8/4 follow up was conducted, spoke with the Owner and the Building Department and there is a plan to redo all of the construction of the walk in cooler area within November. In the meantime the owner has been instructed to install a form of temporary support to safely cover the large whole within the walk in cooler floor. Inspector will return within 2 weeks for follow up. 8/18 Walk in cooler has temporary repair in place with large plywood panel covering majority of the floor. Will be inspecting for a permanent solution upon routine inspection. Inspector is still in contact with Dave from the building department.	442(a)		Noah Weber
9	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	P	Observed raw shrimp stored above RTE foods within silver reach in cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed old used sauce can used as scoop within rice bin.	183(a)	Yes	Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed cooked food sitting out to cool not covered within kitchen.	192(a)		Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	Pf	Observed no date marking or labeling of RTE foods within kitchen.	214(a),(b),or(c)		Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed cardboard being used throughout kitchen as shelf liner and being used to store utensils while cooking.	234(a)		Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed chest freezer with broken lid in need of repair.	286(a),(b),or(c)		Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed original cans of food items being used for long term storage.	304(a)or(b)		Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	C	Observed gaskets of bottom sections of prep top cooler soiled with food debris.	306(b)&(c)	Yes	Noah Weber
	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	08/05/26	Routine	Pf	Observed hand sink within kitchen blocked by trash bin.	359(a),(b),(c)		Noah Weber
1	Las Mamacitas Mobile Unit @ Hunter's Brewing	1535 S. Calumet Rd	Chesterton	08/04/26	Temporary	P	Measured temperature of shredded cheese in prep top cooler at 48.7 degrees F. Small amount of cheese in prep top container. Main cooler with shredded cheese stock measured ambient temp at 40 degrees F. PIC will fill the prep top cooler container as needed and discard any shredded cheese left in prep top cooler at end of event.	213(a)(2),(b)		ShelbySouth
7	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	C	Observed in use metal tongs stored on oven handle within kitchen.	183(a)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	C	Observed ROP fish being thawed still within sealed packaging.	210(b)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	Pf	Observed food within walk in cooler improperly labeled and with incorrect label and dates. Observed RTE foods not date marked within walk in cooler.	214(a),(b),or(c)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	C	Observed crack between right side of fry station and flat top grill with grease and food debris accumulation. Observed black and white residue on metal shelving of walk in cooler.	306(b)&(c)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	Pf	Observed basement ice machine with black residue. Observed fry baskets stored on open tray in basement covered in oil with food debris not in use. Needs to be properly cleaned for storage if not being used.	306(a)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	C	Observed dark grease accumulation on wall located on left side of hood vent and on wall above hood vent area in need of cleaning. Observed very heavy black grime build up on basement floor.	443(a),(b)		Noah Weber
	Octave Grill	105 S Calumet Rd	Chesterton	08/24/26	Routine	C	Observed hood vent with grease accumulation.	445(a)or(b)		Noah Weber
1	Olivezia	420 S Calumet Rd	Chesterton	08/24/26	Routine	Pf	Observed quat testing strips expired since 2022.	301(a)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed many sauce bottles within kitchen with no labeling.	176(a)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed in use metal tongs stored on oven handle within cook line.	183(a)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	Pf	Observed many containers of food with no labeling or date marking within walk in cooler.	214(a),(b),or(c)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed pre-packaged cookies and brownies with no food label containing requirements.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed x2 soda machine underbellies with green residue. Observed green residue on very top shelving and vertical frames of shelving within walk in cooler.	306(b)&(c)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C				Noah Weber

8	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed metal bins stacked together before being allowed to fully air dry.	324(a)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed cook line concrete flooring section with pitting and chipping. Recommend repair and using rubber duck mats to protect against chipping.	442(a)		Noah Weber
	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	08/05/26	Routine	C	Observed minor amount of fruit flies within corner of dry storage room.	450(a)(1),(a)(2),or(a)(4)	Yes	Noah Weber
3	Running Vines Winery CHESTERTON	101 Broadway	Chesterton	08/26/26	Routine	P	Observed mop sink hose below the flood rim at time of inspection.	348(a)	Yes	Noah Weber
	Running Vines Winery CHESTERTON	101 Broadway	Chesterton	08/26/26	Routine	C	Observed back of house "slushie" area with acoustic ceiling tiles.	407(a)		Noah Weber
	Running Vines Winery CHESTERTON	101 Broadway	Chesterton	08/26/26	Routine	C	Observed minor amount of soda syrup leaking from first level bar area into basement from ceiling port.	443(a),(b)	Yes	Noah Weber
2	S & I Mini Mart	860 Broadway	Chesterton	08/21/26	Routine	Pf	Soap was present at handwash sink but no paper towel to dry hands- a dispenser was on the wall.	430(a)	Yes	JimChowning
	S & I Mini Mart	860 Broadway	Chesterton	08/21/26	Routine	C	Used mop was sitting in upper chamber of mop bucket.	447(a)	Yes	JimChowning
2	Smokey's Southern BBQ	375 E Hwy 20	Chesterton	08/20/26	Routine	Pf	Observed RTE food not date marked within walk in cooler i.e. potato salad/coleslaw/fully cooked ribs.	214(a),(b),or(c)		Noah Weber
	Smokey's Southern BBQ	375 E Hwy 20	Chesterton	08/20/26	Routine	P	Observed sani bucket near sink mixed with soap and chlorine. Proper recommended sanitizer is only chlorine and water. Observed re-made spray bottle of sani over 200 ppm chlorine and is bleaching testing strips back to white.	461(a)		Noah Weber
	Smoother King Chesterton	301 Indian Boundary Road	Chesterton	08/17/26	Routine	C	Observed tub of sliced strawberries leaking from storage freezer.	306(b)&(c)	Yes	Noah Weber
5	Smoother King Chesterton	301 Indian Boundary Road	Chesterton	08/17/26	Routine	Pf	Observed pink and black residue on internal ceiling of ice machine.	306(a)		Noah Weber
	Smoother King Chesterton	301 Indian Boundary Road	Chesterton	08/17/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
	Smoother King Chesterton	301 Indian Boundary Road	Chesterton	08/17/26	Routine	C	Observed open dumpster.	400(a)		Noah Weber
	Smoother King Chesterton	301 Indian Boundary Road	Chesterton	08/17/26	Routine	Pf	Observed no paper towels within x2 paper towel holders by both hand sinks.	430(a)		Noah Weber
1	Starbucks #49135	381 Indian Boundary Rd	Chesterton	08/21/26	Routine	C	Observed dumpster area with excess refuse on the ground in need of cleaning.	402(a)		Noah Weber
2	Tacoverse #1010	754-1 Indiana Boundary Rd	Chesterton	08/25/26	Complaint	P	Observed minor amount of tomatoes and single onion within walk in cooler with a minor amount of spoilage on product recommended to be discarded.	154(a),(b)		Noah Weber
	Tacoverse #1010	754-1 Indiana Boundary Rd	Chesterton	08/25/26	Complaint	Pf	Observed multiple products within separate coolers missing proper date marking and labeling.	214(a),(b),or(c)		Noah Weber
8	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed no proper labeling on packaged pastry products.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	Pf	Observed no consumer advisory on menu.	223(a),(b),or(c)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	Pf	Observed no quat testing strips.	281(a)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed black residue on face of ware wash spray nozzle face. Observed grease accumulation on side of fry station in cook line.	306(b)&(c)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed multiple fly tape strips installed on ceiling above walkway leading from the walk in cooler and dry storage area. Must be removed.	419(a)or(b)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed multiple broken and missing tiles within kitchen cook line.	442(a)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed black grease accumulation on metal wall behind flat top grill. Observed grease and food debris underneath fry station.	443(a),(b)		Noah Weber
	Third Coast Spice Caf� Inc	761 Indian Boundary Rd Ste 6	Chesterton	08/21/26	Routine	C	Observed harborage conditions in mop sink promoting drain flies, area needs to be cleaned and maintained.	450(a)(1),(a)(2),or(a)(4)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	Pf	Observed no available chlorine testing strips at time of inspection.	281(a)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed 3 bay sink with no caulking.	284(a)or(b)		Noah Weber
8	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed walk in freezer with large ice chunk forming on floor of unit.	286(a),(b),or(c)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed bottom section of prep top cooler with sauce splatter and food debris in need of cleaning. Observed walk in cooler with green and white residue on metal shelving.	306(b)&(c)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	Pf	Observed ice machine with pink and black residue on internal ceiling of unit.	306(a)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed minor leak underneath of 3 bay sink.	363(a)(2)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed missing floor coving within bar area.	411(a)or(b)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed missing floor coving within bar area.	411(a)or(b)		Noah Weber

10	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed missing ceiling tiles in back of house storage and tiles are acoustic material some are water damaged. Observed paint chipping from ceiling in cook line of kitchen. Observed broken tiles with minor hole in food prep line floor and broken tiles around floor drains. Observed missing grout within kitchen collecting debris.	442(a)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	C	Observed heavily soiled floors within kitchen area. Observed floor on floors, walls and on equipment within kitchen.	443(a),(b)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/04/26	Routine	Pf	Observed multiple flies within kitchen area. Observed ants with ant mound forming at base of kitchen wall behind door. Observed mouse droppings at base of wall in kitchen cooking area.	450(a)(3)		Noah Weber
3	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/18/26	Follow-up	C	Observed walk in freezer with large ice chunk forming on floor of unit.	286(a),(b),or(c)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/18/26	Follow-up	C	Observed missing floor coving within bar area.	411(a)or(b)		Noah Weber
	Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	08/18/26	Follow-up	C	Observed missing ceiling tiles in back of house storage and tiles are acoustic material some are water damaged. Observed paint chipping from ceiling in cook line of kitchen. Observed broken tiles with minor hole in food prep line floor and broken tiles around floor drains. Observed missing grout within kitchen collecting debris.	442(a)		Noah Weber
1	Azucar Ice Cream Mobile Unit	103 N Main St	Crown Point	08/30/26	Temporary	Pf	Observed no presence of sanitizer	282(a)or(b)		Jonathan Weitgenant
3	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/29/26	Temporary	P	Observed the cooks making food without running water to wash their hands.	142(a)	Yes	Carrie Batson
	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/29/26	Temporary	C	Observed the water pump not working at the time of inspection.	363(a)(2)		Carrie Batson
	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/29/26	Temporary	Pf	Observed no valid permit purchased for the Kidchella event.	477(a)		Carrie Batson
3	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/30/26	Temporary	P	Observed raw chicken being breaded on top of cooked rice held at room temp. Rice was discarded due to contamination.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/30/26	Temporary	C	Observed in use metal tongs being stored on oven handle.	183(a)	Yes	Noah Weber
	Grand Catering & Events Meraki Mobile Unit	1 Courthouse Sq	Crown Point	08/30/26	Temporary	P	Observed hand sink not functional in mobile unit, employee's were using a thermos for a make shift hand sink during operating hours.	363(a)(1)		Noah Weber
3	Izzy's Daddy's Pizza Mobile Unit	1269 Glenn Dr	Crown Point	08/29/26	Temporary	C	Observed two team members in the cooking area without hair restraints.	151(a)	Yes	Carrie Batson
	Izzy's Daddy's Pizza Mobile Unit	1269 Glenn Dr	Crown Point	08/29/26	Temporary	P	Observed raw sausage stored above ready to drink beverages in the cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Carrie Batson
	Izzy's Daddy's Pizza Mobile Unit	1269 Glenn Dr	Crown Point	08/29/26	Temporary	P	Observed no food contact surface sanitizer prepared.	317(a)	Yes	Carrie Batson
1	Ken Dawgs Mobile Unit @ Church of the Four Seasons	3713 Cherry Hill Drive	Crown Point	08/08/26	Temporary	C	Observed no allergen notification for customers.	222(a),(b)		Carrie Batson
1	Red Barn Smokehouse @ Jimmy John's	12203 White Oak Dr	Crown Point	08/30/26	Temporary	Pf	Observed quat sani testing strips water damaged at time of inspection.	301(a)		Noah Weber
1	Tipsy Gypsy Traveling Tavern	1526 Happy Valley Rd	Crown Point	08/29/26	Temporary	C	Observed cans of soda stored on the ground outside of the mobile unit with non potable water from the cooler condensation line dripping on top of them.	175(a)(3)thru8	Yes	Carrie Batson
4	Amazing Grace Mobile Unit	4914 Drummond St	East Chicago	08/08/26	Temporary	C	Observed one kitchen team member without a hair restraint.	151(a)	Yes	Carrie Batson
	Amazing Grace Mobile Unit	4914 Drummond St	East Chicago	08/08/26	Temporary	C	Observed no allergen notifications available for customers.	222(a),(b)		Carrie Batson
	Amazing Grace Mobile Unit	4914 Drummond St	East Chicago	08/08/26	Temporary	Pf	Observed the potato cutter with residue build up on it.	306(a)	Yes	Carrie Batson
3	Amazing Grace Mobile Unit	4914 Drummond St	East Chicago	08/08/26	Temporary	P	Observed the bleach sanitizer concentration measuring 100 ppm.	461(a)	Yes	Carrie Batson
	Cup Of Joy Cafe LLC Mobile Unit	312 N Madison St	Hebron	08/30/26	Temporary	Pf	Observed quat test strips expired	281(a)		Jonathan Weitgenant
	Cup Of Joy Cafe LLC Mobile Unit	312 N Madison St	Hebron	08/30/26	Temporary	C	Observed no screens on order and service windows and the presence of flies/bees in the mobile unit while inspection was taking place	421(a)or(d)		Jonathan Weitgenant
3	Cup Of Joy Cafe LLC Mobile Unit	312 N Madison St	Hebron	08/30/26	Temporary	P	Observed sanitizer in squirt bottles measuring between 500 and 1000 ppm quat solution	461(a)		Jonathan Weitgenant
1	Dirty Pours @ The Hub Kitchen Commissary	105 W Sigler	Hebron	08/22/26	Temporary	Pf	Observed yellow jacket wasps crawling over syrup bottles.	450(a)(3)	Yes	Carrie Batson
3	Hayden's Home Grown @ Range Line Presbyterian Church	18210 Clay St	Hebron	08/22/26	Temporary	P	Observed the white fridge measuring 47 degrees F with the food inside measuring 47 degrees F.	213(a)(2),(b)	No	Carrie Batson
	Hayden's Home Grown @ Range Line Presbyterian Church	18210 Clay St	Hebron	08/22/26	Temporary	P	Observed no sanitizer prepared during operating hours.	317(a)	Yes	Carrie Batson
	Hayden's Home Grown @ Range Line Presbyterian Church	18210 Clay St	Hebron	08/22/26	Temporary	C	Observed serving windows and back window standing open.	421(a)or(d)		Carrie Batson
2	Lebanese Grape Leaves- TENT	105 W Sigler	Hebron	08/08/26	Temporary	C	Observed cooking team members without hair restraints.	151(a)	Yes	Carrie Batson
	Lebanese Grape Leaves- TENT	105 W Sigler	Hebron	08/08/26	Temporary	C	Observed no written allergy notifications for customers.	222(a),(b)		Carrie Batson
1	Mixtura Latin Kitchen, Mobile Unit @ Lil Red Rooster Commissary	312 North Madison Street	Hebron	08/30/26	Temporary	Pf	Observed no readily available hand drying provisions at the hand sink when entering the mobile unit	430(a)	Yes	Jonathan Weitgenant

1	Sullons Catering and Events, LLC @ Lil Red Rooster	312 North Madison Street	Hebron	08/20/26	Routine	C	Observed large swarm of flies in mobile unit	450(a)(1),(a)(2),or(a)(4)		Jonathan Weitgenant
1	Dan's Pierogies-Mobile Unit	2945 Jewett Ave	Highland	08/30/26	Temporary	Pf	Observed dish scrubbing sponges in the bottom of the hand sink.	359(a),(b),(c)	Yes	Carrie Batson
	All Soup'd Up @ Gino's Banquets Commissary	1967 E. 37th Avenue	Hobart	08/30/26	Temporary	Pf	Observed no sanitizer made while operating kitchen.	282(a)or(b)		Noah Weber
	All Soup'd Up @ Gino's Banquets Commissary	1967 E. 37th Avenue	Hobart	08/30/26	Temporary	C	Observed no screen door with back door left open.	421(a)or(d)		Noah Weber
3	All Soup'd Up @ Gino's Banquets Commissary	1967 E. 37th Avenue	Hobart	08/30/26	Temporary	C	Observed minor amounts of flies within mobile unit with no pest control.	450(a)(1),(a)(2),or(a)(4)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed in use tongs being stored on oven handles within kitchen. Observed 2 oz plastic sauce cups being used as scoops down within sauce bin and dry seasoning container.	183(a)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	P	Observed salmon being wrapped and vacuum sealed in house without a variance.	218(a),(b)(4),(c),(d)(2)(B),(d)(2)(C),(d)(2)(D),(d)(2)(E),or(e)(1)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed metal and plastic bins stacked together before properly air drying.	324(a)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed kitchen exit door with gap on top section letting in sunlight.	421(a)or(d)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed plastic tiles within kitchen damaged with missing pieces. Observed rubber ramp leading into ware washing area damaged.	442(a)		Noah Weber
	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed dirt piles within basement area amongst clutter. Observed oil accumulation on left side of hood vent system and along upper wall and equipment.	443(a),(b)		Noah Weber
7	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	08/25/26	Routine	C	Observed hood vent system with grease accumulation.	445(a)or(b)		Noah Weber
	Arby's Portage	3360 Willowcreek Rd	Portage	08/04/26	Routine	P	Measured sliced tomatoes at 50.1F and measured cooked gyro meat at 48F at the time of inspection.	213(a)(2),(b)		AntonioTurner
	Arby's Portage	3360 Willowcreek Rd	Portage	08/04/26	Routine	C	Observed trash and leaf buildup around dumpster at the time of inspection.	402(a)		AntonioTurner
3	Arby's Portage	3360 Willowcreek Rd	Portage	08/04/26	Routine	C	Observed ceiling tile in dry storage hanging at the time of inspection.	442(a)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	P	Measured tomatoes at 58F at the time of inspection.	213(a)(2),(b)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	Pf	Observed no chlorine test strips at the time of inspection.	281(a)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	C	Observed water sprayer with black buildup at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	C	Observed hand sink leaking water while turned off at the time of inspection.	289(a)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	C	Observed hand sink leaking water while turned off at the time of inspection.	363(a)(2)		AntonioTurner
	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	C	Observed coving damaged under 3 bays at the time of inspection.	411(a)or(b)		AntonioTurner
7	Big Time Burgers + Brew	2545 Promenade Way Ste A	Portage	08/07/26	Routine	Pf	Observed no paper towel at either hand sinks in the kitchen at the time of inspection.	430(a)	Yes	AntonioTurner
	Charley's Cheesesteaks and Wings	6087 US-6	Portage	08/25/26	Routine	C	Observed two sanitizer buckets sitting directly on floor at the time of inspection.	185(a)thru(f)	Yes	AntonioTurner
	Charley's Cheesesteaks and Wings	6087 US-6	Portage	08/25/26	Routine	C	Observed hand sink without a seal at the time of inspection.	284(a)or(b)		AntonioTurner
3	Charley's Cheesesteaks and Wings	6087 US-6	Portage	08/25/26	Routine	C	Observed hood filters above fryer with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
	Dunkin Donuts/Baskin Robbins	6532 US Highway 6	Portage	08/06/26	Routine	C	Observed 3 bays leaking at base of faucet while turned off at the time of inspection.	363(a)(2)		AntonioTurner
	Dunkin Donuts/Baskin Robbins	6532 US Highway 6	Portage	08/06/26	Routine	Pf	Observed no paper towel at hand sink at the time of inspection.	430(a)		AntonioTurner
3	Dunkin Donuts/Baskin Robbins	6532 US Highway 6	Portage	08/06/26	Routine	C	Observed hood chute above oven with dust buildup at the time of inspection.	443(a),(b)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Observed steel cup without a handle to scoop kernels in back room at the time of inspection.	183(a)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Measured large cooler across from hand sink at 48F and observed temperature logs from the previous week in the high 40's and low 50's at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	Pf	Measured ware washing machine at less than 10ppm at the time of inspection.	299(a)(6)(C),(a)(6)(D)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	Pf	Observed no test kit for chlorine at ware washing machine at the time of inspection.	301(a)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Observed ice machine chute across from rest rooms with pink buildup on rim at the time of inspection.	307(e)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Observed low light intensity in walk-in cooler at the time of inspection.	436(a),(b),or(c)		AntonioTurner

8	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Observed grease buildup on floor under fryers and observed food debris on walk-in cooler floor at the time of inspection.	443(a),(b)		AntonioTurner
	Imagine Portage	6550 American Way	Portage	08/05/26	Routine	C	Observed several gnats behind bar near dipping well at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
4	Family Express Corp #52	6250 Ameriplex Dr	Portage	08/10/26	Routine	C	Observed soda syrup buildup on left hand side of Beverage Bay at the time of inspection.	306(b)&(c)		AntonioTurner
	Family Express Corp #52	6250 Ameriplex Dr	Portage	08/10/26	Routine	P	Observed Y-valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Family Express Corp #52	6250 Ameriplex Dr	Portage	08/10/26	Routine	Pf	Observed hand sink next to ice machine blocked at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Family Express Corp #52	6250 Ameriplex Dr	Portage	08/10/26	Routine	C	Observed soda syrup buildup on floor under soda box storage area at the time of inspection.	443(a),(b)		AntonioTurner
	Family Express Corp #52	6250 Ameriplex Dr	Portage	08/10/26	Routine	C	Observed soda syrup buildup on floor under soda box storage area at the time of inspection.	443(a),(b)		AntonioTurner
1	Firehouse Subs Portage	6536 US Highway 6	Portage	08/18/26	Routine	P	Observed Y-Valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed tongs hanging from cart handle in wait staff area at the time of inspection.	183(a)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed water sprayer with buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed ladle in drawer not in good repair at the time of inspection.	302(a)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed heavy dust on racks above ware washing area and above food prep area and observed grease buildup in between fryers at the time of inspection.	306(b)&(c)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed ice machine with black buildup on inside at the time of inspection.	307(e)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	Pf	Observed hand sink blocked with dishes and cart at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed walls and ceiling with dust and flour buildup and grease buildup under fryers at the time of inspection.	443(a),(b)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed several gnats flying around ice machine in wait staff area at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	C	Observed several gnats flying around ice machine in wait staff area at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
9	Gelsosomos Pizzeria	5023 US Highway 6	Portage	08/18/26	Routine	Pf	Observed two chemical spray bottles without a label at the time of inspection.	456(a)		AntonioTurner
1	Hooters of Portage	1665 Olmsted	Portage	08/11/26	Routine	C	Observed water sprayer with buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed two ice bins uncovered at the time of inspection.	175(a)(3thru8)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed ice bucket not inverted at the time of inspection.	183(a)	Yes	AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed sanitizer bucket sitting directly on floor of cooks' line at the time of inspection.	185(a)thru(f)	Yes	AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed hand sink in back prep area without a seal at the time of inspection.	284(a)or(b)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed water sprayer with heavy buildup on outside of nozzle at the time of inspection.	289(a)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed grease buildup behind equipment on piping at the time of inspection.	306(b)&(c)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed ice machine with black buildup on inside at the time of inspection.	307(e)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	P	Measured ware washing machine at less than 10ppm at the time of inspection.	317(a)	Yes	AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed plastic containers wet nesting at the time of inspection.	324(a)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	Pf	Observed hand sink at end of cooks' line being used for other purposes at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed dust buildup on ceiling vent at the time of inspection.	443(a),(b)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed gnats flying around bar and kitchen area at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed black buildup outside of creamer machine around nozzle, and observed grease buildup in between fryers at the time of inspection.	306(b)&(c)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed black buildup outside of creamer machine around nozzle, and observed grease buildup in between fryers at the time of inspection.	306(b)&(c)		AntonioTurner
	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	08/10/26	Routine	C	Observed black buildup outside of creamer machine around nozzle, and observed grease buildup in between fryers at the time of inspection.	306(b)&(c)		AntonioTurner
2	McDonalds #21870	6075 US Highway 6	Portage	08/07/26	Routine	C	Observed mop sink hose hanging below flood rim level at the time of inspection.	348(a)		AntonioTurner
1	Meijer Gas Station #266	6050 US Highway 6	Portage	08/10/26	Routine	C	Observed soda syrup on floor under soda storage area at the time of inspection.	443(a),(b)		AntonioTurner
	Meijer Store #266	6050 US Highway 6	Portage	08/25/26	Routine	C	Observed walk-in bakery freezer with heavy ice buildup on ceiling and walls at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Meijer Store #266	6050 US Highway 6	Portage	08/25/26	Routine	C	Observed dust on ceiling vent in deli ware washing area at the time of inspection.	306(b)&(c)		AntonioTurner

5	Meijer Store #266	6050 US Highway 6	Portage	08/25/26	Routine	P	Observed Y-valve installed on two mop sinks at the time of inspection.	348(a)		AntonioTurner
	Meijer Store #266	6050 US Highway 6	Portage	08/25/26	Routine	Pf	Observed hand sink in bakery blocked with bucket at the time of inspection.	359(a),(b),(c)	Yes	AntonioTurner
	Meijer Store #266	6050 US Highway 6	Portage	08/25/26	Routine	Pf	Observed no paper towel at hand sink in produce washing area at the time of inspection.	429(a)	Yes	AntonioTurner
5	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	C	Observed tamales unlabeled at the time of inspection.	155(c),(f),(g)		AntonioTurner
	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	C	Observed tongs hanging from stove handle at the time of inspection.	183(a)	Yes	AntonioTurner
	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	C	Observed food left in can after opening at the time of inspection.	304(a)or(b)	Yes	AntonioTurner
5	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	C	Observed inside of ice machine roof, with black buildup at the time of inspection.	307(e)		AntonioTurner
	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	Pf	Observed no paper towel at hand sink at the time of inspection.	430(a)	Yes	AntonioTurner
	Mexico Lindo 2 Inc	5908 US Highway 6	Portage	08/26/26	Routine	C	Observed uncovered ranch cups in walk-in cooler at the time of inspection.	175(a){3thru8}		AntonioTurner
10	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed sanitizer bucket on floor at the time of inspection.	185(a)thru(f)	Yes	AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	Pf	Observed chicken thawing in sink without a continuous flow of water at the time of inspection.	210(a){1}thru(a){3}		AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	P	Measured tomatoes and shaved cheese at 46F and 50F at the time of inspection.	213(a){1}		AntonioTurner
10	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed water sprayer with black buildup at the time of inspection.	289(a)		AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed food buildup inside protein cooler and cooler next to it and observed floor fan blowing onto cooks' line with heavy dust buildup at the time of inspection.	306(b)&(c)		AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	P	Measured ware washing machine chlorine levels at less than 10ppm at the time of inspection.	317(a)		AntonioTurner
10	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed dishes stacked wet at the time of inspection.	324(a)		AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed missing ceiling tiles throughout kitchen at the time of inspection.	442(a)		AntonioTurner
	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	08/10/26	Routine	C	Observed grease buildup under fryer station at the time of inspection.	443(a),(b)		AntonioTurner
3	Schoop's	3285 Willowcreek Rd	Portage	08/11/26	Routine	C	Observed microwave behind register with buildup on inside roof at the time of inspection.	308(a)or(b)		AntonioTurner
	Schoop's	3285 Willowcreek Rd	Portage	08/11/26	Routine	C	Observed fly trap hanging above dish cart and ketchup storage at the time of inspection.	419(a)or(b)		AntonioTurner
	Schoop's	3285 Willowcreek Rd	Portage	08/11/26	Routine	C	Observed soda syrup on basement floor under soda storage area at the time of inspection.	443(a),(b)		AntonioTurner
4	Speedway #43799	5620 East US Highway 6	Portage	08/19/26	Routine	C	Observed heavy black buildup in cabinet below self-serve soda station at the time of inspection.	306(b)&(c)		AntonioTurner
	Speedway #43799	5620 East US Highway 6	Portage	08/19/26	Routine	C	Observed hand sink in back prep area, leaking at base while faucet is on at the time of inspection.	363(a){2}		AntonioTurner
	Speedway #43799	5620 East US Highway 6	Portage	08/19/26	Routine	C	Observed heavy trash buildup around dumpster at the time of inspection.	402(a)		AntonioTurner
4	Speedway #43799	5620 East US Highway 6	Portage	08/19/26	Routine	C	Observed soda syrup on floor in walk-in cooler, observed beverage spilled on floor of walk-in cooler and observed dust buildup on ceiling above ware washing area at the time of inspection.	443(a),(b)	Yes	AntonioTurner
1	Taco Bell #19297	6053 US Highway 6	Portage	08/05/26	Routine	C	Observed grease buildup under fryer station and observed mold like buildup on walls of walk-in cooler at the time of inspection.	443(a),(b)		AntonioTurner
7	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	C	Observed employee eating and drinking on back prep table at the time of inspection.	148(a)		AntonioTurner
	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	C	Observed ladle hanging from stove handle at the time of inspection.	183(a)	Yes	AntonioTurner
	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	P	Measured cooked chicken in Coleman cooler at 98F at the time of inspection.	213(a){1}	Yes	AntonioTurner
7	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	Pf	Observed no date marking in cooler next to back door at the time of inspection.	214(a),(b),or(c)	Yes	AntonioTurner
	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	C	Observed no ambient thermometer in cooler next to soda machine at the time of inspection.	260(a),(b),(d)	Yes	AntonioTurner
	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	C	Observed can opener blade with residue at the time of inspection.	306(b)&(c)	Yes	AntonioTurner
7	Tocayos, LLC	6652 US Highway 6	Portage	08/18/26	Routine	Pf	Observed grease buildup under flattop and observed cooler door handles with food residue next to back door at the time of inspection.	306(a)		AntonioTurner

6	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	C	Observed two coolers on cooks' line leaking into pans at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	C	Observed water sprayer with heavy buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	C	Observed black buildup on ice machine at the time of inspection.	307(e)		AntonioTurner
	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	P	Measured ware washing machine at less than 10ppm at the time of inspection.	317(a)		AntonioTurner
	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	P	Observed hand sink next to three bays leaking from the bottom at the time of inspection.	363(a)(1)		AntonioTurner
6	Wendy's of Portage #321	2675 Willowcreek Rd	Portage	08/06/26	Routine	C	Observed heavy grease buildup behind fryer station at the time of inspection.	443(a),(b)		AntonioTurner
6	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed tongs hanging from stove handles at the time of inspection.	183(a)	Yes	AntonioTurner
	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed water sprayer nozzle with buildup at the time of inspection.	289(a)	Yes	AntonioTurner
	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed fryer wheels with heavy grease buildup, observed piping behind equipment with grease buildup at the time of inspection.	306(b)&(c)		AntonioTurner
	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed coving damaged across from mop sink at the time of inspection.	411(a)or(b)		AntonioTurner
	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed chipping tile outside of walk-in cooler at the time of inspection.	442(a)		AntonioTurner
6	Wendy's of Portage II #330	6181 US Highway 6	Portage	08/03/26	Routine	C	Observed several gnats flying around mop sink area at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
2	Wingstop Portage	6542 US Hwy 6	Portage	08/07/26	Routine	C	Observed ice machine and soda nozzle at self service station with buildup at the time of inspection.	307(e)	Yes	AntonioTurner
	Wingstop Portage	6542 US Hwy 6	Portage	08/07/26	Routine	C	Observed back door wedged open at the time of inspection.	421(a)or(d)	Yes	AntonioTurner
7	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	C	Observed in use metal tong stored on oven handle.	183(a)		Noah Weber
	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	C	Observed metal and plastic bins stacked together before properly air drying.	324(a)		Noah Weber
	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	Pf	Observed no hand soap at bar hand sink.	429(a)		Noah Weber
	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	C	Observed damaged lower wall in water heater/mop sink room with live ivy plant growing inside.	442(a)		Noah Weber
	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	C	Observed mouse droppings within basement.	443(a),(b)		Noah Weber
	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	C	Observed dead mouse stuck in glue trap in basement.	451(a)		Noah Weber
3	Speakeasy at the Spa / Aria Hospitality (Pizzeria Uno)	333 North Mineral Springs Rd	Porter	08/06/26	Routine	P	Observed x2 glue traps in basement underneath stairs.	467(a)		Noah Weber
	The Taco Guys TENT @ Big Time Burgers & Brew Commissary	2545 Promenade Way	Porter	08/02/26	Temporary	P	Observed employees not changing gloves or washing hands when changing tasks.	186(a)		Noah Weber
	The Taco Guys TENT @ Big Time Burgers & Brew Commissary	2545 Promenade Way	Porter	08/02/26	Temporary	P	Observed cut lettuce, tomato, onions and parsley not on ice and temping at 74 degrees F.	213(a)(2),(b)	Yes	Noah Weber
	The Taco Guys TENT @ Big Time Burgers & Brew Commissary	2545 Promenade Way	Porter	08/02/26	Temporary	P	Observed x2 cooked rice bins on table at 94 degrees F.	213(a)(1)	Yes	Noah Weber
3	Veterans of Foreign Wars #2511 Porter	1290 Wagner Rd	Porter	08/26/26	Routine	Pf	Observed large can of pineapple with large dents on the seams.	166(a)		Noah Weber
	Veterans of Foreign Wars #2511 Porter	1290 Wagner Rd	Porter	08/26/26	Routine	P	Observed y-splitter installed on mop sink.	349(a)		Noah Weber
	Veterans of Foreign Wars #2511 Porter	1290 Wagner Rd	Porter	08/26/26	Routine	C	Observed oil accumulation on the ground to the right of the liquor cabinet underneath fryer cleaning equipment.	443(a),(b)		Noah Weber
5	Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	08/06/26	Routine	C	Observed no covers available for ice bins used for drinks at bars	189(a)		Jonathan Weitgenant
	Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	08/06/26	Routine	C	Observed exposed wood on the side of table top near ice bin in north bar	226(a)(2),(a)(3),(a)(4),or(a)(5)		Jonathan Weitgenant
	Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	08/06/26	Routine	Pf	Observed spider webs and dried puparia in the soda gun nozzle and holster, respectively, in the south and lounge bar, respectively.	306(a)		Jonathan Weitgenant
	Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	08/06/26	Routine	P	Observed chemical dispenser installed above mop sink faucet with no pressure relief system in place	349(a)		Jonathan Weitgenant
	Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	08/06/26	Routine	C	Observed soda syrup residue built up behind cabinet in lounge bar	443(a),(b)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed ice bin at bar (used for drinks) uncovered and exposed to splash, spillage, or contamination.	175(a)(3thru8)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed paper to-go soup cup being used as scoop in dry seasoning mix	183(a)	Yes	Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	P	Observed food product in cooler drawers under flat top measuring above 50 degrees.	213(a)(2),(b)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed plywood in bar dry storage room absorbing chemical spillage and evidence of previous damage from leak	234(a)		Jonathan Weitgenant

	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	P	Observed y-splitter with down stream shut off valves installed on the end of the faucet, past the vacuum breaker, at the service sink. Observed chemical dispensing equipment installed above the atmospheric vacuum breaker on service sink.	349(a)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed leak at 3bay sink on faucet and on middle sink drain pipe	363(a)(2)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed coving in freezer separating from wall. Observed damage to bottom seal on walk in cooler door. Observed coving separating from wall outside food walk in cooler door.	442(a)		Jonathan Weitgenant
	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	C	Observed heavy grease and food build up behind the cook line grill and flattop. Observed build up underneath bar ice bin. Observed residual build up underneath wire shelving holding kegs in back keg cooler. Observed pooling water underneath the shelving units in the walk in food cooler.	443(a),(b)		Jonathan Weitgenant
9	Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	Valparaiso	08/05/26	Routine	Pf	Observed presence of flies in mens restroom and on kitchen expo line	450(a)(3)		Jonathan Weitgenant
1	Arby's #1338	2101 N Calumet Ave	Valparaiso	08/04/26	Follow-up	C	Observed leaking hose part on fry station still not repaired on inspection.	286(a),(b),or(c)		Noah Weber
1	Arby's #1338	2101 N Calumet Ave	Valparaiso	08/17/26	Follow-up	C	Observed leaking hose part on fry station still not repaired on inspection.	286(a),(b),or(c)		Noah Weber
	Bao's Pastry	12 Jefferson St	Valparaiso	08/05/26	Routine	C	Observed no card, sign, label, or other method of notification for pre-packaged food items that includes information on ingredients, production dates, net content, or name of product	221(a),(b)(1),(b)(2),(b)(3)(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant
	Bao's Pastry	12 Jefferson St	Valparaiso	08/05/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens for unpackaged prepared foods	222(a),(b)		Jonathan Weitgenant
3	Bao's Pastry	12 Jefferson St	Valparaiso	08/05/26	Routine	P	Observed can of household use only RAID pesticide underneath sink in back kitchen prep area	459(a)(2),(a)(3),or(b)		Jonathan Weitgenant
	BAO's Pastry (house)	607 Lincolnway	Valparaiso	08/05/26	Routine	C	Observed pastry dough stored on wire racks in reach in cooler with no protection	189(a)	Yes	Jonathan Weitgenant
	BAO's Pastry (house)	607 Lincolnway	Valparaiso	08/05/26	Routine	C	Observed mascarpone and sour cream containers being reused for storage or food product	226(a)(2),(a)(3),(a)(4),or(a)(5)		Jonathan Weitgenant
3	BAO's Pastry (house)	607 Lincolnway	Valparaiso	08/05/26	Routine	P	Observed raid outdoor use only pesticide stored under a food prep counter in kitchen	459(a)(2),(a)(3),or(b)	Yes	Jonathan Weitgenant
	Big D's Eats Mobile Unit @ O'Briens	4405 N Calumet Ave	Valparaiso	08/07/26	Temporary	C	Observed multiple sauce bottles not labeled.	176(a)		Noah Weber
	Big D's Eats Mobile Unit @ O'Briens	4405 N Calumet Ave	Valparaiso	08/07/26	Temporary	C	Observed water leaking from bottom of unit when running the hand sink.	363(a)(2)		Noah Weber
	Big D's Eats Mobile Unit @ O'Briens	4405 N Calumet Ave	Valparaiso	08/07/26	Temporary	C	Observed open windows with no screen protection.	421(a)or(d)		Noah Weber
4	Big D's Eats Mobile Unit @ O'Briens	4405 N Calumet Ave	Valparaiso	08/07/26	Temporary	C	Observed grease build up on the floor of mobile unit.	443(a),(b)		Noah Weber
	Casey's General Store #3988	307 W Hwy 6	Valparaiso	08/10/26	Routine	Pf	Observed damaged test strips in kitchen at the time of inspection.	301(a)	Yes	AntonioTurner
2	Casey's General Store #3988	307 W Hwy 6	Valparaiso	08/10/26	Routine	C	Observed soda syrup spilled on floor under soda storage area at the time of inspection.	443(a),(b)		AntonioTurner
	Chicken Salad Girl @ Nana Clares	3907 Calumet Ave	Valparaiso	08/10/26	Routine	P	Observed raw egg store above RTE pasta salad and cooked chicken.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
	Chicken Salad Girl @ Nana Clares	3907 Calumet Ave	Valparaiso	08/10/26	Routine	Pf	Observed x2 tubs of cooked RTE food not date marked within reach in cooler.	214(a),(b),or(c)	Yes	Noah Weber
3	Chicken Salad Girl @ Nana Clares	3907 Calumet Ave	Valparaiso	08/10/26	Routine	P	Observed Fabuloso stored next to dry foods in dry storage.	457(a)	Yes	Noah Weber
	Chipotle Mexican Grill #1669	2505 Laporte Ave # 500	Valparaiso	08/18/26	Routine	C	Observed 3d dust clumps on fan cover in walk in cooler	306(b)&(c)		Jonathan Weitgenant
2	Chipotle Mexican Grill #1669	2505 Laporte Ave # 500	Valparaiso	08/18/26	Routine	C	Observed shared dumpster lids open and presence of pests in and around dumpster	400(a)		Jonathan Weitgenant
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	C	Observed deli cup used as scoop within salt bin. Observed bottoms of plastic tubs with meat stacked together touching uncovered food product.	183(a)		Noah Weber
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	C	Observed food preparation continuing under unfinished construction.	192(a)		Noah Weber
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	Pf	Observed RTE foods not labeled or date marked.	214(a),(b),or(c)		Noah Weber
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	Pf	Observed chlorine testing strips expired in 2022.	301(a)		Noah Weber
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	P	Observed no sanitizer made during food preparation at time of inspection.	317(a)	Yes	Noah Weber
	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	Pf	Observed cups placed in hand sink basin at time of inspection.	359(a),(b),(c)	Yes	Noah Weber
7	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	08/06/26	Routine	C	Observed minor leak under 3 bay sink.	363(a)(2)		Noah Weber
	Elks Lodge 500	157 Jefferson St	Valparaiso	08/06/26	Routine	C	Observed residue build up on the seals of the reach in freezers and fridge in kitchen	306(b)&(c)		Jonathan Weitgenant
	Elks Lodge 500	157 Jefferson St	Valparaiso	08/06/26	Routine	C	Observed black residue build up on the inner ceiling of the ice machine	307(e)		Jonathan Weitgenant

3	Elks Lodge 500	157 Jefferson St	Valparaiso	08/06/26	Routine	C	Observed grease build up on the floor beside and beneath the deep fryer station.	443(a),(b)		Jonathan Weitgenant
1	Evolution Artisan Confections	901 Calumet Ave Ste 2	Valparaiso	08/19/26	Routine	C	Observed flour and sugar bins under table without bulk label	176(a)		Jonathan Weitgenant
	Fajita Grill	385 W US Highway 6	Valparaiso	08/06/26	Routine	C	Observed tamales brought from another location without proper labeling at the time of inspection.	155(c),(f),(g)		AntonioTurner
	Fajita Grill	385 W US Highway 6	Valparaiso	08/06/26	Routine	Pf	Observed bartender grab a cut lime with bare hands then serving to customer at the time of inspection.	173(c)		AntonioTurner
	Fajita Grill	385 W US Highway 6	Valparaiso	08/06/26	Routine	C	Observed water sprayer nozzle with heavy buildup at the time of inspection.	289(a)		AntonioTurner
	Fajita Grill	385 W US Highway 6	Valparaiso	08/06/26	Routine	P	Observed Y-valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
5	Fajita Grill	385 W US Highway 6	Valparaiso	08/06/26	Routine	Pf	Observed bartender dump drinks in hand sink behind bar at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Family Express Corp #4	363 US Hwy 6	Valparaiso	08/19/26	Routine	C	Observed dust buildup on fan covers and around covers in walk-in cooler at the time of inspection	306(b)&(c)		AntonioTurner
	Family Express Corp #4	363 US Hwy 6	Valparaiso	08/19/26	Routine	C	Observed ice deflector on right hand side of beverage bay with pink buildup at the time of inspection.	307(e)		AntonioTurner
	Family Express Corp #4	363 US Hwy 6	Valparaiso	08/19/26	Routine	Pf	Observed hand sink blocked by carts at the time of inspection.	359(a),(b),(c)		AntonioTurner
4	Family Express Corp #4	363 US Hwy 6	Valparaiso	08/19/26	Routine	P	Measured sanitizer bay and bucket at greater than 500ppm at the time of inspection.	461(a)		AntonioTurner
	Family Express Corp #42	298 W US Highway 6	Valparaiso	08/18/26	Routine	C	Observed beverage bay ice machine to the left with black buildup at the time of inspection.	307(e)		AntonioTurner
	Family Express Corp #42	298 W US Highway 6	Valparaiso	08/18/26	Routine	P	Observed Y-valve on mop sink at the time of inspection.	348(a)		AntonioTurner
	Family Express Corp #42	298 W US Highway 6	Valparaiso	08/18/26	Routine	Pf	Observed hand soap dispenser not working at the time of inspection.	429(a)		AntonioTurner
	Family Express Corp #42	298 W US Highway 6	Valparaiso	08/18/26	Routine	P	Measured sanitizer solution greater than 500ppm at the time of inspection.	461(a)		AntonioTurner
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	C	Observed bulk container of sugar unlabeled in dry storage	176(a)		Jonathan Weitgenant
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	C	Observed pint container being used to scoop flour in bulk bin	183(a)	Yes	Jonathan Weitgenant
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens in unpackaged prepared food	222(a),(b)		Jonathan Weitgenant
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	Pf	Observed no chlorine test strips in speak easy bar for 4 bay sink	281(a)		Jonathan Weitgenant
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	C	Observed residue build up in the nozzle of the soda gun at the main bar in the restaurant	307(e)		Jonathan Weitgenant
	Grand Gardner Hotel	354 Jefferson St	Valparaiso	08/04/26	Routine	Pf	Observed spray bottles in main bar and speakeasy with no labeling. Observed spray bottles with water with no identifying label	456(a)		Jonathan Weitgenant
	Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	08/05/26	Routine	C	Observed cardboard used on storage shelves next to 3bay sink	234(a)		Jonathan Weitgenant
	Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	08/05/26	Routine	Pf	Observed pH test strips instead of Chlorine test strips available for sanitizing solution	281(a)		Jonathan Weitgenant
	Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	08/05/26	Routine	C	Observed seal damaged on reach in cooler on right hand side of pizza prep cooler	286(a),(b),or(c)		Jonathan Weitgenant
	Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	08/05/26	Routine	C	Observed no service sink present in establishment	353(a),(b),(c),or(d)		Jonathan Weitgenant
5	Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	08/05/26	Routine	Pf	Observed spray bottle with degreaser on shelf next to 3bay with no identification	456(a)		Jonathan Weitgenant
2	Gridiron Grill @ O'Brien's Bakery & Cafe	4405 N Calumet Ave, Suite C	Valparaiso	08/30/26	Temporary	P	Observed the condiment cooler measuring 58 degrees F.	213(a)(2),(b)		Carrie Batson
	Gridiron Grill @ O'Brien's Bakery & Cafe	4405 N Calumet Ave, Suite C	Valparaiso	08/30/26	Temporary	Pf	Observed food residue in and around the hand sink.	359(a),(b),(c)		Carrie Batson
1	Hilltop Neighborhood House Mission Kitchen	608 Union St	Valparaiso	08/24/26	Routine	P	Observed sanitizer solution of dish machine not distributing at proper concentration levels	317(a)		Jonathan Weitgenant
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	P	Observed raw chicken stored above raw steak and celery within walk in cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	C	Observed metal tongs stored on used cardboard at cook line. Observed bowl being used as scoop within rice bag.	183(a)		Noah Weber
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	C	Observed tub of celery stored on floor of walk in cooler.	189(a)	Yes	Noah Weber
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	Pf	Observed no date marking on food products within bottom of prep top cooler and walk in cooler.	214(a),(b),or(c)		Noah Weber
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	Pf	Observed hand sink within cook line on right side blocked by large plastic tubs rested on top.	359(a),(b),(c)	Yes	Noah Weber
	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	08/07/26	Routine	C	Observed no coving along majority of the walls inside the kitchen and under the cook line	411(a)or(b)		Noah Weber
	Kosmos Restaurant	2007 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed no label information available for bread pudding and brownies, pre-packaged and offered for later consumption at the register.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant

2	Kosmos Restaurant	2007 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens in unpackaged, prepared food.	222(a),(b)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed ice bin at bar with no lid and exposed to possible contamination	175(a)(3thru8)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed bulk container of flour and sugar on shelf with no identifying marker	176(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	P	Observed two containers of refried beans sitting on shelf under steam well measuring at 60 degrees internal temperature	213(a)(1)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed kitchen equipment pushed back such that the exhaust stacks were no longer under the hood system and causing grease to build up on the roof, sides, and edge of the ventilation system	249(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	Pf	Observed no chlorine test strips available when requested	281(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed heavy grease build up on the edges and outer surfaces of the hood system	306(b)&(c)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	Pf	Observed no hand sink available at bar	351(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed heavy leak under the 3rd bay of the 3bay sink	363(a)(2)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed dumpster open	400(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed collection of refuse behind and around the dumpster	402(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	C	Observed floors with cracks and exposed concrete collecting water and grease.=	409(a)		Jonathan Weitgenant
	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	Pf	Observed heavy pest presence around container of onions, under 3bay sink, near oven in kitchen, and in mop sink area	450(a)(3)		Jonathan Weitgenant
13	La Cabana Mexican Restaurant & Cantina	807 Lincolnway	Valparaiso	08/24/26	Routine	P	Observed sanitizer bucket on kitchen line measuring above 200ppm	461(a)		Jonathan Weitgenant
	Lil' Saver Food Store	393 W US Highway 6	Valparaiso	08/20/26	Routine	Pf	Observed several bins of chicken in walk-in cooler not date marked at the time of inspection.	214(a),(b),or(c)		AntonioTurner
	Lil' Saver Food Store	393 W US Highway 6	Valparaiso	08/20/26	Routine	C	Observed soda syrup on inside cabinet under soda machine at the time of inspection.	306(b)&(c)		AntonioTurner
	Lil' Saver Food Store	393 W US Highway 6	Valparaiso	08/20/26	Routine	C	Observed self-serve ice machine with buildup at the time of inspection.	307(e)		AntonioTurner
	Lil' Saver Food Store	393 W US Highway 6	Valparaiso	08/20/26	Routine	Pf	Observed hand sink blocked at the time of inspection.	359(a),(b),(c)		AntonioTurner
5	Lil' Saver Food Store	393 W US Highway 6	Valparaiso	08/20/26	Routine	Pf	Observed two spray bottle unlabeled at the time of inspection.	456(a)		AntonioTurner
2	Little Caesars Pizza-Valparaiso	2500 N Calumet Ave Suite C	Valparaiso	08/18/26	Routine	C	Observed food residue build up on the blue shelving unit on the left hand side of the walk in cooler. Observed dried sauce residue on the lid of the pizza prep top cooler on the cook line.	306(b)&(c)		Jonathan Weitgenant
	Little Caesars Pizza-Valparaiso	2500 N Calumet Ave Suite C	Valparaiso	08/18/26	Routine	C	Observed coving tiles missing along the back and left side of the walk in coole	411(a)or(b)		Jonathan Weitgenant
	McDonalds #25300	2610 Laporte Ave	Valparaiso	08/25/26	Routine	C	Observed evidence of leak from self-service drink machine in dining room	286(a),(b),or(c)		Jonathan Weitgenant
	McDonalds #25300	2610 Laporte Ave	Valparaiso	08/25/26	Routine	P	Observed y-splitter with shut off valves installed downstream from atmospheric vacuum breaker on main mop sink in kitchen. Observed chemical dispensers installed more than 6 inches above the atmospheric vacuum breaker in both the FOH mop closet and kitchen mop sink. Observed leak from cold faucet handle on main kitchen mop faucet.	349(a)		Jonathan Weitgenant
	McDonalds #25300	2610 Laporte Ave	Valparaiso	08/25/26	Routine	C	Observed wood underneath self-service drink machine in dining room saturated and damaged from leaking soda line	442(a)		Jonathan Weitgenant
	McDonalds #25300	2610 Laporte Ave	Valparaiso	08/25/26	Routine	C	Observed opened food product collecting under shelving in walk in freezer and walk in cooler.	443(a),(b)	Yes	Jonathan Weitgenant
6	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed ice bins (used for drinks) at bar with no covered protection	175(a)(3thru8)		Jonathan Weitgenant
	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens in unpackaged or prepared foods	222(a),(b)		Jonathan Weitgenant
	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	Pf	Observed no consumer advisory on menu when offering undercooked eggs for breakfast or burgers	223(a),(b),or(c)		Jonathan Weitgenant
	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed residue build up on the inner ceiling of both ice machines in establishment. Observed residue build up in the drainage tube of the soda gun holsters at bar.	307(e)		Jonathan Weitgenant
	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	P	Observed y-splitter with shut off valves installed downstream from vacuum breaker	349(a)		Jonathan Weitgenant
	Northside Tap Room	712 Calumet Ave	Valparaiso	08/19/26	Routine	C	Observed trash can in two stalls of women's restroom missing lids	394(a)		Jonathan Weitgenant

	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	P	Observed opened carton of milk return back to food storage in cooler next to unopened milk cartons.	196(a),(b)	Yes	Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	C	Observed once frozen popsicles and ice cream thawed and then refrozen.	208(a)	Yes	Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	Pf	Observed quat sani bucket less than 10 ppm.	282(a)or(b)	Yes	Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	C	Observed ice machine leaking on 2nd floor.	286(a),(b),or(c)		Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	C	Observed bottom cooler handles soiled located underneath flat top grill.	306(b)&(c)		Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	C	Observed multiple metal bins stacked together before properly air drying.	324(a)		Noah Weber
	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	Pf	Observed hand sink blocked by cart across from 3 bay in ware washing area.	359(a),(b),(c)		Noah Weber
8	Northwest Health Valparaiso	85 E US Highway 6	Valparaiso	08/04/26	Routine	C	Observed missing floor coving in shut down wing on 3rd floor.	411(a)or(b)		Noah Weber
	Pa's Chicken Express	704 Silhavy Rd.	Valparaiso	08/24/26	Pre-Opening	C	Observed hand sink unsealed from wall	284(a)or(b)		Jonathan Weitgenant
	Pa's Chicken Express	704 Silhavy Rd.	Valparaiso	08/24/26	Pre-Opening	C	Observed cold faucet non-operational	363(a)(2)		Jonathan Weitgenant
3	Pa's Chicken Express	704 Silhavy Rd.	Valparaiso	08/24/26	Pre-Opening	C	Observed hood vents soiled and no recent cleaning date	445(a)or(b)		Jonathan Weitgenant
	Pat's Ice Cream Parlor	222 Lincolnway	Valparaiso	08/06/26	Routine	C	Observed bulk containers of sugar and waffle cone mix unlabeled in kitchen store room	176(a)		Jonathan Weitgenant
	Pat's Ice Cream Parlor	222 Lincolnway	Valparaiso	08/06/26	Routine	Pf	Observed open gallons of milk in cooler with no date marking	214(a),(b),or(c)		Jonathan Weitgenant
3	Pat's Ice Cream Parlor	222 Lincolnway	Valparaiso	08/06/26	Routine	C	Observed no door sweep in place on the back door leading to alley way	421(a)or(d)		Jonathan Weitgenant
	Porter County Jail - Canteen Services Inc.	2755 S State Road 49	Valparaiso	08/25/26	Routine	C	Observed heavy residue build up on plastic shelving and wheels in dry storage	306(b)&(c)		Jonathan Weitgenant
	Porter County Jail - Canteen Services Inc.	2755 S State Road 49	Valparaiso	08/25/26	Routine	C	Observed dumpster lid open	400(a)	Yes	Jonathan Weitgenant
3	Porter County Jail - Canteen Services Inc.	2755 S State Road 49	Valparaiso	08/25/26	Routine	C	Observed mop heads stored down in service sink unable to drain and dry	447(a)	Yes	Jonathan Weitgenant
	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	C	Observed water sprayer with buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	C	Observed the reuse of single use container (sour cream tub) at the time of inspection.	304(a)or(b)		AntonioTurner
	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	Pf	Observed hand sink on cooks' line blocked with jog at the time of inspection.	359(a),(b),(c)	Yes	AntonioTurner
	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	Pf	Observed no paper towel at hand sink on cooks' line at the time of inspection.	430(a)	Yes	AntonioTurner
	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	C	Observed chipped floor and lower wall tile in kitchen at the time of inspection.	442(a)		AntonioTurner
6	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	08/26/26	Routine	Pf	Observed chemical spray bottle without label of contents at the time of inspection.	456(a)	Yes	AntonioTurner
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed no written notification alerting customers to the presence of major food allergens in unpackaged or prepared foods.	222(a),(b)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed no wall or shielding around the service sink in back storage area	234(a)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed dust build up on wire racks above kitchen cook line and cutting boards	306(b)&(c)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	P	Observed service sink hose coiled into the service sink below the flood rim level	348(a)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	P	Observed no back flow prevention device installed on the service sink faucet	354(a)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed condensation drain from AC unit flowing onto floor, going under a door, then reaching the floor drain	386(a)		Jonathan Weitgenant
	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed small gap from missing door sweep underneath back door leading to smoker	421(a)or(d)		Jonathan Weitgenant
8	Rudys BBQ Shack	1305 N Calumet Ave	Valparaiso	08/21/26	Routine	C	Observed heavy liquid residue build up on the floor behind the keg shelf in the walk in cooler	443(a),(b)		Jonathan Weitgenant
1	Teazentea Valpo LLC	206 Lincolnway	Valparaiso	08/31/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens in unpackaged prepared food	222(a),(b)	Yes	Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed open and uncovered cans of food product stored in walk in cooler underneath soiled shelves and condenser unit	175(a)(3thru8)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed tongs stored on trash can rim on kitchen cook line	183(a)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	Pf	Observed container of waffle batter made over the weekend mislabeled for July. Observed covered rice stored on floor of walk in under storage with no label	214(a),(b),or(c)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens in unpackaged, prepared food items	222(a),(b)	Yes	Jonathan Weitgenant

10	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed heavy residue build up on all the wire shelving in the walk in cooler. Observed soiled towels and evidence of spill under cabinet with soda machine and ice bin in main dining room.	306(b)&(c)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed hole in wall in back storage room covered (loosely) with a plastic bag, hole showed signs of daylight, old wasp nest, and air flowing through it.	421(a)or(d)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed heavy grease build up in back left corner of kitchen cook line behind broiler system coming from the grease catcher on the hood vents.	443(a),(b)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed heavy dust and grease build up in the hood vents above the main kitchen cook line. Observed last service date of March.	445(a)or(b)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	C	Observed collection of fruit flies surrounding the potatoes in the dry storage room. Observed upon opening box of potatoes a rotten potato the flies are feeding on.	450(a)(1),(a)(2),or(a)(4)		Jonathan Weitgenant
	Viking Chili Bowl	105 Morthland Dr	Valparaiso	08/10/26	Routine	Pf	Observed spray bottle at pre-rinse spray area of dish room with no label	456(a)		Jonathan Weitgenant
Number of Citations	Facility Name	Address	City	Date	Purpose	Inspector				
0	Lucy's Tacos @ Taco Depot Commissary	851 W 57th Ave	Merrillville	08/01/26	Temporary	AntonioTurner				
0	Dog Days Ice Cream Parlor	123 S Calumet Rd	Chesterton	08/01/26	Temporary	AntonioTurner				
0	Strack & Van Til Food Market	6046 Central Ave	Portage	08/03/26	Complaint	AntonioTurner				
0	On The Roxx TENT	2518 Portage Mall	Portage	08/02/26	Temporary	Noah Weber				
0	BAM PIZZA - TENT	2556 Portage Mall Ste 7	Portage	08/02/26	Temporary	Noah Weber				
0	Jersey Mike's	5976 US 6	Portage	08/05/26	Routine	AntonioTurner				
0	Duneland Station Deli, LLC	1050 Broadway Ste 2	Chesterton	08/05/26	Routine	Noah Weber				
0	McDonalds #5497	364 W US Highway 6	Valparaiso	08/06/26	Routine	AntonioTurner				
0	Meijer Gas Station #266	6050 US Highway 6	Portage	08/06/26	Complaint	AntonioTurner				
0	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	08/06/26	Follow-up	Jonathan Weitgenant				
0	Taco Pros	2005 Morthland Drive	Valparaiso	08/06/26	Follow-up	Jonathan Weitgenant				
0	Dunkin Donuts	1895 Crisman Rd	Portage	08/07/26	Routine	AntonioTurner				
0	Orbar BBQ, LLC @ Aquinas School Commissary	801 W 73rd Avenue	Merrillville	08/07/26	Temporary	Noah Weber				
0	Wendy's of Valparaiso #320	1504 Calumet Ave	Valparaiso	08/10/26	Follow-up	Noah Weber				
0	Don Quijote	119 E. Lincolnway	Valparaiso	08/14/26	Other	Jonathan Weitgenant				
0	Fluid Coffee Dunes	1215 N St Rd 49 Rd	Porter	08/18/26	Routine	Noah Weber				
0	Harold Hal Kelly Respite Foundation Inc DBA Daybreak	500 Don Hovey	Valparaiso	08/18/26	Routine	Jonathan Weitgenant				
0	Sand Creek Country Club/Caf��	1001 Sand Creek Dr	Chesterton	08/18/26	Follow-up	Noah Weber				
0	Geitonia Greek Grill	1703 N Calumet Ave	Valparaiso	08/19/26	Routine	Noah Weber				
0	Songbird Prairie Bed & Breakfast	174 N 600 W	Valparaiso	08/20/26	Routine	Jonathan Weitgenant				
0	Lil Red Catering, LLC dba The Design Barn	312 North Madison Street	Hebron	08/20/26	Routine	Jonathan Weitgenant				
0	The Spice Cabinet	5973 McCasland Ave	Portage	08/20/26	Routine	AntonioTurner				
0	Helen's Cafe, The Breakfast Club	902 N Calumet Ave Ste 2	Valparaiso	08/21/26	Routine	Jonathan Weitgenant				
0	ALDI Inc. # 49	750 Indian Boundary Rd	Chesterton	08/21/26	Routine	JimChowning				
0	SG & A Inc	400 S Calumet Rd	Chesterton	08/21/26	Routine	JimChowning				
0	Burger King #3273	2921 Calumet Ave	Valparaiso	08/24/26	Other	AntonioTurner				
0	Wingstop Valparaiso	700 Glendale Blvd Ste 100 & 200	Valparaiso	08/24/26	Complaint	AntonioTurner				
0	Ben's Soft Pretzels @ Meijers Portage	6050 US Highway 6	Portage	08/25/26	Routine	AntonioTurner				
0	Portage Pancake House	5900 US Highway 6	Portage	08/25/26	Complaint	AntonioTurner				
0	Fun Sized Ice TENT @ The Lincoln Kitchen	704 Silhavy Rd	Valparaiso	08/27/26	Pre-Opening	Noah Weber				
0	Speed Mart	288 W State Road 130	Valparaiso	08/25/26	Follow-up	JimChowning				
0	Snowie NWI @ The Lincoln Kitchen	704 Silhavy Road	Valparaiso	08/22/26	Temporary	Carrie Batson				
0	Trulley's Smoke Shack	497 S 800 W	Hebron	08/22/26	Temporary	Carrie Batson				
0	Starbucks Coffee #51055	2711 Calumet Ave	Valparaiso	08/28/26	Routine	Noah Weber				
0	JT's Route 6 Eatery	5455 Us Hwy 6	Portage	08/31/26	Pre-Opening	AntonioTurner				
0	Cold Stone Creamery - TENT	71 Silhavy Rd STE 161	Valparaiso	08/30/26	Temporary	Noah Weber				
0	Cousins Maine Lobster @ Goshen Kitchen Nook	62019 CR 33	Goshen	08/30/26	Temporary	Jonathan Weitgenant				
0	Toasted S'mores Co. TENT	422 E. Commercial Ave	Lowell	08/30/26	Temporary	Jonathan Weitgenant				
0	Pink Mango Drink Co - TENT @ Hobart First United Methodist Church	654 E 4th Pl	Hobart	08/29/26	Temporary	Carrie Batson				