

Facility Name	Address	Inspection Date	Violation Type	Corrected	Code	Observation	Inspector
Amici Grill & Pizzeria	1409 Lincolnway	5-Dec-25	Pf		214(a),(b),or(c)	Observed no date marking or labeling for prepped foods in bottom of prep top cooler.	Noah Weber
Andys Red Hots	6220 Central Ave	2-Dec-25	C		307(e)	Observed last soda nozzle to the right with soda build-up at the time of inspection.	Antonio Turner
Andys Red Hots	6220 Central Ave	2-Dec-25	C		309(a)	Observed outside of slicer with food residue at the time of inspection.	Antonio Turner
Andys Red Hots	6220 Central Ave	2-Dec-25	C		443(a),(b)	Observed ceiling vent in kitchen with grease build-up at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		175(a)(3thru8)	Observed lid off ice bin behind bar at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		176(a)	Observed several squirt bottles without a label at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	P		213(a)(2),(b)	Measured diced tomatoes inside cooler at 45.1F at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	Pf	Yes	301(a)	Observed expired sink and surface test strips at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		306(b)&(c)	Observed fryer basket with food buildup and observed large veggie slicer with food buildup at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	Pf		306(a)	Observed heavy grease buildup on fryer wheels, observed flour buildup on inside floor of stand-up cooler, observed dust buildup on fan covers in walk-in cooler, observed heavy grease and food buildup behind cooking equipment and observed food residue on cooler handles on cooks' line at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		307(e)	Observed Brisk Tea soda nozzle with soda syrup buildup at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		442(a)	Observed missing floor tiles on cooks' line and missing wall tiles at mop sink at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	29-Dec-25	C		443(a),(b)	Observed food debris on cooks' line, observed food buildup in floor drains on cooks' line, observed food buildup on floor of mop sink, observed heavy dust buildup on screens above cooks' line and observed dust buildup on ceiling vents at the time of inspection.	Antonio Turner
Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	16-Dec-25	Pf		214(a),(b),or(c)	Observed milk x2 in bar cooler and in bottom reach in cooler located next to large ice machine with no date marking.	Noah Weber
Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	16-Dec-25	C		306(b)&(c)	Observed pile of cheese, food debris and standing water in the bottom base section of the cooler drawer unit. Observed underbelly of hot lamp area with excess food splatter.	Noah Weber
Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	16-Dec-25	C		324(a)	Observed meal bins stacked together before properly air drying.	Noah Weber
Applebee's Neighborhood Bar & Grill / Valparaiso	670 Morthland Dr	16-Dec-25	C		443(a),(b)	Observed large amount of excess food debris on kitchen floor cook line at time of inspection. Observed dust accumulation around ceiling air vents in kitchen area.	Noah Weber
Arby's Portage	3360 Willowcreek Rd	5-Dec-25	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer bucket near register at less than 10ppm at the time of inspection.	Antonio Turner
Arby's Portage	3360 Willowcreek Rd	5-Dec-25	C		306(b)&(c)	Observed fryer wheels with grease build-up at the time of inspection.	Antonio Turner
Arby's Portage	3360 Willowcreek Rd	5-Dec-25	P		348(a)	Observed floor sink hose laying on bottom of mop sink at the time of inspection.	Antonio Turner

Arby's Portage	3360 Willowcreek Rd	5-Dec-25	C		394(a)	Observed 1st stall in women's restroom without a closed receptacle at the time of inspection.	Antonio Turner
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	C		183(a)	Observed 2oz plastic cup being used as scoop down within salt bag. Observed in use metal tongs stored on oven handle in cook line.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	C		189(a)	Observed open bags of flour, salt, and rice within kitchen.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	Pf		281(a)	Observed no chlorine testing strips available.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	C		324(a)	Observed cleaned metal bins stacked together before fully air drying on top of metal rack.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	P		348(a)	Observed mop sink hose below flood rim at time of inspection.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	Pf		359(a),(b),(c)	Observed raw chicken within sealed package being thawed out within hand sink in back of house.	Noah Weber
Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	23-Dec-25	Pf		430(a)	Observed no paper towels for back of house hand sink.	Noah Weber
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	C		146(a)	Observed employee handling food with a wristwatch at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	C		183(a)	Observed draws below steel table, with utensils stored with food debris at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	Pf		214(a),(b),or(c)	Observed house made alfredo sauce not date marked at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	P		307(a)or(c)	Observed ice machine chute with buildup in wait staff area at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	Pf		359(a),(b),(c)	Observed employee filling a jug at the hand sink at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	C		442(a)	Observed chipped floor tiles near back door at the time of inspection.	Antonio Turner
Aurelio's Pizza of Portage	6500 US Highway 6	31-Dec-25	C		443(a),(b)	Observed soda syrup buildup on white tray behind soda box storage at the time of inspection.	Antonio Turner
Bam Pizza Company	2556 Portage Mall	19-Dec-25	C		289(a)	Observed water sprayer with heavy buildup inside, on and around nozzle at the time of inspection.	Antonio Turner
Bam Pizza Company	2556 Portage Mall	19-Dec-25	C		302(a)	Observed several baking pans with heavy grease and black buildup at the time of inspection.	Antonio Turner
Bam Pizza Company	2556 Portage Mall	19-Dec-25	C		411(a)or(b)	Observed coving missing from back wall next to walk-in freezer at the time of inspection.	Antonio Turner
Bam Pizza Company	2556 Portage Mall	19-Dec-25	Pf	Yes	456(a)	Observed spray bottle with unknown chemical, unlabeled at the time of inspection.	Antonio Turner
Bartley Nutrition DBA Power Nutrition	6455 US Highway 6	3-Dec-25	Pf		281(a)	Observed no chlorine test strips at the time of inspection.	Antonio Turner
Bartley Nutrition DBA Power Nutrition	6455 US Highway 6	3-Dec-25	P		307(a)or(c)	Observed pink build-up on inside of ice machine at the time of inspection.	Antonio Turner
Baymont Inn Portage	2323 Willowcreek Rd	2-Dec-25	P		226(a)(1)	Observed eggs stored in garbage bag inside stand-up cooler at the time of inspection.	Antonio Turner
Baymont Inn Portage	2323 Willowcreek Rd	2-Dec-25	C		284(a)or(b)	Observed no seal behind 3 bays sink exposing large gap, at the time of inspection.	Antonio Turner
Baymont Inn Portage	2323 Willowcreek Rd	2-Dec-25	C		307(e)	Observed ice machines on 1st and 3rd floor with pink and brown buildup on ice deflector at the time of inspection.	Antonio Turner
Beggars Pizza	3518 Calumet Ave	10-Dec-25	C		221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)	Observed house baked chocolate chip cookies in a basket for sale on the service counter with no ingredient and allergen label.	Noah Weber
Beggars Pizza	3518 Calumet Ave	10-Dec-25	Pf		281(a)	Observed no quat testing strips available at time of inspection.	Noah Weber

Beggars Pizza	3518 Calumet Ave	10-Dec-25	C		286(a),(b),or(c)	Observed prep top cooler not functioning, ice is being used to hold temp of ingredients at 41 degrees F and below. Observed 3 bay sink spray nozzle damaged and spraying water onto adjacent wall in need of repair.	Noah Weber
Beggars Pizza	3518 Calumet Ave	10-Dec-25	P		348(a)	Observed mop sink hose below the flood rim at time of inspection.	Noah Weber
Beijing Restaurant	6214 US Highway 6	30-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken in walk in being stored above cut vegetables, raw beef, and raw shrimp. Observed raw eggs being stored on the top shelf of walk in above cut vegetables. Observed open containers on shelves and floor of walk in cooler. Observed uncovered/unwrapped raw chicken in freezers.	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	Pf		210(a)(1)thru(a)(3)	Observed container of raw chicken submerged in standing water in walk in cooler	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	P	Yes	213(a)(2),(b)	Observed pre-cooked broccoli on the line measuring at 60 degrees	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	Pf		214(a),(b),or(c)	Observed no date marking on prepped vegetables and meats in walk in cooler or on cook line	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed multiple #10 cans and other metal cans being reused for storage of ingredients throughout kitchen. Observed cut up plastic jugs being used for scoopers on kitchen line and in storage. Observed reused rice bags being used for storage in freezers	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	C	Yes	321(a)	Observed apron in a box of green onions in walk in cooler	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	C	Yes	416(a)	Observed two tiles missing above walk in cooler exposing ceiling studs/rafters	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	30-Dec-25	Pf	Yes	456(a)	Observed bulk pot and pan detergent in old white vinegar container and spray bottle, both unlabeled	Jonathan Weitgenant
Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	4-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed no date marking on hot dogs, bacon, and cheese in fridge	Jonathan Weitgenant
Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	4-Dec-25	Pf		279(a)or(b)	Observed no thermometer readily available	Jonathan Weitgenant
Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	4-Dec-25	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed sanitizer bucket measuring at below 200ppm	Jonathan Weitgenant
Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	4-Dec-25	C		306(b)&(c)	Observed 3d dust and flour build up on ceiling vents. Observed 3d dust on tubing above service area	Jonathan Weitgenant
Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	4-Dec-25	C	Yes	416(a)	Observed ceiling tile open with exposed rafters	Jonathan Weitgenant
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	Pf		246(a)or(b)	Observed cook line thermometer testing at 18 degrees F while in ice slurry. Needs to be calibrated to test at 32 degrees F while in ice slurry.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	Pf		281(a)	Observed no quat testing strips available at time of inspection.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	C		287(a)	Observed prep top cutting board with heavy dark scoring within cook line area.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	Pf		301(a)	Observed chlorine testing strips expired in 2021 in kitchen.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	C		306(b)&(c)	Observed organic green growth on internal hinge of ice machine. Observed large amounts or organic growth on beer tubing, walls, ceiling and fan covers within walk in cooler.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	Pf		306(a)	Observed "clean" metal tongs stored for use with dried batter on tips. Chilled salad plates stored next to raw chicken within bottom of reach in cooler within cook line area.	Noah Weber
Big Time Burgers + Brew	2545 Promenade Way Ste A	22-Dec-25	C		443(a),(b)	Observed dust accumulation on ceiling area above walk in cooler.	Noah Weber

Blockhead Beerworks	150 Washington St	4-Dec-25	Pf		306(a)	Observed upstairs ice machine with pink and black organic growth on internal ceiling right side.	Noah Weber
Blockhead Beerworks	150 Washington St	4-Dec-25	C		324(a)	Observed wet metal bins stacked together not allowed to dry properly.	Noah Weber
Burger King #8944	374 W US Highway 6	2-Dec-25	C		324(a)	Observed clear containers on drying rack, wet nesting at the time of inspection.	AntonioTurner
Burger King #8944	374 W US Highway 6	2-Dec-25	C		400(a)	Observed dumpster lid open at the time of inspection.	AntonioTurner
Burger King #8944	374 W US Highway 6	2-Dec-25	Pf	Yes	430(a)	Observed no paper towel at hand sink next to three bays at the time of inspection.	AntonioTurner
Burger King #8944	374 W US Highway 6	2-Dec-25	C		443(a),(b)	Observed dried soda syrup on floor under soda box storage, observed heavy grease build-up on floor throughout kitchen and observed heavy dust build-up on ceiling vent above food handling area at the time of inspection.	AntonioTurner
Burger King #8944	374 W US Highway 6	2-Dec-25	C		447(a)	Observed wet mops sitting on floor of mop sink at the time of inspection.	AntonioTurner
Cappo's	6656 US Highway 6	30-Dec-25	C	Yes	183(a)	Observed black portion cup being used as a scoop in black bean salsa.	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	C		189(a)	Observed multiple boxes of food and food containers stored on ground in walk in freezer.	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	Pf		214(a),(b),or(c)	Observed no date marking on cookies sitting on shelf near cook line, and no date marking on items underneath pizza line cooler	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	C		306(b)&(c)	Observed 3d dust build up on ceiling tiles throughout kitchen, over food prep surfaces. Observed 3d dust build up on fan blade covers of walk in and freezer. Observed heavy residue build up on keg shelf and beer lines in walk in cooler. Observed residue build up on shelving units in walk in cooler, and in reach in cooler on line.	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	P		317(a)	Observed no sanitizer being dispensed in three bay sink	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	C		443(a),(b)	Observed heavy dust build up inside return vents throughout kitchen. Observed heavy grease build up below fryer and stove top.	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	C		445(a)or(b)	Observed heavy build up of dust in hood vents above cook line and pizza oven. Observed grease dripping down from hood system on cook line.	Jonathan Weitgenant
Cappo's	6656 US Highway 6	30-Dec-25	P	Yes	459(a)(2),(a)(3),or(b)	Observed can of hornet killer being stored on chemical shelf near kitchen.	Jonathan Weitgenant
Casey's General Store #3682	2004 Morthland Dr	31-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed container of salami and container of pepperoni in reach in cooler below prep line date marked to be used by 12/24/25. Observed container of shredded cheese in reach in cooler below prep line without date marking.	ShelbySouth
Casey's General Store #3682	2004 Morthland Dr	31-Dec-25	Pf		306(a)	Observed grease buildup around edges of fryer basket.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	C		151(a)	Observed employee in food prep areas without hair restraint.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed container of ham and container of white cheese in front reach in cooler out of date. Observed container of salami and contained of american cheese in front reach in cooler without date marking label.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	C		286(a),(b),or(c)	Observed heavy ice build up on floor of walk in freezer that serves customer self serve area.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	Pf		306(a)	Observed sprayer in 3 bay sink with brown build up. Observed handles to reach in coolers below prep line with sticky build up.	ShelbySouth

Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	C		324(a)	Observed clear plastic clean containers stored below warming cabinet not allowed to fully air dry.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	C		445(a)or(b)	Observed grease and 3D dust build up on hood vent filters above fryer station.	ShelbySouth
Casey's General Store #3683	4300 N Calumet Ave	19-Dec-25	P	Yes	457(a)	Observed spray bottle of bleach based cleaner stored on counter above front prep line and bread cabinet. Observed boxes of sani and a box of grease trap cleaner stored on top shelf above flour in back dry storage area.	ShelbySouth
Charley's Cheesesteaks and Wings	6087 US-6	3-Dec-25	P		363(a)(1)	Observed prep sink leaking from both faucet handles while turned off at the time of inspection.	AntonioTurner
Charley's Cheesesteaks and Wings	6087 US-6	3-Dec-25	C		419(a)or(b)	Observed insect device, laying on top of soda syrup boxes at the time of inspection.	AntonioTurner
Chili's Grill & Bar	250 Silhavy Rd	9-Dec-25	C		306(b)&(c)	Observed residue build up on storage shelves and dividers in walk in cooler	Jonathan Weitgenant
Chili's Grill & Bar	250 Silhavy Rd	9-Dec-25	C		324(a)	Observed plastic containers and sheet trays stacked for storage with moisture trapped in between	Jonathan Weitgenant
Chili's Grill & Bar	250 Silhavy Rd	9-Dec-25	C		402(a)	Observed dumpster area with cardboard and refuse around dumpsters	Jonathan Weitgenant
Chili's Grill & Bar	250 Silhavy Rd	9-Dec-25	C		442(a)	Observed leaking roof near soda dispenser in back kitchen	Jonathan Weitgenant
Chili's Grill & Bar	250 Silhavy Rd	9-Dec-25	C		443(a),(b)	Observed grease build up along the side and behind fryer station, large collection between dredging station and fryers	Jonathan Weitgenant
Cold Stone Creamery	71 Silhavy Rd Ste 161	2-Dec-25	C	Yes	287(a)	Observed cutting board on front stainless steel prep table heavily scored and stained at time of inspection.	ShelbySouth
Cold Stone Creamery	71 Silhavy Rd Ste 161	2-Dec-25	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured quat sani buckets and sani in 3 bay sink to be less than 200 ppm.	ShelbySouth
Cold Stone Creamery	71 Silhavy Rd Ste 161	2-Dec-25	C		324(a)	Observed blender cups nested together on front service prep table before being allowed to completely air dry at time of inspection.	ShelbySouth
Cold Stone Creamery	71 Silhavy Rd Ste 161	2-Dec-25	C		443(a),(b)	Observed 3D dust build up on air vents and some ceiling tiles on the front service line at time of inspection.	ShelbySouth
Country Inn & Suites / Food	2020 Laporte Ave	10-Dec-25	C		185(athruf)	Observed wet wiping cloths not stored in sanitizer on butcher block counter at time of inspection.	ShelbySouth
Country Inn & Suites / Food	2020 Laporte Ave	10-Dec-25	Pf		214(a),(b),or(c)	Observed open gallon of milk in reach in without date marking cooler at time of inspection.	ShelbySouth
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	Pf		214(a),(b),or(c)	Observed gallon of milk, opened more than two days ago without date mark at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	P		307(a)or(c)	Observed ice machine deflectors on 2nd, 3rd and 4th floor with "heavy" pink and brown build-up at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	P		317(a)	Measured sanitizer pump dispensing less than 10ppm at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	P		348(a)	Observed mop sink hose laying below flood rim level at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	Pf		359(a),(b),(c)	Observed floor cleaner hose laying inside hand sink in kitchen at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	C		400(a)	Observed both dumpster lids open at the time of inspection.	AntonioTurner
Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	3-Dec-25	C		443(a),(b)	Observed heavy dust build-up on ceiling vent in kitchen and above self-serve food area at the time of inspection.	AntonioTurner
Crozier's Dairy Queen	3029 Calumet Ave	1-Dec-25	C		306(b)&(c)	Observed 3d dust build up on fan blade cover in reach in cooler near service window. Observed residue build up on shelving units in walk in cooler near cake decorating station	Jonathan Weitgenant

Crozier's Dairy Queen	3029 Calumet Ave	1-Dec-25	P		348(a)	Observed service sink hose resting below flood rim	Jonathan Weitgenant
Crozier's Dairy Queen	3029 Calumet Ave	1-Dec-25	C		402(a)	Observed collection of tables, chairs, milk crates, and wood in dumpster area	Jonathan Weitgenant
Crozier's Dairy Queen	3029 Calumet Ave	1-Dec-25	C		412(a)or(b)	Observed carpet used on floor in walk in cooler and walk in freezer	Jonathan Weitgenant
Crozier's Dairy Queen	3029 Calumet Ave	1-Dec-25	Pf		456(a)	Observed bottle of purple chemical in dish room with no label	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	Pf		214(a),(b),or(c)	Observed open containers of sour cream, eggs, and milk without date marking	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	C		306(b)&(c)	Observed heavy food residue build up on bottom of far right reach in cooler	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	Pf		306(a)	Observed heavy food residue build up on probe thermometer	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	C		400(a)	Observed dumpster lid open	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	C		442(a)	Observed hole in wall near service sink exposing studs	Jonathan Weitgenant
Crumbl Cookies Valparaiso	2310 LaPorte Ave Suite 800	1-Dec-25	C		443(a),(b)	Observed dust build up around vents and light covers in prep area	Jonathan Weitgenant
Culver's of Portage IN	6139 US Highway 6	29-Dec-25	C	Yes	183(a)	Observed scooper handles down within flour and nut containers.	Noah Weber
Culver's of Portage IN	6139 US Highway 6	29-Dec-25	Pf		306(a)	Observed large ice machine with pink organic growth on internal ceiling. Observed organic growth on drive through soda machine ice nozzle unit. Observed organic pink growth on x2 ice dispensers located at self-serve soda machine.	Noah Weber
Culver's of Portage IN	6139 US Highway 6	29-Dec-25	C		324(a)	Observed metal bins being stacked together on clean dish rack before properly air drying.	Noah Weber
Culver's of Portage IN	6139 US Highway 6	29-Dec-25	C		443(a),(b)	Observed dust accumulation on large wall air vent located above clean dish rack. Observed fan covers within walk in cooler with dust clumps.	Noah Weber
Dagger Mountain Roastery	3205 Cascade Dr Ste F	18-Dec-25	Pf		214(a),(b),or(c)	Observed container of vegan butter stored in kitchen reach in cooler with no date marking	Jonathan Weitgenant
Dagger Mountain Roastery	3205 Cascade Dr Ste F	18-Dec-25	C		307(e)	Observed heavy residue build underneath on white ice cube tray in ice maker	Jonathan Weitgenant
Dagger Mountain Roastery	3205 Cascade Dr Ste F	18-Dec-25	C	Yes	447(a)	Observed wet mop being stored in service sink	Jonathan Weitgenant
Dairy Queen Portage Ameriplex	6310 Ameriplex Dr	11-Dec-25	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer bucket on cooks' line at less than 10ppm at the time of inspection.	AntonioTurner
Dairy Queen Portage Ameriplex	6310 Ameriplex Dr	11-Dec-25	C	Yes	324(a)	Observed clear containers wet nesting on drying rack at the time of inspection.	AntonioTurner
Dairy Queen Portage Ameriplex	6310 Ameriplex Dr	11-Dec-25	P	Yes	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	AntonioTurner
Dairy Queen Portage Ameriplex	6310 Ameriplex Dr	11-Dec-25	C		443(a),(b)	Observed cooks' line with grease build-up on floor at the time of inspection.	AntonioTurner
Dari Dip	5469 Central Ave	5-Dec-25	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer at 3 bays at less than 10ppm at the time of inspection.	AntonioTurner
Dari Dip	5469 Central Ave	5-Dec-25	C		417(a)or(c)	Observed light shield missing next to walk-in cooler at the time of inspection.	AntonioTurner
Dari Dip	5469 Central Ave	5-Dec-25	C		443(a),(b)	Observed dust on ceiling vent next to ice cream machine at the time of inspection.	AntonioTurner
Dari Dip	5469 Central Ave	5-Dec-25	P		457(a)	Observed several cans of Black flag fly spray stored next to hand sink at the time of inspection.	AntonioTurner
Domino's #9670	6032 US Highway 6	29-Dec-25	C		151(a)	Observed employee with no beard guard while making pizza.	Noah Weber

Dunkin Donuts	6050 Central Ave	29-Dec-25	C	Yes	151(a)	Observed employee with no hair restraint working in the hot food section	Jonathan Weitgenant
Dunkin Donuts	6050 Central Ave	29-Dec-25	Pf	Yes	359(a),(b),(c)	Observed handwashing sink in back prep area obstructed by speed rack of donuts	Jonathan Weitgenant
Dunkin Donuts	6050 Central Ave	29-Dec-25	C		363(a)(2)	Observed leak coming from water filter in mop closed area	Jonathan Weitgenant
Dunkin Donuts	6050 Central Ave	29-Dec-25	C		420(a)or(b)	Observed self closing mechanism on mens restroom in bad repair, unable to self close	Jonathan Weitgenant
Dunkin Donuts	6050 Central Ave	29-Dec-25	C	Yes	440(a)or(b)	Observed personal food stored on coffee line in a basket with creamer	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	P		142(a)	Observed employee handling a cellphone twice before working with food without washing hands	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	Pf	Yes	166(a)	Observed dented can of caramel sauce on back shelf near walk in cooler	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		183(a)	Observed drink stirrers being held in standing water between drinks	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		284(a)or(b)	Observed unsealed hand sink in donut area	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed all sanitizer buckets on the line testing below 200ppm quat sanitizer	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		306(b)&(c)	Observed water and residue build up in the empty toppings pan/dispensers in the ice cream section. Observed surface above dispenser on espresso machine soiled with residue.	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		394(a)	Observed no covered receptacle in unisex customer bathroom	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		400(a)	Observed dumpster lids open	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		417(a)or(c)	Observed uncovered non-operational lightbulb in walk in cooler	Jonathan Weitgenant
Dunkin Donuts/Baskin Robbins	6532 US Highway 6	29-Dec-25	C		447(a)	Observed wet mop sitting in service sink	Jonathan Weitgenant
El Charrito Mexican Grill	6291 Central Ave	22-Dec-25	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),,(a)(2)	Observed raw beef stored above cooked ground beef. Observed raw eggs being stored above mole sauce, raw poblano peppers in walk in cooler	Jonathan Weitgenant
El Charrito Mexican Grill	6291 Central Ave	22-Dec-25	C	Yes	400(a)	Observed dumpster lids open	Jonathan Weitgenant
El Charrito Mexican Grill	6291 Central Ave	22-Dec-25	C		402(a)	Observed tires, speed racks, wood, and miscellaneous materials built up around dumpster area	Jonathan Weitgenant
El Charrito Mexican Grill	6291 Central Ave	22-Dec-25	C		442(a)	Observed ceiling covering peeling near reach in freezer/dish room	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),,(a)(2)	Observed raw meat product stored above raw fish and vegetables inside the righthand reach in cooler on the cook line. Observed multiple open containers of prepared items uncovered in walk in cooler.	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	Pf		297(a)	Observed temperature in 2 rack ware washing machine measuring at 92 degrees	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	Pf		306(a)	Observed residue build up underneath blade of immersion blender hanging on wall	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	C		324(a)	Observed moisture between stacked pans on storage shelf in dish room	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	C		363(a)(2)	Observed leak from first bay drain pipe of 3-bay sink	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	C		411(a)or(b)	Observed coving missing from corner between kitchen and dish room	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	C		442(a)	Observed hole in wall behind beverage dispenser in serving station	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	C		447(a)	Observed wet mops sitting on floor of dish room	Jonathan Weitgenant
El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	Pf		456(a)	Observed 2 unlabeled spray bottles of chemicals on top of dish machine	Jonathan Weitgenant

El Pueblo Restaurants Inc	5350 US Highway 6	15-Dec-25	P		461(a)	Observed bucket of sanitizer in server station measuring over 200ppm of chlorine solution	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed open containers of milk in server reach in with no date marking	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	Pf		281(a)	Observed no chlorine testing strips in kitchen or bar	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		306(b)&(c)	Observed 3d dust build up on fans in large reach in cooler in prep area of kitchen	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		324(a)	Observed moisture trapped between metal containers on storage shelf in dish room	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		400(a)	Observed dumpster lid open	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		416(a)	Observed exposed ceiling and rafters above tortilla flat top in kitchen	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		442(a)	Observed grout in bad repair under the dish machine. Observed hole in wall in mop sink area	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C		445(a)or(b)	Observed grease build up on outside rim of hood system	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	C	Yes	447(a)	Observed wet mop heads sitting down in the service sink	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	Pf	Yes	456(a)	Observed unlabeled pressurized chemical dispenser in dish room with degreaser	Jonathan Weitgenant
El Salto Mexican Restaurant	3530 Calumet Avenue	9-Dec-25	P	Yes	459(a)(2),(a)(3),or(b)	Observed open chaffing fuel with spoon in it located in the food pass from the kitchen. Observed residential coil cleaner stored on kitchen line	Jonathan Weitgenant
Emagine Portage	6550 American Way	12-Dec-25	C		208(a)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	P		213(a)(2),(b)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	C		286(a),(b),or(c)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	Pf		306(a)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	P		307(a)or(c)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	P		317(a)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	C		443(a),(b)		AntonioTurner
Emagine Portage	6550 American Way	12-Dec-25	Pf		456(a)		AntonioTurner
Fairfield Inn & Suites Valparaiso	2101 Morthland Dr	9-Dec-25	Pf		281(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
Fajita Grill	385 W US Highway 6	8-Dec-25	P		155(a),(b),(e)(3)(A)	Observed two packages of tamales inside walk-in cooler without proper labeling at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),,(a)(2)	Observed raw eggs sitting on top of ready to eat and cooked foods at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	C		176(a)	Observed squirt bottles without labels at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	C		185(athruf)	Observed soiled and wet, wiping rag sitting on top of white deep freezer at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	Pf		212(a)	Observed no rapid cooling equipment for large buckets of house made cheese and also no shallow pans at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	C		351(b)	Observed no hand sink available on cooks' line and hand sink next to ice machine not accessible due to wall, at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	C		436(a),(b),or(c)	Observed light bulbs missing above ware washing machine and cooks' line, causing low light intensity at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	C		440(a)or(b)	Observed cell phone sitting on top of knife holster at the time of inspection.	AntonioTurner
Fajita Grill	385 W US Highway 6	8-Dec-25	Pf	Yes	456(a)	Observed spray bottle unlabeled with unknown chemicals at the time of inspection.	AntonioTurner
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	Pf		281(a)	Observed no test strips available upon request	Jonathan Weitgenant
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	C		304(a)or(b)	Observed milk dispensing tubes not cut on a diagonal and more than 1 inch protruding	Jonathan Weitgenant

Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	Pf		306(a)	Observed residue build up on mixing arm of the F'real machine. Observed residue build up on ice chute in ice machine next to espresso machine	Jonathan Weitgenant
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	C		307(e)	Observed dispenser nozzles on Java Wave coffee dispensers with heavy residue build up	Jonathan Weitgenant
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	P	Yes	348(a)	Observed water dispensing hose below flood rim level of service sink	Jonathan Weitgenant
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	C		443(a),(b)	Observed soda syrup on floor underneath soda boxes in dispenser room	Jonathan Weitgenant
Family Express Corp #7	1901 Burlington Beach Rd	12-Dec-25	C	Yes	447(a)	Observed wet mop in the service sink	Jonathan Weitgenant
Family Express Corp #21	204 Silhavy Rd	18-Dec-25	Pf		306(a)	Observed heavy calcium and soda syrup splatter build up on 2 of the soda machine ice chutes. Observed black build up on ice machine deflector in the large ice machine in the back prep area.	ShelbySouth
First Wok	2555 Willowcreek Rd	8-Dec-25	C		183(a)	Observed knives stored on knife block with food residue on knife at the time of inspection.	AntonioTurner
First Wok	2555 Willowcreek Rd	8-Dec-25	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed several cans, opened, with food left in them, observed several "thank you bags" in direct contact with food, stored inside walk-in freezer and observed broccoli stored in a non-food grade bin at the time of inspection.	AntonioTurner
First Wok	2555 Willowcreek Rd	8-Dec-25	Pf		306(a)	Observed can opener blade and behind blade with residue behind up at the time of inspection.	AntonioTurner
First Wok	2555 Willowcreek Rd	8-Dec-25	C		420(a)or(b)	Observed restroom door, leading into kitchen, wedged open at the time of inspection.	AntonioTurner
First Wok	2555 Willowcreek Rd	8-Dec-25	C		443(a),(b)	Observed grease buildup behind smoker at the time of inspection.	AntonioTurner
First Wok	2555 Willowcreek Rd	8-Dec-25	C		447(a)	Observed wet mop sitting at bottom of mop sink at the time of inspection.	AntonioTurner
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		151(a)	Observed employee making pizza with no beard guard.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		183(a)	Observed bowl being used as scoop down within flour bin.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	Pf		214(a),(b),or(c)	Observed open milk not date marked in bar area.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	P	Yes	226(a)(1)	Observed water hose used for pasta water not approved for food use.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		286(a),(b),or(c)	Observed damaged gaskets on bottom doors of prep top cooler in kitchen.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed no available sani testing buckets within kitchen. Buckets of soap water was being used instead.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		306(b)&(c)	Observed organic green fuzzy growth on metal racks within walk in cooler. Observed large amounts of organic growth on internal ceiling of the bottom section of prep top cooler.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	Pf		306(a)	Observed pink and black organic growth on ice machine deflector blade within bar area.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C	Yes	328(a)&(c)	Observed stack of pizza board with hand soap and paper towels stored on top surface.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		443(a),(b)	Observed dust on ceiling and upper-level shelving in kitchen area. Observed excess food debris underneath pizza ovens.	Noah Weber
Gelsosomos Pizzeria	5023 US Highway 6	30-Dec-25	C		445(a)or(b)	Observed hood vents with large amounts of oil build up and dust accumulation. Service stickers state last cleaning was in 2023.	Noah Weber
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C	Yes	148(a)	Observed employee drinking from cup on cooks' line without a lid and observed employee eating lunch on top of cutting board at the time of inspection.	AntonioTurner

Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		175(a)(3thru8)	Observed uncovered foods in walk-in cooler at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C	Yes	183(a)	Observed several plastic cups and cans used to scoop food and observed clean and ready to use utensils stored in pan with food debris at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C	Yes	189(a)	Observed food sitting on floor in walk-in freezer at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	P		226(a)(1)	Observed several "thank you bags" used to store meat and veggies in freezers and coolers and observed use of cardboard to store food at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	Pf		281(a)	Observed no chlorine test strips for ware washing machine at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C	Yes	289(a)	Observed water sprayer with heavy buildup at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		302(a)	Observed can opener blade dull and with metal shavings built up behind blade at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		306(b)&(c)	Observed heavy grease buildup in between fryers at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	Pf		306(a)	Observed can opener blade with food buildup at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		308(a)or(b)	Observed microwave with 3d buildup on inside roof at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		417(a)or(c)	Observed light without shield near ware washing area at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		421(a)or(d)	Observed back door with a gap along bottom at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		442(a)	Observed chipped and damaged floor tile throughout kitchen at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		443(a),(b)	Observed heavy grease buildup under fryers at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		445(a)or(b)	Observed grease buildup on hood filters at the time of inspection.	Antonio Turner
Great Wall Buffet	5920 US Highway 6	30-Dec-25	C		447(a)	Observed wet mop sitting on cooks' line floor at the time of inspection.	Antonio Turner
Hampton Inn Portage	6353 Melton Rd	5-Dec-25	C		286(a),(b),or(c)	Measured small Danby milk cooler at 44.4F at the time of inspection.	Antonio Turner
Hampton Inn Portage	6353 Melton Rd	5-Dec-25	C		307(e)	Observed ice machine on 2nd floor with pink/black build-up at the time of inspection.	Antonio Turner
Hampton Inn Portage	6353 Melton Rd	5-Dec-25	P		348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
Hampton Inn & Suites Valparaiso	1451 Silhavy Rd	10-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed no date marking on open gallons of milk in reach in cooler	Jonathan Weitgenant
Helen's Cafe, The Breakfast Club	902 N Calumet Ave Ste 2	3-Dec-25	Pf	Yes	359(a),(b),(c)	Observed bin of rubber spatulas soaking within the cook line hand sink at time of inspection.	Noah Weber
Holiday Inn Express	6295 Melton Rd	4-Dec-25	Pf		214(a),(b),or(c)	Observed gallon of milk opened 2 days ago without a date mark at the time of inspection.	Antonio Turner
Holiday Inn Express	6295 Melton Rd	4-Dec-25	Pf		281(a)	Observed no quaternary test strips at the time of inspection.	Antonio Turner
Holiday Inn Express	6295 Melton Rd	4-Dec-25	C		286(a),(b),or(c)	Observed True refrigerator with water build-up on inside floor at the time of inspection.	Antonio Turner
Holiday Inn Express	6295 Melton Rd	4-Dec-25	Pf		429(a)	Observed no hand soap at hand sink in kitchen at the time of inspection.	Antonio Turner
Holiday Inn Express and Suites	1251 Silhavy Road	10-Dec-25	C		394(a)	Observed no covered receptacle in womens restroom	Jonathan Weitgenant
Holiday Inn Express and Suites	1251 Silhavy Road	10-Dec-25	C		400(a)	Observed dumpster lids open	Jonathan Weitgenant

Hooters	1665 Olmstead Dr	11-Dec-25	C		286(a),(b),or(c)	Observed cooler door at the end of cooks' line in need of repair at the time of inspection.	Antonio Turner
Hooters	1665 Olmstead Dr	11-Dec-25	C		289(a)	Observed inside water sprayer with food residue at the time of inspection.	Antonio Turner
Hooters	1665 Olmstead Dr	11-Dec-25	C		306(b)&(c)	Observed fryer wheels with grease build-up at the time of inspection.	Antonio Turner
Hooters	1665 Olmstead Dr	11-Dec-25	C	Yes	324(a)	Observed wet nesting on drying rack at the time of inspection.	Antonio Turner
Hooters	1665 Olmstead Dr	11-Dec-25	C		443(a),(b)	Observed puddle of soda syrup build-up on floor under soda box storage rack and observed dust build-up on both ceiling vents above cooler at the time of inspection.	Antonio Turner
King Gyros	1610 Lincolnway	11-Dec-25	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored on top shelf above ready to eat, packaged salads in walk in cooler	Jonathan Weitgenant
King Gyros	1610 Lincolnway	11-Dec-25	Pf		246(a)or(b)	Observed probe thermometer measuring ~15 degrees difference to inspector thermometer	Jonathan Weitgenant
King Gyros	1610 Lincolnway	11-Dec-25	Pf	Yes	281(a)	Observed no readily accessible testing strips available	Jonathan Weitgenant
King Gyros	1610 Lincolnway	11-Dec-25	C		324(a)	Observed moisture trapped between stacked pans on storage shelves above 3 bay sink	Jonathan Weitgenant
Kosmos Restaurant	2007 Calumet Ave	10-Dec-25	Pf		301(a)	Observed chlorine testing strips expired since 2021 at time of inspection.	Noah Weber
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		151(a)	Observed cook without a hair restraint at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	Pf		212(a)	Observed pan of ground beef improperly cooling on bottom shelf under flat top at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		286(a),(b),or(c)	Observed hood leaking water onto floor at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer in bucket at less than 10ppm at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C	Yes	306(b)&(c)	Observed large, hand-held mixer with food build-up on blade at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	Pf		306(a)	Observed grease build-up on cooking equipment wheels at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	P		363(a)(1)	Observed prep sink, leaking at faucet while turned off at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		400(a)	Observed dumpster lid open at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C	Yes	419(a)or(b)	Observed fly strip too close to soda machine and ice machine at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		421(a)or(d)	Observed gap along bottom of back door, in need of new weather stripping at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		442(a)	Observed chipped floor tile on cooks' line at the time of inspection.	Antonio Turner
La Cabana II Mexican Restaurant	6510 US Highway 6	18-Dec-25	C		445(a)or(b)	Observed grease build-up on hoods above cooking equipment at the time of inspection.	Antonio Turner
La Cabana Mexican Restaurant & Cantina	807 Lincolnway	11-Dec-25	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed open tub of raw chicken stored above open tub of raw steak within walk in cooler.	Noah Weber
La Cabana Mexican Restaurant & Cantina	807 Lincolnway	11-Dec-25	C		189(a)	Observed open containers of raw meat and prepped vegetables within walk in cooler.	Noah Weber
La Cabana Mexican Restaurant & Cantina	807 Lincolnway	11-Dec-25	Pf		214(a),(b),or(c)	Observed open milk container within glass mini fridge within kitchen with no date marking.	Noah Weber
La Cabana Mexican Restaurant & Cantina	807 Lincolnway	11-Dec-25	C		407(a)	Observed kitchen floor mainly at the cook line is in need of repair and is porous and unsealed.	Noah Weber
La Cabana Mexican Restaurant & Cantina	807 Lincolnway	11-Dec-25	C		443(a),(b)	Observed heavy dark grease build up on sides of hood vent system.	Noah Weber

Lenny's Coal Fired Pizza	3800 N Calumet Ave	8-Dec-25	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed plastic storage container obstructing hand sink in dish room	Jonathan Weitgenant
Lenny's Coal Fired Pizza	3800 N Calumet Ave	8-Dec-25	Pf	Yes	359(a),(b),(c)	Observed raw shrimp stored above cooked pasta in pasta station cooler	Jonathan Weitgenant
Lighthouse Inc	425 Pratt St	19-Dec-25	C		183(a)	Observed 2oz plastic cup down within salt jar.	Noah Weber
Lighthouse Inc	425 Pratt St	19-Dec-25	Pf		306(a)	Observed x2 soda gun holsters in bar with organic growth. Observed soda gun nozzle with organic growth.	Noah Weber
Lighthouse Inc	425 Pratt St	19-Dec-25	C		421(a)or(d)	Observed back door leading to soda syrup storage with a large gap in the bottom section with sunlight coming through.	Noah Weber
Lighthouse Inc	425 Pratt St	19-Dec-25	P	Yes	461(a)	Observed quat sanitizer over 1000ppm at time of inspection within spray bottle.	Noah Weber
Lil' Saver Food Store	393 W US Highway 6	2-Dec-25	Pf		247(a)or(b)	Observed no ambient temperature probe inside small chicken cooler at the end of cooks' line at the time of inspection.	Antonio Turner
Lil' Saver Food Store	393 W US Highway 6	2-Dec-25	P		307(a)or(c)	Observed self-serve ice machine with pink build-up on the ice deflector at the time of inspection.	Antonio Turner
Lil' Saver Food Store	393 W US Highway 6	2-Dec-25	Pf		347(a)	Measured hand sink at end of cooks' line at 78.2F at the time of inspection.	Antonio Turner
Lil' Saver Food Store	393 W US Highway 6	2-Dec-25	C		411(a)or(b)	Observed coving missing behind pressure fryers at the time of inspection.	Antonio Turner
Lil' Saver Food Store	393 W US Highway 6	2-Dec-25	P		457(a)	Observed can of Raid pest spray next to back-room hand sink at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		183(a)	Observed small paper cup used to scoop Brussel sprouts at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		284(a)or(b)	Observed hand sink at end of cooks' line in need of seal at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		289(a)	Observed water sprayer with heavy food buildup at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	Pf		306(a)	Observed onion-slicer with food residue on blades and observed brown, stuck-on buildup on ready to use ladle at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	Pf		359(a),(b),(c)	Observed hand sink at end of cooks' line with food residue at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		442(a)	Observed missing ceiling tile above soda box storage area at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		443(a),(b)	Observed grease buildup on wall behind bun toaster at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	C		445(a)or(b)	Observed hood filters above flat top with grease buildup at the time of inspection.	Antonio Turner
Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	16-Dec-25	P	Yes	461(a)	Measured sanitizer bucket at greater than 500ppm at the time of inspection.	Antonio Turner
Luke's #249	6259 Melton Rd	19-Dec-25	P		213(a)(1)	Observed "tornados" in self service station measuring 112 degrees or below.	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		306(b)&(c)	Observed heavy residue build up on wall between cooler and freezer. Observed residue build up on shelving units in walk in cooler	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	Pf		306(a)	Observed heavy residue build up in spouts of frozen chocolate frappe and frozen french vanilla	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		307(e)	Observed residue build up on upper plate one left most coffee dispenser	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		400(a)	Observed recycling dumpster's lid open	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		401(a)	Observed recycling dumpster missing drain plug	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		421(a)or(d)	Observed gap in middle seal on front entrance doors	Jonathan Weitgenant
Luke's #249	6259 Melton Rd	19-Dec-25	C		447(a)	Observed wet mops being stored in service sink	Jonathan Weitgenant

Maple & Bacon	210 Aberdeen Drive Suite A	3-Dec-25	C		183(a)	Observed in use tongs (x4) being stored on oven handles in the cook line. Observed ice scooper in basement stored on top of dust covered ice machine.	Noah Weber
Maple & Bacon	210 Aberdeen Drive Suite A	3-Dec-25	P	Yes	318(a)	Observed bar dish machine testing Oppm for sanitizer.	Noah Weber
Maple & Bacon	210 Aberdeen Drive Suite A	3-Dec-25	C		443(a),(b)	Observed box of soda syrup leaking onto concrete ground within basement area.	Noah Weber
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	P	Yes	180(a)	Observed specialty ice tray sitting directly on top of ice inside ice chest, using ice as a coolant and ingredient at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	P	Yes	213(a)(2),(b)	Measured burger patties inside cooler under grill at 48F at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	C		286(a),(b),or(c)	Measured ambient temperature of cooler under grill at 47F at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	Pf		306(a)	Observed stationary can opener blade with dried food residue at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	P	Yes	307(a)or(c)	Observed soda gun, behind bar, with soda syrup build-up inside nozzle at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	P	Yes	317(a)	Measured sanitizer at ware washing machine behind bar at less than 10ppm at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	C	Yes	324(a)	Observed clear containers, wet nesting on drying rack next to ware washing machine at the time of inspection.	Antonio Turner
Marina Shores Yacht Club	5987 S Dune Harbor Dr	12-Dec-25	C	Yes	330(a),(b),(c)_1	Observed ice buckets on top of ice machine, not inverted at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed both ice bins behind bar, uncovered at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	Pf		214(a),(b),or(c)	Observed 4 bags of chicken in pop top cooler without date marking at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	Pf		279(a)or(b)	Observed no food probe thermometer at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	Pf		281(a)	Observed no chlorine test strips in kitchen at 3 bays at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		306(b)&(c)	Observed fryer wheels with grease build-up at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		307(e)	Observed ice machine with heavy and slimy, black build-up at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		436(a),(b),or(c)	Observed several ceiling bulbs missing, causing light intensity throughout kitchen at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		442(a)	Observed ceiling tiles hanging and missing above single use container storage at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		443(a),(b)	Observed soda syrup on floor, under soda syrup storage rack at the time of inspection.	Antonio Turner
Mark O's Bar & Grill	2385 Willowcreek Rd	4-Dec-25	C		447(a)	Observed wet mop laying on top of chemical jug at the time of inspection.	Antonio Turner
McAlister's Deli	300 Porters Vale Blvd, Ste. 130	11-Dec-25	P	Yes	213(a)(2),(b)	Observed food stored on top and underneath the sandwich cooler measuring at 45 degrees or above	Jonathan Weitgenant
McAlister's Deli	300 Porters Vale Blvd, Ste. 130	11-Dec-25	C	Yes	306(b)&(c)	Observed gelatinous build up underneath deli top doors on out of service cooler on kitchen line	Jonathan Weitgenant
McAlister's Deli	300 Porters Vale Blvd, Ste. 130	11-Dec-25	C		307(e)	Observed residue build up on rear section of ice chute	Jonathan Weitgenant
McDonalds #3278	6120 Central Ave	29-Dec-25	Pf		306(a)	Observed grease buildup in between chicken and fish fryers at the time of inspection.	Antonio Turner
McDonalds #3278	6120 Central Ave	29-Dec-25	C		307(e)	Observed black buildup on inside of ice machine walls at the time of inspection.	Antonio Turner
McDonalds #3278	6120 Central Ave	29-Dec-25	C	Yes	308(a)or(b)	Observed microwave to the left of microwaves with 3d buildup on inside roof at the time of inspection.	Antonio Turner

McDonalds #3278	6120 Central Ave	29-Dec-25	P		317(a)	Measured chlorine sanitizer low at ware washing machine and measured quat sanitizer low at 3 bay sinks at time of inspection.	Antonio Turner
McDonalds #3278	6120 Central Ave	29-Dec-25	P	Yes	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
McDonalds #21870	6075 US Highway 6	4-Dec-25	C		307(e)	Observed ice machine with black build-up on inside ceiling and observed 3d build-up on Frappe machine nozzles at the time of inspection.	Antonio Turner
McDonalds #21870	6075 US Highway 6	4-Dec-25	P	Yes	348(a)	Observed mop sink hanging below flood rim level at the time of inspection.	Antonio Turner
McDonalds #21870	6075 US Highway 6	4-Dec-25	C		443(a),(b)	Observed heavy grease build-up under fryer station and dust build-up on both ceiling vents at the time of inspection	Antonio Turner
McDonalds #35585	6321 Ameriplex Dr	18-Dec-25	C		289(a)	Observed water sprayer with food residue around nozzle at the time of inspection.	Antonio Turner
McDonalds #35585	6321 Ameriplex Dr	18-Dec-25	C		309(a)	Observed mop sink with a pile of French Fries at the time of inspection.	Antonio Turner
McDonalds #35585	6321 Ameriplex Dr	18-Dec-25	C		324(a)	Observed clear containers wet nesting on drying rack at the time of inspection.	Antonio Turner
McDonalds #35585	6321 Ameriplex Dr	18-Dec-25	C		421(a)or(d)	Observed back door wedged open at the time of inspection.	Antonio Turner
McDonalds #35585	6321 Ameriplex Dr	18-Dec-25	C		443(a),(b)	Observed floor under soda storage station with syrup build-up at the time of inspection.	Antonio Turner
Meijer Store #266	6050 US Highway 6	15-Dec-25	Pf	Yes	359(a),(b),(c)	Observed handwashing sink in butcher room obstructed.	Jonathan Weitgenant
Meijer Store #266	6050 US Highway 6	15-Dec-25	C		443(a),(b)	Observed heavy build up of dented cans, refuse, and debris under carts in back storage area. Observed excessive broken eggs and debris on dairy cooler floor.	Jonathan Weitgenant
Nella's Sushi LLC @ Marina Shores	5964 Dune Harbor Dr	12-Dec-25	C	Yes	260(a),(b),(d)	Observed no ambient thermometer inside sushi cooler across from sushi prep station at the time of inspection.	Antonio Turner
Northwest Health - Portage Campus	3630 Willowcreek Rd	22-Dec-25	Pf		306(a)	Observed soda nozzle in kitchen with buildup and observed ice machine in kitchen and on 4th floor with pink and brown buildup at the time of inspection.	Antonio Turner
On The Roxx	2522 Portage Mall	5-Dec-25	Pf		306(a)	Observed heavy grease build-up on the sides of fryer equipment at the time of inspection	Antonio Turner
On The Roxx	2522 Portage Mall	5-Dec-25	C		394(a)	Observed stall in women's restroom across from kitchen without a closed receptacle at the time of inspection.	Antonio Turner
On The Roxx	2522 Portage Mall	5-Dec-25	C		421(a)or(d)	Observed back door with gaps, in need of new weather strip at the time of inspection.	Antonio Turner
On The Roxx	2522 Portage Mall	5-Dec-25	C		442(a)	Observed opening above cooler door causing water to leak from roof onto walk-in cooler floor and an opening above single use container storage area causing a leak from roof at the time of inspection.	Antonio Turner
On The Roxx	2522 Portage Mall	5-Dec-25	C		443(a),(b)	Observed water build-up from leaking roof onto walk-in cooler floor, observed water build-up on dry storage floor from leaking roof and grease build-up under fryers on floor at the time of inspection	Antonio Turner
Panda Express #2087	6150 US Highway 6	26-Dec-25	C		307(e)	Observed residue build up on the right hand side of the ice deflector in the ice machine	Jonathan Weitgenant
Panda Express #2087	6150 US Highway 6	26-Dec-25	C		328(a),(b)	Observed scappers, can openers, and other utensils stored in a metal container with a pool of grease and food residue splatter on the cook line near the woks	Jonathan Weitgenant
Panda Express #2087	6150 US Highway 6	26-Dec-25	C		400(a)	Observed dumpster lids open	Jonathan Weitgenant
Panda Express #2087	6150 US Highway 6	26-Dec-25	C		402(a)	Observed small mounds of food and grease residue on the cement outside of the dumpster	Jonathan Weitgenant

Panda Express #2087	6150 US Highway 6	26-Dec-25	C		442(a)	Observed back door jamming open and push bar falling off of the door	Jonathan Weitgenant
Panda Express #2087	6150 US Highway 6	26-Dec-25	C		447(a)	Observed wet mop sitting down in the service sink	Jonathan Weitgenant
Panera Bread #811	2710 Laporte Ave Ste 150	11-Dec-25	C		306(b)&(c)	Observed dish spray nozzle face with organic growth and food debris.	Noah Weber
Panera Bread #811	2710 Laporte Ave Ste 150	11-Dec-25	C		421(a)or(d)	Observed gap within center section of external front double doors.	Noah Weber
Panera Bread #1884	6010 US Highway 6	23-Dec-25	Pf		246(a)or(b)	Observed probe thermometer measuring ~20 degrees lower than inspectors thermometer	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C		306(b)&(c)	Observed heavy residue build up on shelves in sandwich line walk in	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	Pf		306(a)	Observed baked on residue on food contact surface of baking sheet stacked on storage shelf	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C		307(e)	Observed residue build up on underside of all bubbler beverage dispensers	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C		324(a)	Observed moisture trapped between stacked mixing bowls on storage shelf in kitchen	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C		328(a)&(c)	Observed open bag of towels stored outside on shelf with collection of leaves and debris collecting on ground	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	P	Yes	348(a)	Observed service sink hose below flood rim level of service sink	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C	Yes	400(a)	Observed dumpster lids open	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C		443(a),(b)	Observed heavy dust build up in air vents over the self service beverage area and utensils	Jonathan Weitgenant
Panera Bread #1884	6010 US Highway 6	23-Dec-25	C	Yes	447(a)	Observed wet mops sitting down in the service sink	Jonathan Weitgenant
Parkhurst Dining @ VU ARC Concessions	1009 Union St	29-Dec-25	C		234(a)	Observed exposed absorbent wood beams under the soda fountains	Jonathan Weitgenant
Parkhurst Dining @ VU ARC Concessions	1009 Union St	29-Dec-25	C		306(b)&(c)	Observed soda syrup splashed inside the soda machine and on the outside of the ice chute	Jonathan Weitgenant
Parkhurst Dining @ VU ARC Concessions	1009 Union St	29-Dec-25	C		307(e)	Observed blue residue build up on deflector plate inside ice machine	Jonathan Weitgenant
Parkhurst Dining @ VU ARC Concessions	1009 Union St	29-Dec-25	P	Yes	348(a)	Observed hose resting below flood rim level of service sink	Jonathan Weitgenant
Parkhurst Dining @ VU ARC Concessions	1009 Union St	29-Dec-25	C		443(a),(b)	Observed gatorade syrup spilled underneath soda boxes	Jonathan Weitgenant
Picante Mexican Cuisine	454 S Greenwich St	12-Dec-25	C	Yes	189(a)	Observed beans and queso within warming table exposed with no lids or coverings.	Noah Weber
Picante Mexican Cuisine	454 S Greenwich St	12-Dec-25	C		306(b)&(c)	Observed organic growth on black food rack within walk in cooler.	Noah Weber
Pikk's Tavern	62 W. Lincolnway	19-Dec-25	Pf		214(a),(b),or(c)	Observed heavy cream, buttermilk, and half and half within reach in cooler opened and not date marked.	Noah Weber
Pikk's Tavern	62 W. Lincolnway	19-Dec-25	Pf		359(a),(b),(c)	Observed hand sink in bar area with used glass down within basin.	Noah Weber
Pikk's Tavern	62 W. Lincolnway	19-Dec-25	Pf		430(a)	Observed no paper towels available behind bar area for hand sink.	Noah Weber
Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	11-Dec-25	C		307(e)	Observed residue build up on beverage nozzle housing on self service beverage machine and drive through beverage machine	Jonathan Weitgenant
Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	11-Dec-25	C	Yes	308(a)or(b)	Observed food splatter on roof of microwave	Jonathan Weitgenant
Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	11-Dec-25	P		348(a)	Observed hose below the flood rim level in kitchen and front of house service sink	Jonathan Weitgenant
Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	11-Dec-25	C		443(a),(b)	Observed soda syrup on walls and floor around soda box storage area	Jonathan Weitgenant
Portage Jimmy Johns	2547 Willowcreek Rd	8-Dec-25	C	Yes	189(a)	Observed bag onions stored directly on floor in front of chemical storage at the time of inspection.	AntonioTurner
Portage Jimmy Johns	2547 Willowcreek Rd	8-Dec-25	P	Yes	213(a)(2),(b)	Measured sliced tomatoes at 46F at the time of inspection.	AntonioTurner

Portage Jimmy Johns	2547 Willowcreek Rd	8-Dec-25	P	Yes	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
Portage Jimmy Johns	2547 Willowcreek Rd	8-Dec-25	Pf	Yes	456(a)	Observed spray bottle at 3 bays without name of chemical at the time of inspection.	Antonio Turner
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	P		213(a)(2),(b)	Observed product in Southwest cooler, top and drawers, measuring at 45 degrees.	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	Pf		295(a)or(b)	Observed chemical dishwasher in kitchen measuring at 114 degrees.	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		306(b)&(c)	Observed 3d dust build up on ceiling tiles and emergency lights above the Southwest cooler and table. Observed 3d dust build up on ceiling tiles above soda boxes	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		307(e)	Observed residue build up in the neck of the soda holster at the bar	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		324(a)	Observed mini sheet trays and plastic containers with trapped moisture, stacked for storage on shelf.	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		416(a)	Observed multiple ceiling tiles missing, exposing the ceiling studs, in the back door area of kitchen.	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		443(a),(b)	Observed heavy grease build up underneath fryer with fries and wings stuck in the sold grease. Observed dirty dishes piled under the dishwasher.	Jonathan Weitgenant
Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	29-Dec-25	C		447(a)	Observed wet mops resting in service sink	Jonathan Weitgenant
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	Pf	Yes	210(a)(1)thru(a)(3)	Observed steak being thawed in sink without a continuous flow of water at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C	Yes	289(a)	Observed both water sprayers with heavy food buildup on and around nozzle at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C		302(a)	Observed several cooking pans with heavy cooked on grease build-up and observed ladies with stuck on residue at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C		306(b)&(c)	Observed sides of fryers with grease buildup and fryer wheels with grease buildup and observed microwave handles and cooler handles with dried food residue, observed food residue under grill and observed dust buildup on fan covers in walk-in cooler at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	Pf	Yes	306(a)	Observed large slicer with dried food residue on blade and observed pans inside warmer with dried food residue at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C	Yes	307(e)	Observed several soda guns with soda syrup buildup on the inside at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C		324(a)	Observed clear containers wet nesting on drying rack near ware washing machine at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	C		443(a),(b)	Observed dust buildup on wall behind utensil drying shelf, observed heavy buildup on ceiling vent above ware washing machine observed grease buildup under fryers on floor and black buildup on wall behind ware washing machine at the time of inspection.	Antonio Turner
Quaker Steak & Lube	6245 Ameriplex Drive	19-Dec-25	Pf	Yes	456(a)	Observed unlabeled chemical bottle hanging from hand sink near ware washing machine at the time of inspection.	Antonio Turner
Quality Inn & Suites	2300 Willowcreek Rd	19-Dec-25	Pf		195(b),(c)	Observed no utensils or effective dispensing method for apples, bread, bagels, or muffins in self-service buffet stations.	Jonathan Weitgenant
Quality Inn & Suites	2300 Willowcreek Rd	19-Dec-25	Pf		214(a),(b),or(c)	Observed containers of sausage gravy with no date marking in fridge	Jonathan Weitgenant
Quality Inn & Suites	2300 Willowcreek Rd	19-Dec-25	C		307(e)	Observed residue build up on juice beverage dispenser. Observed colored residue build up on ice chute door.	Jonathan Weitgenant

Quality Inn & Suites	2300 Willowcreek Rd	19-Dec-25	C		394(a)	Observed unisex bathroom with no covered receptacle	Jonathan Weitgenant
Quality Inn & Suites	2300 Willowcreek Rd	19-Dec-25	Pf		456(a)	Observed chemical spray bottles unlabeled in kitchen	Jonathan Weitgenant
Radius	15 E Lincolnway	3-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored above raw steak and cook chicken within for right silver reach in cooler on end of cook line.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	C		183(a)	Observed in use tongs stored on oven handles within cook line area. Observed 2 oz plastic cups with no handles down inside of blue cheese and different seasoning bins within cook line.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	Pf		214(a),(b),or(c)	Observed no labeling or date marking of ready to eat foods within coolers.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	C		324(a)	Observed metal and plastic bins stacked together on clean dish rack not being allowed to properly air dry.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	Pf		359(a),(b),(c)	Observed hand sink in cook line blocked with water pot placed within sink basin.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	C		419(a)or(b)	Observed used fly tape installed above ware wash area above dishes.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	C		443(a),(b)	Observed food debris splatter on cook line ceiling.	Noah Weber
Radius	15 E Lincolnway	3-Dec-25	C		447(a)	Observed wet mop stored down within mop bucket not hung to air dry properly.	Noah Weber
Santini's Pizza	390 W US Highway 6	26-Dec-25	P	Yes	173(b)	Observed employee on line start making a salad with bare hands.	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		306(b)&(c)	Observed heavy collection of food residue and other debris on top shelf of pizza station. Observed residue build up on green shelves and wheels of speed racks in walk in cooler.	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	Pf		306(a)	Observed heavy residue build up inside vent of walk in cooler	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		307(e)	Observed residue build up on ice dispenser of pepsi machine	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		401(a)	Observed left most dumpster missing drain plug	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		411(a)or(b)	Observed coving missing from wall near three bay sink and in back room under the handwashing sink	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		421(a)or(d)	Observed gap in back door.	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	C		443(a),(b)	Observed heavy residue build up on wall and pipes underneath the three bay sink	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	P		461(a)	Observed sanitizer bucket, freshly made, measuring above 500ppm concentration of Quat sanitizer	Jonathan Weitgenant
Santini's Pizza	390 W US Highway 6	26-Dec-25	P		467(a)	Observed uncovered rodent bait station in side room near kitchen	Jonathan Weitgenant
Schoop's	3285 Willowcreek Rd	9-Dec-25	Pf	Yes	214(a),(b),or(c)	Observed "house made" stuff cabbage soup without date marking at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	C		236(a)	Observed water sprayer at 3 bays in disrepair at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	Pf		306(a)	Observed can opener blade with dried food residue at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	C		330(a),(b),(c)_1	Observed ice bucket not inverted on top of kitchens' ice machine at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	C		442(a)	Observed missing and damaged tile throughout kitchen at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	C		443(a),(b)	Observed food debris under cooking equipment and observed soda syrup spilled on basement floor under soda box storage at the time of inspection.	AntonioTurner
Schoop's	3285 Willowcreek Rd	9-Dec-25	P	Yes	461(a)	Measured sanitizer buckets in wait staff area and on cooks' line over 200ppm at the time of inspection.	AntonioTurner

Semento's Napoli CafÃ©	1200 West St	16-Dec-25	Pf		301(a)	Observed quat testing strips expired at time of inspection.	Noah Weber
SK8 World NWI	3600 Scottsdale St	19-Dec-25	Pf		281(a)	Observed no chlorine test strips present in facility	Jonathan Weitgenant
SK8 World NWI	3600 Scottsdale St	19-Dec-25	C		306(b)&(c)	Observed dried nacho cheese on underside of cheese dispenser	Jonathan Weitgenant
						Observed reach in cooler in kitchen measuring at 45 degrees, ambient thermometer on machine measuring 47 degrees, probe thermometer in product measured between 43 degrees and 48 degrees for various products. Observed Coca-Cola reach in cooler measuring at 48 degrees measured by probe thermometer, no ambient thermometer present to confirm.	
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	P		213(a)(2),(b)		Jonathan Weitgenant
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	Pf		214(a),(b),or(c)	Observed containers of Corn Muffins baked on Tuesday in walk in cooler with no date marking	Jonathan Weitgenant
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	C		306(b)&(c)	Observed build up of grease residue on handle of smoker.	Jonathan Weitgenant
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	Pf	Yes	306(a)	Observed white residue in ice box behind bar	Jonathan Weitgenant
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	C		411(a)or(b)	Observed coving separated from wall under the three bay sink	Jonathan Weitgenant
Smoke Town Blues/Belle Estanni Bakery	66 W Lincolnway	19-Dec-25	C		443(a),(b)	Observed heavy collection of spilled grease behind the smoker unit.	Jonathan Weitgenant
Social Goat Inc	2542 Portage Mall	19-Dec-25	C		289(a)	Observed water sprayer with black buildup inside and on nozzle at the time of inspection.	AntonioTurner
Social Goat Inc	2542 Portage Mall	19-Dec-25	Pf		306(a)	Observed slicer blade and can opener blade with food residue at the time of inspection.	AntonioTurner
Social Goat Inc	2542 Portage Mall	19-Dec-25	C		307(e)	Observed ice machine deflector blade with brown buildup at the time of inspection.	AntonioTurner
Social Goat Inc	2542 Portage Mall	19-Dec-25	C		417(a)or(c)	Observed light shield missing above single use storage at the time of inspection.	AntonioTurner
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),,(a)(2)	Observed package of whole raw fish stored over soda/beverage cans in walk in cooler. Observed uncovered containers of food in walk in cooler and reach in coolers.	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	Pf		214(a),(b),or(c)	Observed missing or mislabeled date marking on containers in walk in cooler.	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	P	Yes	215(a)or(b)	Observed turkey gravy and cranberry sauce in walk in cooler date marked for 12/16	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	Pf		279(a)or(b)	Observed no probe thermometer on the line, or available when requested	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	Pf		281(a)	Observed no test strips readily available when requested	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	C		306(b)&(c)	Observed the water and residue build up on the bottom of the keg cooler at the bar. Observed residue build up in the soda gun holster on the far side of the bar	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	Pf		306(a)	Observed residue build up in the soda gun spout in the soda gun at the entrance to the bar	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	C		400(a)	Observed dumpster lid open	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	C		443(a),(b)	Observed mouse droppings in the basement	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	C		451(a)	Observed multiple dead mice trapped in glue traps in the basement	Jonathan Weitgenant
Speakeasy at the Spa / Aria Hospitality	333 North Mineral Springs Rd	30-Dec-25	P		467(a)	Observed open glue traps in basement	Jonathan Weitgenant
Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		189(a)	Observed multiple cases of various drinks stored on floor in walk in cooler at time of inspection.	ShelbySouth
Speedway #6630	2005 Morthland Dr.	15-Dec-25	P		213(a)(1)	Measured 2 containers of chicken wings and 1 hot chicken skewer in hot holding cabinet at 115 F, 122 F, and 125 F respectively.	ShelbySouth
Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		307(e)	Observed some nozzles on soda machine with dark colored build-up at time of inspection. Employee stated nozzles are cleaned weekly.	ShelbySouth

Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		309(a)	Observed spots of dirt buildup on tile floor in back prep area by 3 bay sink and counter. Observed soda syrup spilled on floor in multiple spots under soda bag storage rack.	ShelbySouth
Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		328(a),(b)	Observed box of single use cups stored on floor at time of inspection.	ShelbySouth
Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		407(a)	Observed several broken tiles on floor in back prep area between mop sink and 3 bay sink.	ShelbySouth
Speedway #6630	2005 Morthland Dr.	15-Dec-25	C		453(a)	Observed several empty cardboard boxes, empty wire shelves and storage racks on floor in back prep area at time of inspection.	ShelbySouth
Speedway #6675	6370 Central Ave	9-Dec-25	C		443(a),(b)	Observed soda syrup build-up on floor under soda box storage at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	C		286(a),(b),or(c)	Observed Master Build cooler in back prep area with 3d ice buildup on inside floor at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	C	No	306(b)&(c)	Observed dried coffee residue on outside of all coffee machines, around dispenser and observed heavy dust build-up on fan covers inside walk-in coolers at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	C	Yes	307(e)	Observed ice machine deflector chute at Big Gulp machine, to the right, with pink build-up at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	Pf	Yes	435(a)	Observed no toilet paper inside men's restroom at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	C		443(a),(b)	Observed dust build-up on ceiling vent above back food prep area at the time of inspection.	AntonioTurner
Speedway #7519	5011 Central Ave	8-Dec-25	C	Yes	447(a)	Observed mop sitting in soiled water after use at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	C		306(b)&(c)	Observed dust build-up on fan covers and observed creamer build-up around nozzle at creamer station at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	Pf	Yes	359(a),(b),(c)	Observed hand sink in back prep room, blocked by green cart at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	P		363(a)(1)	Observed three bays leaking while faucet is turned off at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	C		417(a)or(c)	Observed light shield missing above 3 bays at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	C		443(a),(b)	Observed heavy soda syrup build-up under soda box station on floor at the time of inspection.	AntonioTurner
Speedway #43799	5620 East US Highway 6	3-Dec-25	Pf		450(a)(3)	Observed large number of live ants crawling through food debris on the floor across from 3 bays at the time of inspection.	AntonioTurner
Starbucks Coffee #14236	6295 Ameriplex Dr Ste 101	23-Dec-25	P	Yes	348(a)	Observed mop sink with hose beneath flood rim.	Noah Weber
Starbucks Coffee #25513	6030 US Highway 6	23-Dec-25	C		183(a)	Observed soiled knife in hot food section stored in soiled plastic container	Jonathan Weitgenant
Starbucks Coffee #25513	6030 US Highway 6	23-Dec-25	C		400(a)	Observed all dumpsters with lids open, unable to close due to proximity to each other	Jonathan Weitgenant
Starbucks Coffee #25513	6030 US Highway 6	23-Dec-25	C		402(a)	Observed large collection of refuse behind and around the dumpsters	Jonathan Weitgenant
Stonequarry Lounge RMAX INC.	2596 Portage Mall	23-Dec-25	C		306(b)&(c)	Observed fryer baskets with food residue at the time of inspection.	AntonioTurner
Stonequarry Lounge RMAX INC.	2596 Portage Mall	23-Dec-25	Pf		306(a)	Observed grease and dust hanging from right side of hood, next to hood filters at the time of inspection.	AntonioTurner
Stonequarry Lounge RMAX INC.	2596 Portage Mall	23-Dec-25	C	Yes	307(e)	Observed ice machine with black buildup on ice deflector and observed soda gun nozzle with soda syrup buildup at the time of inspection.	AntonioTurner

Subway 5369	615 N Main St	19-Dec-25	C		306(b)&(c)	Observed organic green growth on metal and plastic shelving within walk in cooler.	Noah Weber
Subway 7310	383 W. US Hwy 6	8-Dec-25	C		436(a),(b),or(c)	Observed low light intensity in walk-in cooler and walk-in freezer, at the time of inspection.	Antonio Turner
Super 8 Motel / Food Permit	3005 John Howell Dr	23-Dec-25	P		142(a)	Observed handling of single use items at customer breakfast counter without first washing hands.	Shelby South
Super 8 Motel / Food Permit	3005 John Howell Dr	23-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),,(a)(2)	Observed a whole raw turkey and plastic containers of cut up vegetables belonging to hotel patron on shelf next to yogurt served for customer breakfast.	Shelby South
Super 8 Motel / Food Permit	3005 John Howell Dr	23-Dec-25	Pf		430(a)		Shelby South
Super 8 Motel / Food Permit	3005 John Howell Dr	23-Dec-25	P		459(a)(2),(a)(3),or(b)	Observed can of unapproved pesticide (Raid) on shelf next to where food is stored in back prep area. PIC states Plunkett's Pest Control treats facility monthly.	Shelby South
Taco Bell #30947	6300 Ameriplex Dr	26-Dec-25	C		306(b)&(c)	Observed 3d dust on fan blade cover in walk in cooler. Observed residue build up on rubber gaskets on freeze drink machine under plexiglass cover.	Jonathan Weitgenant
Taco Bell #30947	6300 Ameriplex Dr	26-Dec-25	C		447(a)	Observed wet mop sitting down in the service sink	Jonathan Weitgenant
Target Store T1286	2420 Laporte Ave	8-Dec-25	P	Yes	215(a)or(b)	Observed cut melon out of date on shelves	Jonathan Weitgenant
Target Store T1286	2420 Laporte Ave	8-Dec-25	Pf		247(a)or(b)	Observed ambient probe thermometers measuring incorrectly in various coolers throughout grocery area	Jonathan Weitgenant
Target Store T1286	2420 Laporte Ave	8-Dec-25	C		421(a)or(d)	Observed 3rd bay garage door in delivery area with gap along bottom	Jonathan Weitgenant
Teatery	2531 Willowcreek Rd	30-Dec-25	Pf		281(a)	Observed no available chlorine testing strips for sanitizer.	Noah Weber
Teatery	2531 Willowcreek Rd	30-Dec-25	C		306(b)&(c)	Observed organic growth on ice machine door hinge.	Noah Weber
Teatery	2531 Willowcreek Rd	30-Dec-25	C		443(a),(b)	Observed dust accumulation on ceiling air vents located in front and back of house locations. Observed organic black growth on floor underneath 3 bay in back of house.	Noah Weber
Teazentea Portage	6502 US HWY 6	2-Dec-25	P		307(a)or(c)	Observed black build-up on inside roof of ice machine at the time of inspection.	Antonio Turner
Texas Corral	5880 US Highway 6	15-Dec-25	Pf		281(a)	Observed no Quat test strips available	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	C		286(a),(b),or(c)	Observed plastic plunger of dicer in bad repair	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	C		306(b)&(c)	Observed 3d dust build up on fire suppression system above stove top burner used to heat soups	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	Pf		306(a)	Observed food residue and metal shavings on can opener blade and housing unit. Observed food residue on blade section of dicer.	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	C		324(a)	Observed moisture trapped between inverted containers stacked together on storage shelf	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	Pf		359(a),(b),(c)	Observed jalapenos dumped into hand sink in dish room. Observed hand sink in bar being used for dumping.	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	C		442(a)	Observed hole in wall exposing studs in storage room with hot water heater.	Jonathan Weitgenant
Texas Corral	5880 US Highway 6	15-Dec-25	C		445(a)or(b)	Observed grease and residue build up on rim of hood system	Jonathan Weitgenant
Texas Roadhouse	6130 US Highway 6	19-Dec-25	Pf	Yes	166(a)	Observed dented can of green beans on storage rack	Jonathan Weitgenant
Texas Roadhouse	6130 US Highway 6	19-Dec-25	P	Yes	213(a)(2),(b)	Observed expo cooler measuring at 47.5 degrees internally and on deli top. Observed ambient thermometer reading 55 degrees	Jonathan Weitgenant
Texas Roadhouse	6130 US Highway 6	19-Dec-25	C		306(b)&(c)	Observed 3d dust build up on fan blade cover and walls in walk in cooler	Jonathan Weitgenant
Texas Roadhouse	6130 US Highway 6	19-Dec-25	C		324(a)	Observed moisture trapped between sheet trays and metal pans stacked together for storage	Jonathan Weitgenant
Texas Roadhouse	6130 US Highway 6	19-Dec-25	C		402(a)	Observed refuse build up around dumpsters	Jonathan Weitgenant
Tocayos, LLC	6652 US Highway 6	22-Dec-25	C	Yes	176(a)	Observed bulk containers of sugar and garlic powder unlabeled	Jonathan Weitgenant

Tocayos, LLC	6652 US Highway 6	22-Dec-25	C	Yes	189(a)	Observed open containers of dried peppers stored in side room with exposed insulation	Jonathan Weitgenant
Toy Ann's Sweeterie @ The Lincoln Kitchen	704 Silhavy Rd	15-Dec-25	C		183(a)	Observed metal sugar scooper with no handle down within sugar bin.	Noah Weber
Toy Ann's Sweeterie @ The Lincoln Kitchen	704 Silhavy Rd	15-Dec-25	Pf		301(a)	Observed sani testing strips expired in 2021. Observed no available non-expired testing strips on site.	Noah Weber
Toy Ann's Sweeterie @ The Lincoln Kitchen	704 Silhavy Rd	15-Dec-25	C		363(a)(2)	Observed kitchen hand sink with a loose hot water handle making it difficult to access hot water. Sink sis still able to reach 85 degrees F.	Noah Weber
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		185(athruf)	Observed wet wiping clothe stored on top of deli style cooler in coffee area	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	Pf		214(a),(b),or(c)	Observed container of open milk in sandwich cooler with no date marking	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	P		215(a)or(b)	Observed containers of quinoa in reach in cooler dated 11/24 and 11/25	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)	Observed containers of syrups for retail sale with improper labeling	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		286(a),(b),or(c)	Observed gasket seal on salad cooler door torn and in bad repair	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed concentration of sanitizer bucket labeled "table" measuring at less than 50 ppm	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		328(a),(b)	Observed plates and kitchen equipment stored uncovered/uninverted	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	P		349(a)	Observed vacuum breaker on service sink with lid missing and in disrepair	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		394(a)	Observed no covered receptacle in either unisex bathroom	Jonathan Weitgenant
Uptown CafÃ© / Valparaiso Coffee Company	1400 Lincolnway	4-Dec-25	C		400(a)	Observed dumpster lid open	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	Pf		135(a)(1)	Observed no current Certified Food Safety Manager available.	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		189(a)	Observed cases of raw chicken stored on floor in meat grinding room. Observed uncovered vegetable scrap stored on floor in kitchen cooler	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	P	Yes	215(a)or(b)	Observed labeled and unlabeled food in production kitchen walk in past disposition date	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		234(a)	Observed cardboard on storage shelves in back kitchen. Observed porous shelving in dry storage	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	Pf		301(a)	Observed chlorine test strips damaged	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	P		317(a)	Observed no sanitizer concentration present in final step of ware washing machine	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		328(a)&(c)	Observed knife being stored wedged against a pipe against the wall in butcher room	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		421(a)or(d)	Observed gaps in door seals in dry storage areas located behind the deli counter and in the back production area.	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		442(a)	Observed broken tile under dishwashing machine and throughout back production kitchen area. Observed unsealed absorbent and cracked concrete in butcher room	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	C		445(a)or(b)	Observed residue build up in the hood above the cooking area in the back production kitchen.	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	Pf		456(a)	Observed spray bottles of unlabeled cleaning solutions on shelf in kitchen	Jonathan Weitgenant
Valparaiso Beef Mart	614 Roosevelt Rd	5-Dec-25	P		461(a)	Observed concentration of quat sanitizer in three bay sink measuring above 500 ppm	Jonathan Weitgenant
Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	9-Dec-25	C		189(a)	Observed ice bin in the coffee prep line with no lid to protect from dust or contamination.	Noah Weber

Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	9-Dec-25	Pf		306(a)	Observed ice machine with minor green organic growth on deflector blade.	Noah Weber
Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	9-Dec-25	C		443(a),(b)	Observed dust accumulation on ceiling vent located in back of house.	Noah Weber
Verona Pizza	1689 W Morthland Dr	2-Dec-25	C		183(a)	Observed ice scooper handle down within ice. Observed in use tongs stored on oven handle touching oven.	Noah Weber
Verona Pizza	1689 W Morthland Dr	2-Dec-25	C		268(a)	Observed x2 keg coolers with fluid buildup in bottom tray with no proper drainage.	Noah Weber
Verona Pizza	1689 W Morthland Dr	2-Dec-25	Pf		306(a)	Observed x2 soda gun holsters in bar area with black organic growth.	Noah Weber
Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	18-Dec-25	Pf		281(a)	Observed no chlorine testing strips available for sanitizing solutions	Jonathan Weitgenant
Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	18-Dec-25	P		348(a)	Observed sprayer in 3bay sink below flood rim level of sink. Observed service sink hose below flood rim level.	Jonathan Weitgenant
Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	18-Dec-25	C		400(a)	Observed dumpster lid open	Jonathan Weitgenant
Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	18-Dec-25	C		407(a)	Observed absorbent acoustic ceiling tiles in kitchen	Jonathan Weitgenant
Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	18-Dec-25	C		445(a)or(b)	Observed grease and dust build up on vents in hood system	Jonathan Weitgenant
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	Pf	Yes	166(a)	Observed apple pie filling can with large dent along bottom seal.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),),(a)(2)	Observed raw chicken stored above cooked rice within walk in cooler.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	C		183(a)	Observed in use metal tongs stored on lip of trash bin in cooking line.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	C		189(a)	Observed cooked rice stored on floor of walk in cooler.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	C		306(b)&(c)	Observed organic green growth on soda underbelly mainly on pepsi section located at main bar area. Observed organic green growth on soda underbelly of second soda station.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	C		324(a)	Observed metal bins stacked together before fully air drying.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	Pf	Yes	359(a),(b),(c)	Observed water jug within basing of hand sink in kitchen area.	Noah Weber
Viking Chili Bowl	105 Morthland Dr	17-Dec-25	C	Yes	447(a)	Observed wet mop stored down within mop bucket, not store properly to fully air dry.	Noah Weber
Walmart Supercenter #2544	6087 US Highway 6	3-Dec-25	Pf		247(a)or(b)	Observed ambient thermometer inside cookie dough cold case and hold case for chicken, in bad repair at the time of inspection.	AntonioTurner
Walmart Supercenter #2544	6087 US Highway 6	3-Dec-25	C		306(b)&(c)	Observed fan covers in all walk-in cold holding with heavy dust build up at the time of inspection.	AntonioTurner
Walmart Supercenter #2544	6087 US Highway 6	3-Dec-25	C		363(a)(2)	Observed three bays faucet inside produce kitchen, in bad repair at the time of inspection.	AntonioTurner
Walmart Supercenter #2544	6087 US Highway 6	3-Dec-25	C		445(a)or(b)	Observed grease build-up on hood filters above Frijado ovens in deli kitchen at the time of inspection.	AntonioTurner
Wana Pizza Kouts	104 Railroad St	16-Dec-25	C		175(a)(3thru8)	Observed two speed racks of pizza dough uncovered in walk in cooler	Jonathan Weitgenant
Wana Pizza Kouts	104 Railroad St	16-Dec-25	C		306(b)&(c)	Observed 3d dust on fan blade covers in walk in cooler blowing over exposed pizza dough. Observed residue build up on spray nozzle at 3 bay dish sink.	Jonathan Weitgenant
Wana Pizza Kouts	104 Railroad St	16-Dec-25	C		308(a)or(b)	Observed residue on roof, plate, and door of microwave	Jonathan Weitgenant
Wana Pizza Kouts	104 Railroad St	16-Dec-25	C		400(a)	Observed dumpster lids open	Jonathan Weitgenant
Wana Pizza Kouts	104 Railroad St	16-Dec-25	C		442(a)	Observed floor tiles cracked in walk in cooler	Jonathan Weitgenant

Wendy's	2211 E Morthland Dr	9-Dec-25	Pf		359(a),(b),(c)	Observed hand sink used to dump coffee down within basin.	Noah Weber
Wendy's of Valparaiso #320	1504 Calumet Ave	10-Dec-25	C		306(b)&(c)	Observed food splatter on internal ceiling of microwave located in back of house next to frostey machine.	Noah Weber
Wendy's of Valparaiso #320	1504 Calumet Ave	10-Dec-25	C		324(a)	Observed metal bins stacked together before fully air drying on clean dish rack in back of house.	Noah Weber
White Castle #72 Valparaiso	153 Morthland Dr	11-Dec-25	C	Yes	183(a)	Observed dehydrated onion scooper handle down within food product.	Noah Weber
White Castle #72 Valparaiso	153 Morthland Dr	11-Dec-25	C		306(b)&(c)	Observed lower reach in cooler next to flat top area with water spilled within unit and onion pieces located within gasket.	Noah Weber
White Castle #72 Valparaiso	153 Morthland Dr	11-Dec-25	P		363(a)(1)	Observed water heater tank with constant drip going into floor bin.	Noah Weber