

Facility Name	Address	City	Inspection Date	Violation Type	Corrected at Time of Inspection	Code Concat	Observation	Inspector
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	Pf		214(a),(b),or(c)	Observed open half and half with no date marking in bar cooler. Observed open can of pineapple juice in south bar area with growth inside.	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed sanitizer dispenser in service sink area dispensing below compliant level of lactic acid sanitizer.	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	C		306(b)&(c)	Observed heavy build up in drain catch in south bar keg cooler. Observed cobweb build up around soda gun holster in south bar.	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	Pf		306(a)	Observed residue build up in soda nozzle of soda guns in south bar and cocktail bar. Observed presence of pest in soda gun holsters in cocktail bar area	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	C		411(a)or(b)	Observed no coving underneath cocktail bar	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	C		443(a),(b)	Observed heavy beverage residue build up underneath sink in cocktail bar	Jonathan Weitgenant
Affairs to Remember of NWI/Aberdeen Manor Ballroom	216 Ballantrae Street	Valparaiso	5-Feb-26	C		445(a)or(b)	Observed heavy dust build up in vent in hood above dish machine	Jonathan Weitgenant
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed open container of raw bacon stored above prepped cut mushrooms and whole bell peppers.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	Pf		210(a)(1)thru(a)(3)	Observed bag of alfredo and sausages being thawed in sink of still water. No flowing water was present.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	C		234(a)	Observed unsealed wood being used as a shelf in walk in cooler for kegs and tubs of food with heavy black debris build up along with an unsealed wood slab used as a divider on the top-level cheese shelving.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	C		306(b)&(c)	Observed black debris build up within bottom of beer keg cooler. Observed grease build up on fry station wheels.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	Pf		306(a)	Observed light organic pink growth on deflector blade of ice machine.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	C		442(a)	Observed back exit door gasket damaged and hanging from door frame.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	C		443(a),(b)	Observed dust accumulation on ceiling tiles located around air vents in kitchen area. Observed food splatter on ceiling located above food prep areas in kitchen.	Noah Weber
AJ's Pizza Co	3050 Matson Dr	Chesterton	27-Feb-26	Pf		456(a)	Observed no labeling on miscellaneous chemical spray bottles in kitchen area.	Noah Weber
Bao's Pastry	12 Jefferson St	Valparaiso	11-Feb-26	Pf		279(a)or(b)	Observed no readily available probe thermometer in establishment when requested	Jonathan Weitgenant
Bao's Pastry	12 Jefferson St	Valparaiso	11-Feb-26	C		400(a)	Observed shared dumpster lid open	Jonathan Weitgenant
Bao's Pastry	12 Jefferson St	Valparaiso	11-Feb-26	P		461(a)	Observed sanitizer bucket of chlorine solution in pastry serving area measuring above 200ppm	Jonathan Weitgenant

BAO's Pastry (house)	607 Lincolnway	Valparaiso	11-Feb-26	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed multiple instances of single use containers being washed and reused for food product storage	Jonathan Weitgenant
BAO's Pastry (house)	607 Lincolnway	Valparaiso	11-Feb-26	C		445(a)or(b)	Observed 3d dust and food residue build up on surface of hood vents above stove top	Jonathan Weitgenant
BAO's Pastry (house)	607 Lincolnway	Valparaiso	11-Feb-26	C	Yes	447(a)	Observed wet mop head resting down in service sink	Jonathan Weitgenant
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed shelled eggs in reach in cooler, sitting directly on top of green onions and other ready to eat foods at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C	Yes	176(a)	Observed food bins and several squirt bottles unlabeled at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		183(a)	Observed bowls used to scoop food products and observed tongs hanging from stove handle at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		185(athruf)	Observed wiping rags not stored in sanitizer buckets in between use and observed wiping rag to cover low mien noodles at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		189(a)	Observed flour, sugar, rice, egg rolls and other food items, uncovered and observed two large pots stored directly on the floor on cooks' line at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	Pf		210(a)(1)thru(a)(3)	Observed chicken being thawed in a bin of water and not under a continuous flow of water and not in the sink to allow draining at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	Pf		214(a),(b),or(c)	Observed no date marking in reach in coolers on cooks' line at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C	Yes	234(a)	Observed cardboard used to line shelves and cloth used to soak up cooking oil at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		286(a),(b),or(c)	Observed walk-in cooler leaking water into grey food bin at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizing bay at less that 20 ppm at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	Pf	Yes	359(a),(b),(c)	Observed hand sink behind register, blocked by large food cart at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		440(a)or(b)	Observed black apron stored directly on top of green onions in walk-in cooler at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		443(a),(b)	Observed grease build-up behind cooking equipment at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	C		445(a)or(b)	Observed hood filters with heavy grease build-up at the time of inspection.	AntonioTurner
Beijing Restaurant	6214 US Highway 6	Portage	20-Feb-26	P		469(b)	Observed two bottles of medication stored on rack at the time of inspection.	AntonioTurner
Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	Pf		210(a)(1)thru(a)(3)	Observed 2 buckets of fish thawing in standing water next to clean dishes in basement. Observed bus tubs of frozen fish and box of frozen lobster sitting on top of freezers near dishwashing in basement.	Jonathan Weitgenant
Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	C		286(a),(b),or(c)	Observed seal on right hand door on cooler underneath grill in bad repair preventing the door from closing fully	Jonathan Weitgenant

Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	C		306(b)&(c)	Observed heavy grease build up on roof, exhaust piping, and walls outside of the hood system on the grill side of the kitchen	Jonathan Weitgenant
Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	C		307(e)	Observed heavy residue build in soda gun holsters in bar area	Jonathan Weitgenant
Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	C		411(a)or(b)	Observed coving missing under hand wash sink and 3bay sink in basement	Jonathan Weitgenant
Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	11-Feb-26	C		445(a)or(b)	Observed heavy grease build up on ridge and inside walls of hood system	Jonathan Weitgenant
Boone Grove High School	260 S 500 W	Valparaiso	12-Feb-26	Pf	Yes	166(a)	Observed cans with dented seams on can storage rack instead of segregated for disposal	Jonathan Weitgenant
Boone Grove High School	260 S 500 W	Valparaiso	12-Feb-26	C		286(a),(b),or(c)	Observed heavy ice build up on the floor and inside a dented condensation drip tray in the outdoor temporary freezer	Jonathan Weitgenant
Brown Bag Sandwich Shop	229 W Dunes Hwy	Burns Harbor	20-Feb-26	P	Yes	213(a)(2),(b)	Observed raw slices within mini fridge within kitchen temping at 47 F for longer than four hours. Recommended to discard product.	Noah Weber
Brown Bag Sandwich Shop	229 W Dunes Hwy	Burns Harbor	20-Feb-26	Pf		281(a)	Observed no available chlorine testing strips at time of inspection.	Noah Weber
Brown Bag Sandwich Shop	229 W Dunes Hwy	Burns Harbor	20-Feb-26	C		306(b)&(c)	Observed glass sliding door in back of house with organic white growth on internal light and metal shelving.	Noah Weber
Brown Bag Sandwich Shop	229 W Dunes Hwy	Burns Harbor	20-Feb-26	C		353(a),(b),(c),or(d)	Observed no available mop sink within building.	Noah Weber
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	Pf		247(a)or(b)	Observed no ambient thermometer inside small, reach in freezer at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		284(a)or(b)	Observed mop sink with damaged seal at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		309(a)	Observed fryer wheels with grease build-up and observed soda syrup build-up around soda nozzle near drive thru window at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		436(a),(b),or(c)	Observed low light intensity in walk-in cooler, had to use flashlight to view product at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		442(a)	Observed damaged floor and wall tile in corner of cooks' line at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		443(a),(b)	Observed soda syrup on floor under soda syrup station and observed dust build-up on ceiling and on LCD screen, above hot hold area at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		445(a)or(b)	Observed hood filters with grease build-up at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	C		447(a)	Observed mop laying in soiled water in between use at the time of inspection.	AntonioTurner
Burger King #2727	2595 Willowcreek Rd	Portage	24-Feb-26	Pf		456(a)	Observed "pressure spray" bottle without a label at the time of inspection.	AntonioTurner
Chesterton Donuts / Dunkin Donuts	701 Plaza Dr	Chesterton	3-Feb-26	C		183(a)	Observed ice scooper handle down within ice.	Noah Weber
Chesterton Donuts / Dunkin Donuts	701 Plaza Dr	Chesterton	3-Feb-26	Pf		306(a)	Observed organic pink growth on edge of ice machine deflector blade.	Noah Weber
Chesterton Donuts / Dunkin Donuts	701 Plaza Dr	Chesterton	3-Feb-26	P		363(a)(1)	Observed mop sink hose dripping into overflowing bucket flowing onto floor. Observed bottom of water heater tank full of rust and leaking water onto floor. Will return to check for compliance with follow up.	Noah Weber

Chicago Street Theater Cafe	154 West Chicago Street	Valparaiso	22-Feb-26	C		221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)	Observed packaged brownies for sale with no labeling, allergens, ingredients, or contact information.	Noah Weber
Chicago Street Theater Cafe	154 West Chicago Street	Valparaiso	22-Feb-26	C		234(a)	Observed mini fridge with particle wood used as shelving within unit. Recommended to replace with non-absorbent material.	Noah Weber
Chicago Street Theater Cafe	154 West Chicago Street	Valparaiso	22-Feb-26	C		260(a),(b),(d)	Observed no ambient air thermometers within x2 mini fridge units.	Noah Weber
Chicago Street Theater Cafe	154 West Chicago Street	Valparaiso	22-Feb-26	Pf		429(a)	Observed no available hand soap at hand sink in food counter area.	Noah Weber
Chocolate Moonshine Co (sampling)	81 Horseshoe Lane	Lemont	7-Feb-26	Pf	Yes	351(a)	Observed no hand sink set up for temp event.	Noah Weber
Culver's of Chesterton	3000 Matson Dr	Chesterton	11-Feb-26	C		324(a)	Observed wet metal bins stacked together before properly air drying on clean dish rack.	Noah Weber
Days Inn	6161 US Highway 20	Portage	25-Feb-26	C		307(e)	Observed ice machine deflector with heavy pink and black buildup at the time of inspection.	AntonioTurner
Days Inn	6161 US Highway 20	Portage	25-Feb-26	C		411(a)or(b)	Observed coving missing in kitchen at the time of inspection.	AntonioTurner
Elks Lodge 500	157 Jefferson St	Valparaiso	11-Feb-26	P		317(a)	Observed dish machine not pumping sanitizer into the machine. Recommended using 3bay sink for washing and sanitizing until maintenance can be done on machine.	Jonathan Weitgenant
Family Express Corp #42	298 W US Highway 6	Valparaiso	25-Feb-26	P	Yes	213(a)(1)	Measured top of hot holding at 127F at the time of inspection.	AntonioTurner
Family Express Corp #42	298 W US Highway 6	Valparaiso	25-Feb-26	C		307(e)	Observed ice deflector chute on left hand side of Beverage Bay with black build-up at the time of inspection.	AntonioTurner
Family Express Corp #42	298 W US Highway 6	Valparaiso	25-Feb-26	P	Yes	461(a)	Measured sanitizer in 3 bays sink at greater than 500 ppm at the time of inspection.	AntonioTurner
Five Guys Burgers & Fries	6036 US Highway 6	Portage	24-Feb-26	C		307(e)	Observed pink build-up inside of both ice deflector chutes at self-serve soda stations at the time of inspection.	AntonioTurner
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		234(a)	Observed cardboard on shelves in walk in and dry storage	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		245(a)	Observed missing filter on back side of hood	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		286(a),(b),or(c)	Observed microwave with chipped metal. Observed seal damage in bar cooler	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed dish machine sanitizer measuring below 50ppm	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		306(b)&(c)	Observed residue build up on walk in walls and fan cover	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		307(e)	Observed residue build up in ice machine on chute	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		445(a)or(b)	Observed heavy grease build up in hood system, last service June 2025	Jonathan Weitgenant
Furin Japanese Restaurant	21 Lincolnway	Valparaiso	9-Feb-26	C		451(a)		Jonathan Weitgenant
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	C		183(a)	Observed ice scooper stored on top of dusty ice machine surface. Observed sugar scoopers stored on and touching oil residue on metal rack.	Noah Weber
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	C		221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)	Observed brownies for sale in front window with no labeling on product.	Noah Weber
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	C		306(b)&(c)	Observed black debris build up on mounted can opener in kitchen. Observed oil/sugar residue on sugar/salt rack in dishwashing room.	Noah Weber
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	Pf		306(a)	Observed organic growth on deflector blade within ice machine.	Noah Weber

Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	Pf		351(a)	Observed only one hand sink located in dishwashing area. Observed no conveniently placed hand sinks in kitchen areas for employee use.	Noah Weber
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	C		443(a),(b)	Observed food debris and trash on the ground of kitchen area and dish washing area.	Noah Weber
Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	5-Feb-26	C	Yes	445(a)or(b)	Observed fry station hood vents with heavy buildup of oil.	Noah Weber
George's Gyros Spot	325 N Calumet Rd	Chesterton	9-Feb-26	Pf		301(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	Pf		172(a),(b),(c),(d),(e)	Observed no saved shellfish tags for frozen mussels or clams	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C		176(a)	Observed bulk prepared food in containers with no labeling or identification	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C		183(a)	Observed metal cans being used to dispense rice from bulk containers	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26		Yes	197(a)	Observed red bull can submerged in ice in the ice machine at the server station	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed multiple instances of opened metal cans being reused for storage of eggs, seasonings, sauce, and as scoops in bulk ingredient containers	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C	Yes	306(b)&(c)	Observed grease dripping from fire suppression pipes above grill in service area	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C		324(a)	Observed multiple stacks of pans and containers with large amounts of moisture trapped between the layers	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C	Yes	400(a)	Observed both dumpsters with lids open	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	C		401(a)	Observed recycling dumpster with no drain plug	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	P	Yes	461(a)	Observed sanitizer bucket in server station and behind grill testing above 200ppm chlorine solution	Jonathan Weitgenant
Golden Buffet	1805 Lincolnway	Valparaiso	17-Feb-26	Pf		484(a)(1),(a)(3)	Observed non-conformance with approved sushi rice variance. Observed no log available with display and discard times for prepared sushi rolls. Observed no logs or equipment available to test and record pH of sushi rice	Jonathan Weitgenant
Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	6-Feb-26	C	Yes	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed open metal cans of caramel and marshmallow in walk-in cooler	Jonathan Weitgenant
Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	6-Feb-26	C	Yes	306(b)&(c)	Observed dust build up on fan blowing over cleaned utensils and equipment	Jonathan Weitgenant
Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	6-Feb-26	C		394(a)	Observed no cover for receptacle in public women's restroom	Jonathan Weitgenant
Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	6-Feb-26	C		443(a),(b)	Observed heavy grease and food residue build up under the the sink and on the walls in the dough prep room downstairs. Observed heavy build up on faucet handles on sink in dough prep room	Jonathan Weitgenant
Greek's Pizzeria Downtown LLC	59 Indiana Ave	Valparaiso	6-Feb-26	Pf	Yes	456(a)	Observed spray bottle of bleach water, soap and water, and degreaser unlabeled on shelves.	Jonathan Weitgenant
Harold Hal Kelly Respite Foundation Inc DBA Daybreak	500 Don Hovey	Valparaiso	10-Feb-26	C		307(e)	Observed black residue build up on ice tray cover in ice machine	Jonathan Weitgenant
Harold Hal Kelly Respite Foundation Inc DBA Daybreak	500 Don Hovey	Valparaiso	10-Feb-26	C		445(a)or(b)	Observed heavy grease and dust build up on vents in hood system	Jonathan Weitgenant

Hebron Elementary / Middle School	307 S Main St	Hebron	9-Feb-26	Pf		297(a)	Observed temperature of hot water sanitizing dish machine measuring at 160 degrees when tested	Jonathan Weitgenant
Hebron Elementary / Middle School	307 S Main St	Hebron	9-Feb-26	C		442(a)	Observed water damaged and absorbent ceiling tiles above dish machine. Observed ceiling tile in bad repair above open air conditioner unit near 3 bay sink	Jonathan Weitgenant
Hebron High School	509 S Main St	Hebron	9-Feb-26	Pf		166(a)	Observed multiple dented cans throughout dry storage, dents were on the body of the cans and on the rims	Jonathan Weitgenant
Hilltop Neighborhood House Mission Kitchen	608 Union St	Valparaiso	2-Feb-26	P		299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed concentration of chlorine solution in sanitizer bucket measuring less than 50 ppm	Jonathan Weitgenant
Hilltop Neighborhood House Mission Kitchen	608 Union St	Valparaiso	2-Feb-26	Pf		456(a)	Observed chemical spray bottle unlabeled in service sink area	Jonathan Weitgenant
Hudson Clark	6669 Melton Rd	Portage	26-Feb-26	C		306(b)&(c)	Observed dust build-up on fan covers at the time of inspection.	AntonioTurner
Hudson Clark	6669 Melton Rd	Portage	26-Feb-26	P		382(a)(b)	Observed no mop sink at the time of inspection.	AntonioTurner
Immanuel Lutheran School	1700 Monticello Park Dr	Valparaiso	26-Feb-26	C		306(b)&(c)	Observed ware wash spray nozzle face with black residue.	Noah Weber
Jimmy's Caf��	55 Michigan Ave	Valparaiso	6-Feb-26	C		183(a)	Observed wood bowls being used as a scoop in bulk containers of lentils and sugar in back storage room	Jonathan Weitgenant
Jimmy's Caf��	55 Michigan Ave	Valparaiso	6-Feb-26	Pf		214(a),(b),or(c)	Observed sliced ham in cooler with no date marking	Jonathan Weitgenant
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		189(a)	Observed ready to eat bread set out uncovered on shelving behind coffee counter in need of covering to protect from dust and debris.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	Pf	Yes	301(a)	Observed chlorine testing strips damaged and with no visible expiration date.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		306(b)&(c)	Observed prep top with residue and food debris within gasket and internal walls on unit. Observed grease accumulation on back wall of cook line and on the top and side sections of the wall mounted broiler.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		324(a)	Observed metal bins stacked together before properly air drying.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		363(a)(2)	Observed basement with minor water leakage coming from ceiling.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		443(a),(b)	Observed floors, walls, and ceilings covered with dust and flour within kitchen. Observed large amounts of organic growth on floor of walk in basement cooler and with duck mat in walk in along with broken glass. Observed dark residue on wooden fan cover within walk in cooler. Observed ceiling air vents in kitchen with large amounts of dust/flour. Observed pool of grease on floor underneath cook line. Observed food splatter on walls next to hand sink in cook line of kitchen.	Noah Weber
Joe's Bread	225 S Calumet Rd	Chesterton	25-Feb-26	C		445(a)or(b)	Observed hood vent above bread oven caked with flour in need of cleaning.	Noah Weber
Lil Red Catering, LLC dba The Design Barn	312 North Madison Street	Hebron	4-Feb-26	Pf	Yes	166(a)	Observed exploded cans of soda in cooler near kitchen	Jonathan Weitgenant
Lil Red Catering, LLC dba The Design Barn	312 North Madison Street	Hebron	4-Feb-26	Pf		281(a)	Observed no testing strips for quat sanitizing tablets in kitchen	Jonathan Weitgenant

Lil Red Catering, LLC dba The Design Barn	312 North Madison Street	Hebron	4-Feb-26	C	Yes	394(a)	Observed no covered trash cans in bathrooms near the shop	Jonathan Weitgenant
Lincoln Flats	1 Napoleon St	Valparaiso	12-Feb-26	Pf	Yes	166(a)	Observed multiple cans of food product in basement dry storage heavily dented on rim and body.	Jonathan Weitgenant
Lincoln Flats	1 Napoleon St	Valparaiso	12-Feb-26	Pf	Yes	214(a),(b),or(c)	Observed containers of food product dated from December in walk in cooler and on line.	Jonathan Weitgenant
Lincoln Flats	1 Napoleon St	Valparaiso	12-Feb-26	C		306(b)&(c)	Observed heavy residue build up on shelves and walls near condenser unit of upstairs walk in cooler	Jonathan Weitgenant
Lincoln Flats	1 Napoleon St	Valparaiso	12-Feb-26	C		307(e)	Observed heavy residue build up on ice deflector shield in basement ice machine	Jonathan Weitgenant
Lincoln Flats	1 Napoleon St	Valparaiso	12-Feb-26	C		411(a)or(b)	Observed missing and peeling coving in walk in cooler downstairs under the condenser unit	Jonathan Weitgenant
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	C		284(a)or(b)	Observed damaged seal behind 3 bays at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	Pf		306(a)	Observed heavy build-up on and around stationary can opener blade at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	Pf		347(a)	Measured hand sink temperature at 53F at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	C		411(a)or(b)	Observed damaged and missing coving in walk-in cooler at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	C		421(a)or(d)	Observed gap along bottom of back door at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	C		443(a),(b)	Observed black build-up on floor under 3 bays at the time of inspection.	AntonioTurner
Little Caesars Pizza-Portage	6321 Central Ave	Portage	26-Feb-26	P		457(a)	Observed equipment cleaner sitting out on prep table at the time of inspection.	AntonioTurner
Little Caesars Pizza-Valparaiso	2500 N Calumet Ave Suite C	Valparaiso	4-Feb-26	C		306(b)&(c)	Observed spray nozzle face at 3 bay sink with buildup. Observed green metal rack located outside of walk-in cooler with oil accumulation in need of cleaning.	Noah Weber
Little Caesars Pizza-Valparaiso	2500 N Calumet Ave Suite C	Valparaiso	4-Feb-26	C		440(a)or(b)	Observed personal cell phone being stored on top of pizza assembly line.	Noah Weber
Loyal Order of Moose 1357 / Valparaiso	108 Indiana Ave	Valparaiso	11-Feb-26	Pf		281(a)	Observed no quat testing strips readily available at bar or kitchen	Jonathan Weitgenant
Loyal Order of Moose 1357 / Valparaiso	108 Indiana Ave	Valparaiso	11-Feb-26	Pf		306(a)	Observed spilled powdered mashed potatoes and mouse droppings in drawer in kitchen	Jonathan Weitgenant
Loyal Order of Moose 1357 / Valparaiso	108 Indiana Ave	Valparaiso	11-Feb-26	C		411(a)or(b)	Observed coving peeling or missing from kitchen	Jonathan Weitgenant
Loyal Order of Moose 1357 / Valparaiso	108 Indiana Ave	Valparaiso	11-Feb-26	Pf		430(a)	Observed no hand towels available in kitchen near hand sink	Jonathan Weitgenant
Loyal Order of Moose 1357 / Valparaiso	108 Indiana Ave	Valparaiso	11-Feb-26	C		442(a)	Observed ceiling tile above hand sinks in womens restrooms sagging, stained, and softened from water	Jonathan Weitgenant
Main & Lincoln	210 E Lincolnway	Valparaiso	10-Feb-26	C		151(a)	Observed two prep cooks with no hair restraint while prepping food	Jonathan Weitgenant
Main & Lincoln	210 E Lincolnway	Valparaiso	10-Feb-26	Pf		359(a),(b),(c)	Observed bar mats in hand sink in bar area obstructing hand washing operations.	Jonathan Weitgenant
Main & Lincoln	210 E Lincolnway	Valparaiso	10-Feb-26	C		386(a)	Observed water draining from pipe into cut out section of floor near foundation in basement	Jonathan Weitgenant
Main & Lincoln	210 E Lincolnway	Valparaiso	10-Feb-26	C		443(a),(b)	Observed soda syrup on ground under soda boxes in basement near keg cooler	Jonathan Weitgenant

Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		175(a)(3thru8)	Observed uncovered containers of prepared and raw food on floor in walk in cooler	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed reuse of thin plastic single use containers for storage or food product	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		306(b)&(c)	Observed heavy food residue and black residue growth on shelving in pepsi cooler on cook line	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		308(a)or(b)	Observed heavy food residue build up in both microwaves present on cook line	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		442(a)	Observed absorbent tiles above hood system blackened and sagging. Observed leaks through roof in women's restroom. Observed leak in basement with standing water	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		443(a),(b)	Observed spill of soda syrup under bar ice bin soaking into wall. Observed heavy food residue build up under dish machine in bar area	Jonathan Weitgenant
Martinis	1004 Calumet Ave	Valparaiso	20-Feb-26	C		445(a)or(b)	Observed heavy residue build up in the hoods and piping in hood above cook line	Jonathan Weitgenant
McDonalds #5497	364 W US Highway 6	Valparaiso	6-Feb-26	C		289(a)	Observed water sprayer with brown buildup around nozzle at the time of inspection.	AntonioTurner
McDonalds #5497	364 W US Highway 6	Valparaiso	6-Feb-26	C		443(a),(b)	Observed food buildup on bottom of mop sink at the time of inspection.	AntonioTurner
McDonalds #25300	2610 Laporte Ave	Valparaiso	2-Feb-26	C		286(a),(b),or(c)	Observed soda residue leaking and pooling in cabinets underneath beverage dispenser in dining room	Jonathan Weitgenant
McDonalds #25300	2610 Laporte Ave	Valparaiso	2-Feb-26	P		317(a)	Observed dish machine measuring at 108 degrees for wash, rinse, and sanitize cycles.	Jonathan Weitgenant
McDonalds #25300	2610 Laporte Ave	Valparaiso	2-Feb-26	C		324(a)	Observed moisture trapped between stacked containers on storage shelf	Jonathan Weitgenant
McDonalds #25300	2610 Laporte Ave	Valparaiso	2-Feb-26	C		442(a)	Observed wood under beverage dispenser in dining room with heavy black residue build up	Jonathan Weitgenant
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		151(a)	Observed no hair restraint on employee and no beard guard on another employee while doing food prep.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	P	Yes	154(a),(b)	Observed brie cheese not date marked after opening with orange clumps of organic growth. Observed swiss cheese with green and black organic growth within in silver reach in cooler.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed cooked potatoes and cooked shrimp stored underneath raw shellfish within reach in cooler.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C	Yes	189(a)	Observed ap flour and other dry goods stored in tubs on floor of kitchen located next to in use buckets of toxic chemicals. Observed dish machine chlorine stored next to bottom shelf of dry goods/ingredients.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	Pf		214(a),(b),or(c)	Observed butter milk opened and not date marked.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		234(a)	Observed exposed particle wood located underneath front of house fish display with no sealant and with damage releasing splinters.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	Pf		247(a)or(b)	Observed ambient air thermometer in front glass reach in display temping 10 degrees F over actual temp.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C	Yes	260(a),(b),(d)	Observed no ambient air temperature device located within cheese/veggie reach in cooler.	Noah Weber

McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	Pf		281(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		306(b)&(c)	Observed green organic growth on bottom of large open fish display.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		324(a)	Observed multiple large plastic bins stacked together before fully air drying.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		328(a)&(c)	Observed utensils and equipment stored in open bin located on floor of kitchen. Observed ready to use plates and bowls stored on top prep counter not inverted or covered.	Noah Weber
McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	2-Feb-26	C		453(a)	Observed dry goods/spice rack located in corner of kitchen with excess clutter. Observed basement with excess items and clutter blocking space and located on floor.	Noah Weber
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	C		155(c),(f),(g)	Observed tamales purchased from a store without proper labeling at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	Pf		214(a),(b),or(c)	Observed no date marking on house made soups at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	C		302(a)	Observed dull blade on stationary can opener blade causing metal shavings to build-up at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	C	Yes	419(a)or(b)	Observed fly strip hanging above food prep area at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	C		420(a)or(b)	Observed both men's and women's rest room doors without self-closing mechanisms at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	Pf	Yes	430(a)	Observed no paper towel at hand sink on cooks' line at the time of inspection.	AntonioTurner
Mexico Lindo 2 Inc	5908 US Highway 6	Portage	3-Feb-26	C		443(a),(b)	Observed ceiling vent above cooks' line with dust build-up at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	C		183(a)	Observed tongs hanging from food cart on cooks' line at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	C		286(a),(b),or(c)	Observed walk-in freezer with heavy ice build-up around motor at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	C		302(a)	Observed stationary can opener blade, dull, with metal shavings built-up at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	C		306(b)&(c)	Observed stationary can opener blade with dried, food residue at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	C		308(a)or(b)	Observed inside of microwave with 3d food residue at the time of inspection.	AntonioTurner
Miller's Senior Living	5911 Lute Rd	Portage	24-Feb-26	P		348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	AntonioTurner
Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	3-Feb-26	C		183(a)	Observed plastic quart container inside a bulk storage bin in back storage room	Jonathan Weitgenant
Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	3-Feb-26	Pf		214(a),(b),or(c)	Observed no date marking on containers in deli top cooler or inside cooler on various food items	Jonathan Weitgenant
Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	3-Feb-26	P		226(a)(1)	Observed bulk dry rice stored in non-NSF compliant trash can in storage area	Jonathan Weitgenant
Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	3-Feb-26	C		442(a)	Observed ceiling tiles stained and a ceiling tile sagging (exposing insulation) in back storage room. Observed water leaking in from melting ice outside back door	Jonathan Weitgenant
Morgan Township Elementary, High School	299 South State Road 49	Valparaiso	18-Feb-26	C		306(b)&(c)	Observed heavy dust and residue build up on ceiling and light fixtures in walk in cooler	Jonathan Weitgenant

Musashi Japanese Restaurant	757 Indian Boundary Rd Ste 1	Chesterton	10-Feb-26	C		183(a)	Observed deli cup being used as scooper down within tea bin and corn starch bag. Observed metal tongs and ladle being stored on oven handle within cook line.	Noah Weber
Musashi Japanese Restaurant	757 Indian Boundary Rd Ste 1	Chesterton	10-Feb-26	P		226(a)(1)	Observed raw fish being prepared on carboard and piece of Styrofoam.	Noah Weber
Musashi Japanese Restaurant	757 Indian Boundary Rd Ste 1	Chesterton	10-Feb-26	C	Yes	440(a)or(b)	Observed Starbucks coffee being stored on clean dish rack.	Noah Weber
Northside Tap Room	712 Calumet Ave	Valparaiso	20-Feb-26	C		306(b)&(c)	Observed heavy 3d dust build up in the fan blade covers in kitchen walk in cooler	Jonathan Weitgenant
Northside Tap Room	712 Calumet Ave	Valparaiso	20-Feb-26	C		307(e)	Observed heavy residue build up in both ice machines	Jonathan Weitgenant
Northside Tap Room	712 Calumet Ave	Valparaiso	20-Feb-26	C		308(a)or(b)	Observed food residue build up in the microwave in the bar kitchen area	Jonathan Weitgenant
Northside Tap Room	712 Calumet Ave	Valparaiso	20-Feb-26	P		354(a)	Observed no backflow prevention device on water source providing water for chemical dispenser	Jonathan Weitgenant
Northside Tap Room	712 Calumet Ave	Valparaiso	20-Feb-26	C		363(a)(2)	Observed spray nozzle leaking in 3bay sink in bar kitchen	Jonathan Weitgenant
Outlaw Coffee House	105 W Sigler	Hebron	4-Feb-26	Pf		214(a),(b),or(c)	Observed no date marking on large iced coffee container or dessert in fridge.	Jonathan Weitgenant
Outlaw Coffee House	105 W Sigler	Hebron	4-Feb-26	C		306(b)&(c)	Observed heavy beverage residue build up in reach in cooler and on deli top cooler. Observed coffee ground build up on ground and on equipment.	Jonathan Weitgenant
Outlaw Coffee House	105 W Sigler	Hebron	4-Feb-26	Pf		306(a)	Observed milk steaming wand stored down in a cup of cloudy water with milk residue still on steaming stem	Jonathan Weitgenant
Outlaw Coffee House	105 W Sigler	Hebron	4-Feb-26	Pf		430(a)	Observed no paper towels available at handwashing station in coffee preparation area	Jonathan Weitgenant
Parea	69 Franklin St	Valparaiso	3-Feb-26	P	Yes	215(a)or(b)	Observed containers of house made dressings and sauces in cooler on line that were dated from December and early January.	Jonathan Weitgenant
Parea	69 Franklin St	Valparaiso	3-Feb-26	C		307(e)	Observed beverage residue build up inside beverage dispenser nozzles upstairs in event space	Jonathan Weitgenant
Parea	69 Franklin St	Valparaiso	3-Feb-26	P		317(a)	Observed hot water sanitizing dishwasher measuring at 170 degrees	Jonathan Weitgenant
Parea	69 Franklin St	Valparaiso	3-Feb-26	P	Yes	461(a)	Observed sanitizer bucket on the line measuring above 200ppm chlorine solution	Jonathan Weitgenant
Portage BP - DBA Gasco	6090 Central Ave	Portage	24-Feb-26	C		309(a)	Observed all fan covers in with heavy dust build-up at the time of inspection.	AntonioTurner
Red Cup CafÃ© & Deli	117 Broadway	Chesterton	9-Feb-26	C		183(a)	Observed ice scooper stored on top of ice machine unit.	Noah Weber
Red Cup CafÃ© & Deli	117 Broadway	Chesterton	9-Feb-26	C		363(a)(2)	Observed pvc pipe underneath 3 bay sink with minor drip going onto floor.	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	Pf		214(a),(b),or(c)	Observed buttermilk container opened and not date marked in bar cooler.	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	Pf		281(a)	Observed no quat or chlorine sanitizer testing strips at time of inspection.	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed chemical dish machine testing at Oppm at time of inspection.	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	C		306(b)&(c)	Observed organic green and white growth on most beer tubing and pipe insulation within bar walk in cooler.	Noah Weber

Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	Pf		306(a)	Observed ice machine with organic pink growth on both bottom corners of ice deflector blade	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	C		324(a)	Observed cleaned dishes being dried with cloth in dish area, employee reusing same cloth for each dish.	Noah Weber
Root & Bone	600 Gateway Blvd	Chesterton	17-Feb-26	C		443(a),(b)	Observed dust accumulation on ceiling tiles near air vents in kitchen area.	Noah Weber
Rush Hour Foods	1598 S Calumet Rd	Chesterton	9-Feb-26	C		306(b)&(c)	Observed soda machine ice dispenser with pink organic growth on plunger system.	Noah Weber
Rush Hour Foods	1598 S Calumet Rd	Chesterton	9-Feb-26	C		442(a)	Observed floor coving behind fry unit detached with excess food debris accumulating.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored above ready to eat cheese within walk in cooler.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		210(b)	Observed ROP fish still within packaging after being thawed from frozen.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		234(a)	Observed cardboard used as shelf liner at cook line soiled with oil.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	Pf		306(a)	Observed soda gun in bar with debris accumulation within nozzle.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		324(a)	Observed metal and plastic bins stacked together without properly air drying on clean dish rack.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	Pf	Yes	359(a),(b),(c)	Observed kitchen hand sink with soap bin down within basin.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		386(a)	Observed standing water in floor corner underneath prep sink located by office with no proper drainage.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		421(a)or(d)	Observed screen door in back of house in need of new door sweep with gap in bottom section.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	Pf	Yes	429(a)	Observed no hand soap at bar hand sink.	Noah Weber
San Jose Mexican Restaurant	3907 N Calumet Ave#203	Valparaiso	18-Feb-26	C		445(a)or(b)	Observed hood vent with oil dripping from sides of unit.	Noah Weber
Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	3-Feb-26	Pf	Yes	166(a)	Observed several heavily dented cans of tomatoes on can storage shelf	Jonathan Weitgenant
Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	3-Feb-26	C	Yes	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed cans of pineapple juice and sliced jalapenos in walk in cooler opened on sunday still in original container	Jonathan Weitgenant
Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	3-Feb-26	C		234(a)	Observed soiled cardboard used on storage shelves in walk in cooler	Jonathan Weitgenant
Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	3-Feb-26	C		400(a)	Observed dumpster lids open	Jonathan Weitgenant
Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	3-Feb-26	P		461(a)	Observed sanitizer bucket on cook line testing over 200ppm chlorine solution	Jonathan Weitgenant
Smoothie King Chesterton	301 Indian Boundary Road	Chesterton	3-Feb-26	Pf		306(a)	Observed pink and black organic growth on internal ceiling of ice machine.	Noah Weber
Smoothie King Chesterton	301 Indian Boundary Road	Chesterton	3-Feb-26	C	Yes	400(a)	Observed dumpster lids left open upon inspection.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	Valparaiso	18-Feb-26	C		306(b)&(c)	Observed heavy dust build up in cooler fans and fan blade cover in walk in cooler in the upstairs cooler	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C		151(a)	Observed cook making burgers with no hair restraint	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C	Yes	183(a)	Observed knife stored between steam table and deli top with food residue on blade	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C		286(a),(b),or(c)	Observed ice cream machine leaking. Observed soda machine at to-go window leaking	Jonathan Weitgenant

Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C		306(b)&(c)	Observed heavy food residue splatter on underside of shelf above dressing station	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	P		317(a)	Observed no sanitizer running through dish machine after 2 attempts	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C		411(a)or(b)	Observed broken coving tiles throughout kitchen	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	C		443(a),(b)	Observed heavy build up of food residue behind ice cream machine. Observed water build up behind ice machine and soda storage shelf	Jonathan Weitgenant
Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	17-Feb-26	P	Yes	461(a)	Observed dispensed quat sanitizer over 200ppm in bucket at to-go station	Jonathan Weitgenant
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	C		289(a)	Observed two water sprayers with build-up around and on nozzles at the time of inspection.	AntonioTurner
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	C		306(b)&(c)	Observed grease build-up on fryer wheels at the time of inspection.	AntonioTurner
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	Pf		306(a)	Observed food residue build-up on stationary can opener blade at the time of inspection.	AntonioTurner
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	C	Yes	440(a)or(b)	Observed cell phone sitting on prep table in deli area at the time of inspection.	AntonioTurner
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	C		443(a),(b)	Observed heavy grease build-up under donut fryer at the time of inspection.	AntonioTurner
Strack & Van Til Food Market	6046 Central Ave	Portage	27-Feb-26	Pf	Yes	456(a)	Observed spray bottle in deli area, unlabeled at the time of inspection.	AntonioTurner
Subway 5106	705 Plaza Dr	Chesterton	10-Feb-26	C	Yes	306(b)&(c)	Observed black build up on spray nozzle face at 3 bay sink.	Noah Weber
Subway dba Mmm Yummy LLC	600 Gateway Blvd	Chesterton	25-Feb-26	C		306(b)&(c)	Observed organic green fuzzy growth on metal racks within walk in cooler. Observed organic growth on top surface of dough proofing box.	Noah Weber
Sullons Catering and Events, LLC @ Lil Red Rooster	312 North Madison Street	Hebron	17-Feb-26	Pf		273(a)	Observed low boy cooler in truck measuring at 56 degrees. Verified with two probe thermometers and internal ambient thermometer	Jonathan Weitgenant
Sullons Catering and Events, LLC @ Lil Red Rooster	312 North Madison Street	Hebron	17-Feb-26	P	Yes	459(a)(2),(a)(3),or(b)	Observed can of residential only raid in food truck above 3 bay sink and hand sink	Jonathan Weitgenant
Taco Bell #3002077	702 Plaza Dr	Chesterton	10-Feb-26	C		306(b)&(c)	Observed clean dish rack soiled with oil dripping onto cleaned pans resulting from oil covered fry baskets located on the top shelf. Observed organic green growth on soda machine underbelly in kitchen drive through window.	Noah Weber
Taco Bell #3002077	702 Plaza Dr	Chesterton	10-Feb-26	C		443(a),(b)	Observed grease accumulation on back wall and piping located behind fry station	Noah Weber
Teazentea Valpo LLC	206 Lincolnway	Valparaiso	18-Feb-26	C	Yes	307(e)	Observed black residue build up on ice deflector and ice chute in ice machine	Jonathan Weitgenant
Teazentea Valpo LLC	206 Lincolnway	Valparaiso	18-Feb-26	Pf	Yes	456(a)	Observed two bottles of unlabeled chemicals in spray bottles in kitchen prep area	Jonathan Weitgenant
The Bait Shop	5308 N Calumet Ave	Valparaiso	18-Feb-26	Pf		306(a)	Observed minor organic black growth within ice machine internal walls.	Noah Weber
The Bait Shop	5308 N Calumet Ave	Valparaiso	18-Feb-26	C		407(a)	Observed paint peeling off wall behind 3 bay sink.	Noah Weber
Tiger Lily Cafe	1505-2 S Calumet Rd, Suite 2	Chesterton	11-Feb-26	Pf		214(a),(b),or(c)	Observed open milk container within baking cooler with no date marking after being opened for longer than 24 hours.	Noah Weber
Tiger Lily Cafe	1505-2 S Calumet Rd, Suite 2	Chesterton	11-Feb-26	C	Yes	400(a)	Observed dumpster open at time of inspection.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken wings being stored on shelf next to romaine lettuce and above ready to eat food	Jonathan Weitgenant

Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C	Yes	183(a)	Observed plastic 4oz souffle cups being used to scoop coleslaw and black beans in kitchen	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	Pf		214(a),(b),or(c)	Observed no date marking on containers of food product in reach in coolers on line or sliding door cooler in kitchen	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		234(a)	Observed heavily soiled cardboard being used on shelves in secondary bar cooler	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		286(a),(b),or(c)	Observed floor of walk in cooler rusted and in bad repair	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		307(e)	Observed black residue build up inside ice machine in joints between deflector shield and wall of machine	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		400(a)	Observed dumpster lid opened	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		411(a)or(b)	Observed no coving in secondary bar or along wall under ice bin in main bar	Jonathan Weitgenant
Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	5-Feb-26	C		443(a),(b)	Observed 3d dust build up on ceiling tiles above cook line near hood. Observed residue build up on roof, walls, and equipment in walk in cooler outside	Jonathan Weitgenant
Travel Centers of America #220	1441 W US Highway 20	Porter	20-Feb-26	Pf	Yes	306(a)	Observed soda machine ice dispenser with organic growth.	Noah Weber
Travel Centers of America/Popeyes & Taco Bell	1441 W US Highway 20	Porter	20-Feb-26	C		306(b)&(c)	Observed organic black growth on soda machine underbelly. Observed food splatter on internal ceiling of microwave in Popeye's section. Observed organic growth on metal storage racks of Popeye's raw chicken storage within walk in cooler.	Noah Weber
Travel Centers of America/Popeyes & Taco Bell	1441 W US Highway 20	Porter	20-Feb-26	Pf		306(a)	Observed soda machine ice dispenser with heavy organic black growth in food seating area.	Noah Weber
Travel Centers of America/Popeyes & Taco Bell	1441 W US Highway 20	Porter	20-Feb-26	C		324(a)	Observed metal bins stacked together before properly air drying on clean dish rack in Taco Bell section.	Noah Weber
Valparaiso Culinary	653 Hayes Leonard Rd	Valparaiso	17-Feb-26	P	Yes	215(a)or(b)	Observed container of applesauce in cooler dated from September 11th with growth inside	Jonathan Weitgenant
Valparaiso Culinary	653 Hayes Leonard Rd	Valparaiso	17-Feb-26	P		317(a)	Observed sanitizer in dishwasher not measuring above 10ppm chlorine solution	Jonathan Weitgenant
Valparaiso Culinary	653 Hayes Leonard Rd	Valparaiso	17-Feb-26	C		353(a),(b),(c),or(d)	Observed no service sink for use in dumping waste mop water, informed that water was being dumped in the grass outside	Jonathan Weitgenant
Valparaiso Culinary	653 Hayes Leonard Rd	Valparaiso	17-Feb-26	C		411(a)or(b)	Observed coving missing under garbage disposal sink	Jonathan Weitgenant
Valparaiso Thomas Jefferson Middle School	1600 Roosevelt Rd	Valparaiso	24-Feb-26	C		443(a),(b)	Observed 3D dust accumulation on air vent located above dish washing machine.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		189(a)	Observed flour and sugar bins stored on floor of dry storage area.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	P	Yes	213(a)(1)	Observed hot holding table with Italian beef temping at 90 degrees F.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		306(b)&(c)	Observed mounted can opener with heavy black food build up with metal shavings. Observed organic growth on top of stagnant water within bottom of keg cooler in bar area.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		324(a)	Observed metal bins stacked together before properly air drying.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		353(a),(b),(c),or(d)	Observed no available service sink installed within facility.	Noah Weber

Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		442(a)	Observed floor damaged with exposed wood in kitchen area. Observed hole in ceiling above pizza oven with exposed insulation.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	C		443(a),(b)	Observed wall soiled with yellow oil above prep top cooler. Observed ceiling food splatter above prep top in kitchen.	Noah Weber
Val's Famous Pizza & Grinders	112 S 11th St	Chesterton	26-Feb-26	P	Yes	461(a)	Observed quat spray bottle testing over 500 ppm at time of inspection.	Noah Weber
Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	24-Feb-26	Pf		301(a)	Observed quat and chlorine testing strips damaged and with no visible expiration dates and containers. Recommend getting new testing strips.	Noah Weber
Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	24-Feb-26	C		306(b)&(c)	Observed green and white organic fuzzy growth on walk in green metal racks in need of cleaning. Observed food and sauce debris on internal surfaces of silver fridge unit. Observed food debris on bottom of freezer section in silver fridge unit. Observed large amount of food debris accumulation on top of pizza oven. Observed ware wash face of spray nozzle with black growth next to dish machine.	Noah Weber
Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	24-Feb-26	Pf		306(a)	Observed ice machine deflector blade with organic pink growth.	Noah Weber
Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	24-Feb-26	C	Yes	363(a)(2)	Observed green hose on wall located next to hand sink dripping onto tile floor. Observed hand sink plumbing dripping onto tile floor.	Noah Weber
Villa Nova Pizzeria & Bistro	213 Broadway	Chesterton	24-Feb-26	C		443(a),(b)	Observed debris accumulation on floor of walk in cooler and in kitchen area in need of cleaning. Observed flour clinging onto wall behind dough press machine.	Noah Weber
Walmart Store #1479	2400 Morthland Dr	Valparaiso	19-Feb-26	C		443(a),(b)	Observed heavy 3d dust accumulation on fan blade covers in butcher room, walk in cooler & freezer for online orders, and deli area	Jonathan Weitgenant
Washington Township Middle & High School	381 E State Road 2	Valparaiso	12-Feb-26	C		306(b)&(c)	Observed walk in cooler fan covers with black growth. Observed black insulation foam on piping leading to fan unit within walk in cooler covered in black and green growth.	Noah Weber
Washington Township Middle & High School	381 E State Road 2	Valparaiso	12-Feb-26	C		324(a)	Observed large plastic bins stacked together before fully airdrying.	Noah Weber
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	C		185(athruf)	Observed no white wiping rags inside of any sanitizer buckets at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	P	Yes	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured two sanitizer buckets at less than 10 ppm at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	C		306(b)&(c)	Observed heavy grease build-up behind fryer station at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	P		317(a)	Measured parts per million at ware washing machine to be less than 10 at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	Pf		359(a),(b),(c)	Observed hand sink next to three bays being used by employees to fill water pitcher at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	P		363(a)(1)	Observed urinal in men's restroom not in good repair, manager will put out of order sign until maintenance repairs are fulfilled.	AntonioTurner

Wendy's of Portage #321	2675 Willowcreek Rd	Portage	25-Feb-26	C		443(a),(b)	Observed wall behind out of order grill with heavy black build-up at the time of inspection.	AntonioTurner
-------------------------	---------------------	---------	-----------	---	--	------------	--	---------------