

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Aaron's Mortgage Inn	1400 Broadway	01/16/26	183(a)	Observed ice scoop stored on top of dust covered ice machine.	C		Noah Weber
Aaron's Mortgage Inn	1400 Broadway	01/16/26	281(a)	Observed no available quat testing strips at location.	Pf		Noah Weber
Aaron's Mortgage Inn	1400 Broadway	01/16/26	306(a)	Observed ice machine with black organic growth on deflector blade on top section.	Pf		Noah Weber
Aaron's Mortgage Inn	1400 Broadway	01/16/26	442(a)	Observed walk in cooler with exposed insulation on walls and ceiling in need of repair.	C		Noah Weber
American Legion #94	4 Monroe St	01/27/26	279(a)or(b)	Observed no readily available probe thermometer in kitchen or bar	Pf	Yes	Jonathan Weitgenant
American Legion #94	4 Monroe St	01/27/26	306(b)&(c)	Observed pink residue build up in soda gun holster at bar	C		Jonathan Weitgenant
American Legion #94	4 Monroe St	01/27/26	307(e)	Observed residue build up on inside of soda gun nozzle at bar. Observed black residue build up on internal components of ice machine.	C		Jonathan Weitgenant
Aurelio's Is Pizza	265 Morthland Dr	01/29/26	281(a)	Observed no test strips for sanitizer at three bay sink	Pf		Jonathan Weitgenant
Aurelio's Is Pizza	265 Morthland Dr	01/29/26	282(a)or(b)	Observed no bleach or quat sanitizer available for three bay sink.	Pf	Yes	Jonathan Weitgenant
Aurelio's Is Pizza	265 Morthland Dr	01/29/26	411(a)or(b)	Observed coving missing from wall junction behind table in dough prep and slicer area. Observed coving missing on wall near front register	C		Jonathan Weitgenant
Aurelio's Is Pizza	265 Morthland Dr	01/29/26	420(a)or(b)	Observed employee bathroom door open and leading into kitchen. Observed no self closing mechanism attached to employee restroom door	C		Jonathan Weitgenant
Be Good Juicerie	259 Indiana Ave Suite C	01/16/26	347(a)	Observed hand sink hot water handle loose and unable to provide hot water for hand washing.	Pf		Jonathan Weitgenant
Bento Bowls	1330 E Lincolnway	01/29/26	214(a),(b),or(c)	Observed containers of food held more than 24 hours with no date marking on the salad line	Pf		Jonathan Weitgenant
Bento Bowls	1330 E Lincolnway	01/29/26	223(a),(b),or(c)	Observed no consumer advisory on main menu in restaurant or paper printed menus	Pf	Yes	Jonathan Weitgenant
Bento Bowls	1330 E Lincolnway	01/29/26	307(e)	Observed residue build up on the house in the ice machine	C		Jonathan Weitgenant
Bento Bowls	1330 E Lincolnway	01/29/26	400(a)	Observed dumpster lids open	C		Jonathan Weitgenant
Best Western University Inn	760 Morthland Dr	01/27/26	246(a)or(b)	Observed provided probe thermometer reading ~15 degrees lower when compared to inspectors thermometer	Pf		Jonathan Weitgenant
Best Western University Inn	760 Morthland Dr	01/27/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Biggby Coffee	3091 Village Pt Dr.	01/17/26	306(a)	Observed ice machine with organic black growth on deflector blade.	Pf		Noah Weber
Biggby Coffee	3091 Village Pt Dr.	01/17/26	348(a)	Observed mop sink hose below flood rim at time of inspection.	P		Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	226(a)(1)	Observed heavy pitting, scoring, and "non-stick" type material falling off of non-stick sheet trays	P		Jonathan Weitgenant
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	297(a)	Observed dish machine measuring at 170 degrees when tested	Pf		Jonathan Weitgenant
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	306(b)&(c)	Observed heavy grease build up under flat tops and fryers on cook line. Observed heavy build up on wheel guards and green shelves in the walk in cooler. Observed food residue build up on the upper surface of the juice dispensing machine.	C		Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	308(a)or(b)	Observed the 4 microwaves on the line with food residue build up on the roof, walls, corners, and vents	C		Jonathan Weitgenant
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	429(a)	Observed hand soap dispenser in mens restroom inoperable	Pf		Jonathan Weitgenant
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	440(a)or(b)	Observed pack of cigarettes stored on the shelf above the pie and ice cream area	C	Yes	Jonathan Weitgenant
Bob Evans Restaurants #247	2201 Morthland Dr	01/27/26	443(a),(b)	Observed heavy grease build up beside the fryers and underneath the cook line	C		Jonathan Weitgenant
Buffalo Wild Wings	212 Lincolnway Ste 101	01/16/26	185(athruf)	Observed sanitizer buckets on ground throughout kitchen and server areas	C		Jonathan Weitgenant
Buffalo Wild Wings	212 Lincolnway Ste 101	01/16/26	324(a)	Observed moisture trapped between stacked hotel pans on a storage shelf near dishwashing machine	C		Jonathan Weitgenant
Buffalo Wild Wings	212 Lincolnway Ste 101	01/16/26	416(a)	Observed missing ceiling tiles in the dry storage area	C		Jonathan Weitgenant
Buffalo Wild Wings	212 Lincolnway Ste 101	01/16/26	443(a),(b)	Observed 3d dust build up on ceiling vent above dry storage shelves	C		Jonathan Weitgenant
Casey's General Store #3462	215 N Main St	01/21/26	307(e)	Observed residue build up in the dispensing nozzle of cold brew machine and casey's refresher machine	C		Jonathan Weitgenant
Casey's General Store #3462	215 N Main St	01/21/26	400(a)	Observed both dumpster lids open	C		Jonathan Weitgenant
Casey's General Store #3462	215 N Main St	01/21/26	445(a)or(b)	Observed grease build up in hood system above fryer and pizza oven.	C		Jonathan Weitgenant
Chaparritas Express Mexican Food	1603 E Lincolnway Suite A	01/30/26	148(a)	Observed open mug of coffee being kept on prep surface next to raw chicken and beef	C	Yes	Jonathan Weitgenant
Chaparritas Express Mexican Food	1603 E Lincolnway Suite A	01/30/26	281(a)	Observed chlorine test strips but no quat strips available when requested for testing 3 bay sanitizer concentration	Pf		Jonathan Weitgenant
Chaparritas Express Mexican Food	1603 E Lincolnway Suite A	01/30/26	284(a)or(b)	Observed no seal on hand sink next to stove top burners	C		Jonathan Weitgenant
Chaparritas Express Mexican Food	1603 E Lincolnway Suite A	01/30/26	442(a)	Observed floor tiles loose and moving in dish area and other tiles peeling off floor throughout establishment	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	189(a)	Observed open containers of sauces, bean sprouts, and other food stored on floor in kitchen/dish area and in walk in cooler	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	210(a)(1)thru(a)(3)	Observed thawing shrimp in sink with no running water	Pf		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	213(a)(2),(b)	Observed line cooler with produce measuring at 48 degrees. Observed reach in cooler near walk in measuring at 45 degrees. Observed product in walk in cooler measuring at 46 degrees.	P		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed metal cans being reused for storage throughout the kitchen	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	301(a)	Observed chlorine test strips outside of protective tube stored in basket near dishwasher	Pf		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	306(b)&(c)	Observed 3d residue build up on wire shelf rack in reach in cooler by walk in	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	307(e)	Observed residue build up on deflector plate of ice machine in server station	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	394(a)	Observed no covered receptacle in women's restroom	C		Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
China House Restaurant	120 Lincolnway	01/15/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	451(a)	Observed dead pests in basement behind water heater unit and trapped in glue traps	C		Jonathan Weitgenant
China House Restaurant	120 Lincolnway	01/15/26	459(a)(2),(a)(3),or(b)	Observed can of residential fog style pesticide used in basement for pest control.	P	Yes	Jonathan Weitgenant
Chipotle Mexican Grill #4558	2700 Matson Dr	01/13/26	324(a)	Observed metal bins stacked together before fully air drying on clean dish rack.	C		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	183(a)	Observed 2 oz cups being used as scoopers down within seasoning bin on cook line and sugar and lemonade powder bins.	C		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	348(a)	Observed 3 bay sink with weak spring on spray nozzle causing it to rest below the flood rim.	P		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	359(a),(b),(c)	Observed hand sink in the employee bathroom is also being used as a mop sink with bucket down within the basin.	Pf		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	394(a)	Observed trash bin in employee rest room with no closable lid.	C		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	420(a)or(b)	Observed bathroom door not self-closing.	C		Noah Weber
Chomp LLC	1453 Broadway	01/16/26	445(a)or(b)	Observed hood vent with oil build up on grates.	C		Noah Weber
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	148(a)	Observed cup without a lid sitting above prep area in kitchen at the time of inspection.	C	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	155(a),(b),(e)(3)(A)	Observed cooked tamales brought from another place without proper labels of source at the time of inspection.	P		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	166(a)	Observed two heavily dented cans stored on can rack at the time of inspection.	Pf	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	213(a)(1)	Measured house made queso cheese sitting in warmer at 90F at the time of inspection.	P	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	214(a),(b),or(c)	Observed house made chili sauce without date mark after two days, at the time of inspection.	Pf	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer behind bar with less than 10ppm at the time of inspection.	P	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	306(b)&(c)	Observed fan covers in walk-in cooler with dust buildup, sitting directly on top of exposed food at the time of inspection.	C		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	351(a)	Observed no hand sink in kitchen at the time of inspection.	Pf		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	359(a),(b),(c)	Observed white bucket inside hand sink in wait staff area at the time of inspection.	Pf		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	363(a)(1)	Observed mop sink faucet leaking while turned off and observed toilet in women's restroom next to kitchen, not flushing at the time of inspection.	P		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	407(a)	Observed unfinished and absorbent walls throughout kitchen and acoustic tiles in wait staff areas the time of inspection.	C		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	411(a)or(b)	Observed coving missing in throughout kitchen at the time of inspection.	C		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	430(a)	Observed no paper towel in kitchen, wait staff area or women's restroom at the time of inspection.	Pf		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	442(a)	Observed missing floor tiles in kitchen at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	443(a),(b)	Observed puddle of soda syrup on floor in soda box room and observed food splatter on ceiling in wait staff area at the time of inspection.	C		AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	456(a)	Observed yellow chemical in spray bottle, unlabeled at the time of inspection.	Pf	Yes	AntonioTurner
Cinco De Mayo Bar & Grill	3380 Willowcreek Rd	01/13/26	461(a)	Measured sanitizer bucket in wait staff area at greater than 200ppm at the time of inspection.	P	Yes	AntonioTurner
Coffee Creek Donuts Inc. (Dunkin Donuts)	502 Pintail Trace	01/29/26	183(a)	Observed sugar sifter handle down within product at time of inspection.	C	Yes	Noah Weber
Coffee Creek Donuts Inc. (Dunkin Donuts)	502 Pintail Trace	01/29/26	359(a),(b),(c)	Observed hand sink being used as dump sink.	Pf		Noah Weber
Country Kitchen Pancake House	120 N Main St	01/21/26	214(a),(b),or(c)	Observed containers of shredded cheese, steak, and other food product in coolers with no date marking	Pf		Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed reuse of metal #10 cans and plastic cottage cheese/sour cream containers for storage	C		Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	279(a)or(b)	Observed broken thermometer in kitchen and no readily available thermometer accessible when requested	Pf	Yes	Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	281(a)	Observed no chlorine testing strips available when requested	Pf	Yes	Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	411(a)or(b)	Observed no coving on walls in kitchen	C		Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	416(a)	Observed ceiling tile out of place above cook line exposing ceiling studs. Observed exposed ceiling behind hood vent with insulation and peeling ceiling tiles	C		Jonathan Weitgenant
Country Kitchen Pancake House	120 N Main St	01/21/26	456(a)	Observed chemical spray bottle of bleach in dining area unlabeled	Pf	Yes	Jonathan Weitgenant
Creekside Golf Course & Training	2355 Clifford Rd	01/15/26	281(a)	Observed no chlorine test strips	Pf		Jonathan Weitgenant
Creekside Golf Course & Training	2355 Clifford Rd	01/15/26	353(a),(b),(c),or(d)	Observed no service sink in facility	C		Jonathan Weitgenant
Creekside Golf Course & Training	2355 Clifford Rd	01/15/26	459(a)(2),(a)(3),or(b)	Observed cans of raid under hand sink in kitchen	P		Jonathan Weitgenant
Creekside Golf Course & Training	2355 Clifford Rd	01/15/26	461(a)	Observed bottle of chlorine testing above 200ppm	P		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	166(a)	Observed dented cans, dented on the rim, in the dry storage room	Pf		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	183(a)	Observed single use items being used to dispense seasonings and food products	C		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	214(a),(b),or(c)	Observed no date marking on items in cooler on line or on product in reach in freezers near ice machine	Pf		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	223(a),(b),or(c)	Observed no consumer advisory on menu	Pf		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed dish machine in kitchen reaching only 111 degrees.	P		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	307(e)	Observed residue build on ice deflector in ice machine	C		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	317(a)	Observed glass dish machine in bar with no measured reading of chlorine sanitizer	P		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	411(a)or(b)	Observed coving peeling off wall in dry storage. Observed coving missing under dish machine	C		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	429(a)	Observed no hand soap available in kitchen	Pf		Jonathan Weitgenant
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	443(a),(b)	Observed food residue on wall and on floors underneath storage shelves in dry storage room	C		Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Cronies Charhouse & Gin Mill	310 S Main St	01/22/26	456(a)	Observed chemical spray bottles in kitchen with no labels	Pf		Jonathan Weitgenant
Designer Desserts	56 W Lincolnway	01/13/26	306(b)&(c)	Observed fan covers in reach in coolers in back prep room with 3d dust build up. Observed 3d residue build up on shelving racks in "Dessert" cooler. Observed food residue build up on underbody of mixers in prep area.	C		Jonathan Weitgenant
Designer Desserts	56 W Lincolnway	01/13/26	353(a),(b),(c),or(d)	Observed no service sink present in establishment	C		Jonathan Weitgenant
Designer Desserts	56 W Lincolnway	01/13/26	442(a)	Observed ceiling tile material peeling, exposing the absorbent material underneath. Ceiling tile was located above reach in cooler in back prep area	C		Jonathan Weitgenant
Domino's #2603	1895 Crisman Rd	01/26/26	306(b)&(c)	Observed flour buildup on ceiling vent above hot-hold station at the time of inspection.	C		AntonioTurner
Domino's #2603	1895 Crisman Rd	01/26/26	430(a)	Observed no paper towels at hand sink next to three bays and hand sink on cooks' line at the time of inspection.	Pf		AntonioTurner
Domino's #2603	1895 Crisman Rd	01/26/26	440(a)or(b)	Observed jackets and a book bag stored directly on top of pizza box storage area at the time of inspection.	C		AntonioTurner
Domino's #2619	560 Indian Boundary Rd	01/21/26	281(a)	Observed no available chlorine testing strips at time of inspection.	Pf		Noah Weber
Duneland Pizza LLC.	520 Broadway Ste B	01/30/26	301(a)	Observed quat testing strips expired since 2015.	Pf		Noah Weber
Duneland Pizza LLC.	520 Broadway Ste B	01/30/26	445(a)or(b)	Observed 3D dust accumulation on inside surface of both hood vents.	C		Noah Weber
Family Express Corp #4	363 US Hwy 6	01/29/26	359(a),(b),(c)	Observed hand sink in Crave area blocked by pans at the time of inspection.	Pf	Yes	AntonioTurner
Family Express Corp #4	363 US Hwy 6	01/29/26	447(a)	Observed wet mop sitting in bucket in between use at the time of inspection.	C	Yes	AntonioTurner
Family Express Corp #23	3550 S State Road 2	01/29/26	234(a)	Observed unsealed wood shelving storage holding soda boxes. Observed heavy leak from soda box that had soaked into wood staining it red.	C		Jonathan Weitgenant
Family Express Corp #23	3550 S State Road 2	01/29/26	286(a),(b),or(c)	Observed door to sweet jolts machine broken and cracked.	C		Jonathan Weitgenant
Family Express Corp #23	3550 S State Road 2	01/29/26	306(a)	Observed food residue build up inside mixing cup and on mixing arm of F'Real machine. Observed heavy dust build up above F'real mixer that could fall into product.	Pf		Jonathan Weitgenant
Family Express Corp #23	3550 S State Road 2	01/29/26	307(e)	Observed black residue build up on ice dispenser next to coffee machines. Observed heavy beverage residue on dispenser under java wave coffee machines.	C		Jonathan Weitgenant
Family Express Corp #23	3550 S State Road 2	01/29/26	443(a),(b)	Observed heavy soda syrup on ground under the dispenser in storage room	C		Jonathan Weitgenant
Family Express Corp #23	3550 S State Road 2	01/29/26	456(a)	Observed two spray bottles of unknown chemicals on the cleaning cart in storage room	Pf		Jonathan Weitgenant
Family Express Corp #63	5901 US Highway 6	01/13/26	183(a)	Observed ice scooper in ice bucket with standing water, in between use, at the time of inspection.	C		AntonioTurner
Family Express Corp #63	5901 US Highway 6	01/13/26	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer bucket in food prep area at less than 10ppm at the time of inspection.	P	Yes	AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Family Express Corp #63	5901 US Highway 6	01/13/26	306(a)	Observed heavy dust buildup on fan covers in walk-in cooler at the time of inspection.	Pf		AntonioTurner
Family Express Corp #63	5901 US Highway 6	01/13/26	307(e)	Observed both ice machine chutes at Beverage Bay and large ice machine in back area with brown buildup at the time of inspection.	C		AntonioTurner
Family Express Corp #63	5901 US Highway 6	01/13/26	443(a),(b)	Observed slushie and soda syrup on floor in dry storage area at the time of inspection.	C		AntonioTurner
First Brew Coffee Company	800 Country Square Plz	01/21/26	443(a),(b)	Observed mouse droppings and urine in chemical cabinet below sink in church kitchen	C		Jonathan Weitgenant
Five Guys Burgers & Fries	2505 Laporte Ave Ste 171	01/29/26	421(a)or(d)	Observed sunlight coming in through small gap within middle section of front double doors. Recommended new door sweep.	C		Noah Weber
Flannerys Tavern	125 S Calumet Rd	01/28/26	301(a)	Observed quat testing strips damaged and with no visible expiration date.	Pf		Noah Weber
Fluid Coffee	501 Allen Ct. Suite 1108	01/13/26	281(a)	Observed no available quat testing strips at time of inspection.	Pf		Noah Weber
Fluid Coffee Bar	159 W. Lincolnway	01/16/26	176(a)	Observed bulk sugar in storage room unlabeled	C		Jonathan Weitgenant
Fluid Coffee Bar	159 W. Lincolnway	01/16/26	301(a)	Observed test strips dated for expiration in 2024 and some damage to the strips	Pf		Jonathan Weitgenant
Fluid Coffee Bar	159 W. Lincolnway	01/16/26	400(a)	Observed dumpster lids open	C		Jonathan Weitgenant
Fluid Coffee Bar	159 W. Lincolnway	01/16/26	443(a),(b)	Observed 3d dust build up in vent above cold food line near dish sinks	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	189(a)	Observed boxes of limes and lemons stored on ground in walk in cooler.	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	234(a)	Observed unsealed/uncovered plywood shelving holding utensils and pans in side room near kitchen. Observed utensils being stored on cardboard secured to shelving	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	306(b)&(c)	Observed spillage and liquid build up in keg cooler in secondary bar. Observed spillage and liquid build up in black bottle holders at main bar. Observed residue build up in soda nozzle holster in main bar and secondary bar.	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	307(e)	Observed residue build up on deflector blade of ice machine	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	442(a)	Observed ceiling tiles in disrepair above reach in cooler in dish room and near employee bathroom	C		Jonathan Weitgenant
Franklin House	58 Campbell St	01/20/26	447(a)	Observed wet mop resting in service sink	C	Yes	Jonathan Weitgenant
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw and uncovered shrimp sitting on top of broccoli in walk-in cooler at the time of inspection.	P	Yes	AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	214(a),(b),or(c)	Observed several food items without date marking at the time of inspection.	Pf		AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed carrots and meat stored in direct contact with "thank you" plastic bags at the time of inspection.	C		AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	260(a),(b),(d)	Observed no ambient food thermometer inside reach in cooler next to hand sink at the time of inspection.	C		AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	284(a)or(b)	Observed hand sink with partially missing seal at the time of inspection.	C		AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	306(b)&(c)	Observed hanging dust on outer hoods' exhaust fan covers at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	359(a),(b),(c)	Observed hand sink next to three bays, blocked at the time of inspection.	Pf	Yes	AntonioTurner
Fuji Japanese Restaurant	5942 US Highway 6	01/21/26	443(a),(b)	Observed black buildup on floor under table next to white deep freezer at the time of inspection.	C		AntonioTurner
Gyros Bar and Grill	391 W US Highway 6	01/29/26	214(a),(b),or(c)	Observed no date marking in reach in cooler across from cooking equipment at the time of inspection.	Pf		AntonioTurner
Gyros Bar and Grill	391 W US Highway 6	01/29/26	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed cardboard lining shelves in walk-in cooler at the time of inspection.	C		AntonioTurner
Gyros Bar and Grill	391 W US Highway 6	01/29/26	304(a)or(b)	Observed single use containers being reused to store other food items at the time of inspection.	C		AntonioTurner
Gyros Bar and Grill	391 W US Highway 6	01/29/26	307(a)or(c)	Observed ice machine with pink buildup at the time of inspection.	P		AntonioTurner
Hunters Brewing LLC	1535 S Calumet Rd	01/30/26	461(a)	Observed quat sanitizer testing over 1000ppm in bar area at time of inspection.	P	Yes	Noah Weber
Industrial Revolution Eatery & Grille	1084 Linwood Ave	01/30/26	213(a)(2),(b)	Observed salad deli top cooler measuring between 45 and 48 degrees.	P		Jonathan Weitgenant
Industrial Revolution Eatery & Grille	1084 Linwood Ave	01/30/26	306(a)	Observe heavy residue build up inside soda gun nozzles in bar and server station near kitchen	Pf		Jonathan Weitgenant
Industrial Revolution Eatery & Grille	1084 Linwood Ave	01/30/26	324(a)	Observed moisture trapped between stacks of cleaned storage containers on storage shelf near 3bay sink	C		Jonathan Weitgenant
Industrial Revolution Eatery & Grille	1084 Linwood Ave	01/30/26	443(a),(b)	Observed dust build up on and above line cooler and microwave near fry station. Observed heavy grease and food residue build up stuck on floor under fryers	C		Jonathan Weitgenant
Industrial Revolution Eatery & Grille	1084 Linwood Ave	01/30/26	445(a)or(b)	Observed heavy 3d dust build up in the vents and hood system above the prep ovens, burners, and supplies.	C		Jonathan Weitgenant
Island Nutrition Smoothies & More	1675 Morthland Dr	01/16/26	183(a)	Observed blue ice scoop stored on top of ice machine, top of ice machine was covered in dust.	C		Jonathan Weitgenant
Island Nutrition Smoothies & More	1675 Morthland Dr	01/16/26	189(a)	Observed uncovered containers of cut fruit and vegetables in black reach in cooler	C	Yes	Jonathan Weitgenant
Island Nutrition Smoothies & More	1675 Morthland Dr	01/16/26	307(e)	Observed residue build on deflector in ice machine	C		Jonathan Weitgenant
Island Nutrition Smoothies & More	1675 Morthland Dr	01/16/26	308(a)or(b)	Observed microwave soiled inside on roof and sides	C		Jonathan Weitgenant
Island Nutrition Smoothies & More	1675 Morthland Dr	01/16/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Jade Garden Restaurant	6222 Central Ave	01/27/26	175(a)(3thru8)	Observed food inside walk-in cooler, not covered at the time of inspection.	C		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	214(a),(b),or(c)	Observed no date marking at the time of inspection.	Pf		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	306(b)&(c)	Observed outside of microwave and cooler with food residue at the time of inspection.	C		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	317(a)	Observed no working sanitizer bucket on cooks' line for surfaces at the time of inspection.	P		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	363(a)(2)	Observed three bays sink leaking at faucet when turned on at the time of inspection.	C		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	411(a)or(b)	Observed no coving throughout kitchen at the time of inspection.	C		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	442(a)	Observed chipped floor tile in kitchen and a hole in ceiling tile above cooks' line at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Jade Garden Restaurant	6222 Central Ave	01/27/26	443(a),(b)	Observed food buildup under cooking equipment at the time of inspection.	C		AntonioTurner
Jade Garden Restaurant	6222 Central Ave	01/27/26	456(a)	Observed chemical spray bottle in wait staff area without a label at the time of inspection.	Pf		AntonioTurner
John Andy's	205 Main Street	01/22/26	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)	Observed labels on soup, lasagna, and other frozen items missing net weight and production date.	C		Jonathan Weitgenant
John Andy's	205 Main Street	01/22/26	306(b)&(c)	Observed food residue splatter on wall behind chest freezer in dry storage room. Observed heavy residue build up on floor and walls of walk in cooler.	C		Jonathan Weitgenant
John Andy's	205 Main Street	01/22/26	442(a)	Observed large cut hole in drywall behind ice machine	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	215(a)or(b)	Observed fruit in main bar coolers dated for disposition on 12/31. Observed product in cooler in banquet kitchen with disposition days of 1/16 and before.	P		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	284(a)or(b)	Observed hand sink sealing coming off in dish room near entrance to side room	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	286(a),(b),or(c)	Observed dishwasher in whiskey bar leaking underneath. Observed shattered glass door in bar in east event space.	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	297(a)	Observed conveyer dishwasher in main kitchen measuring at 152 degrees.	Pf		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed sanitizer bucket on line measuring below 200ppm quat sanitizer strength	P	Yes	Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	306(a)	Observed soiled tongs hanging with cleaned tongs near line. Observed dispensing nozzle of bourbon milkshake with heavy residue build up.	Pf		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	307(e)	Observed residue build up on right side ice deflector in ice machine in banquet kitchen. Observed all soda guns in all bars soiled with residue build up. Observed residue build up in soda nozzle holsters in whiskey, main bar, and brew pub.	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	324(a)	Observed moisture trapped between multiple stacked pans and containers on clean storage shelf	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	359(a),(b),(c)	Observed all hand sinks in whiskey bar area being used for dumping of drinks	Pf		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	442(a)	Observed chipping in floor near spray out area exposing the porous concrete underneath	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	443(a),(b)	Observed downstairs keg cooler floor soiled with spillage	C		Jonathan Weitgenant
Journeyman Distillery	258 S. Campbell St	01/20/26	447(a)	Observed wet mop sitting in service sink in main downstairs kitchen	C		Jonathan Weitgenant
Lemon Tree Mediterranean Grill	356 Indian Boundary Rd	01/21/26	306(b)&(c)	Observed face of 3 bay spray nozzle with organic black growth.	C		Noah Weber
Lemon Tree Mediterranean Grill	356 Indian Boundary Rd	01/21/26	442(a)	Observed ceiling hole located in back of house stuffed with soiled rag.	C		Noah Weber
Lemon Tree Mediterranean Grill	356 Indian Boundary Rd	01/21/26	443(a),(b)	Observed ceiling food splatter above blender area in back of house.	C		Noah Weber

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Little Caesars Pizza-Chesterton	524 Indian Boundary Rd Suite 1	01/21/26	281(a)	Observed no available quat testing strips at time of inspection.	Pf		Noah Weber
Little Caesars Pizza-Chesterton	524 Indian Boundary Rd Suite 1	01/21/26	306(b)&(c)	Observed mounted can opener with dark food debris and metal shavings on the back gear segment.	C		Noah Weber
Little Caesars Pizza-Chesterton	524 Indian Boundary Rd Suite 1	01/21/26	363(a)(2)	Observed 3 bay spray nozzle leaking at time of inspection.	C		Noah Weber
Little Caesars Pizza-Chesterton	524 Indian Boundary Rd Suite 1	01/21/26	443(a),(b)	Observed oil build up and flour on back wall located behind dough mixer. Observed yellow oil build up on walls located at pizza dough assembly area. Observed pink and black organic growth on back splash of 3 bay sink.	C		Noah Weber
Lucy's Tacos @ Taco Depot Commissary	851 W 57th Ave	01/17/26	344(a)	Observed no available hand washing station set up within mobile unit at time of inspection.	Pf		Noah Weber
Luke Store #223	815 Lincolnway	01/14/26	307(e)	Observed housing units of soda dispensers with residue build up	C		Jonathan Weitgenant
Luke Store #223	815 Lincolnway	01/14/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Luke Store #223	815 Lincolnway	01/14/26	401(a)	Observed no drain plug in place on dumpster	C		Jonathan Weitgenant
Luke Store #223	815 Lincolnway	01/14/26	443(a),(b)	Observed 3d dust build up on wall and shelving unit above 3 bay sink, above clean dishes.	C		Jonathan Weitgenant
Luke Store #223	815 Lincolnway	01/14/26	447(a)	Observed wet mops being stored in the service sink in the kitchen and mop closet near bathroom	C	Yes	Jonathan Weitgenant
Malden Oasis	394 S St Rd 49	01/22/26	307(e)	Observed heavy residue build up on ceiling of ice machine behind bar	C		Jonathan Weitgenant
Malden Oasis	394 S St Rd 49	01/22/26	308(a)or(b)	Observed inside of microwave soiled	C		Jonathan Weitgenant
Malden Oasis	394 S St Rd 49	01/22/26	400(a)	Observed dumpster open	C		Jonathan Weitgenant
Malden Oasis	394 S St Rd 49	01/22/26	407(a)	Observed the ceiling of beverage cooler was just Styrofoam insulation	C		Jonathan Weitgenant
Malden Oasis	394 S St Rd 49	01/22/26	451(a)	Observed dead wasps in window sill above prop top cooler station	C		Jonathan Weitgenant
Mission BBQ-TENT	2217 E. 80th Avenue	01/18/26	281(a)	Observed no test kit available for the quat sanitizer being used onsite.	Pf	No	Carrie Batson
Moods	2544-50 Portage Mall	01/12/26	135(a)(2)(A),(a)(2)(B)(iv-vii)(ix-xv)	observed employee not knowing the proper hot holding temperature and not knowing what kind of test strips were needed sanitizer at the time of inspection.	Pf		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	213(a)(1)	Measured cooked sausage sitting out at 65F at the time of inspection.	P		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	234(a)	Observed half of walk-in cooler ceiling with exposed and absorbent wood at the time of inspection.	C		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	281(a)	Observed no chlorine test strips at the time of inspection.	Pf		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	307(a)or(c)	Observed ice machine chute with brown/pink buildup at the time of inspection.	P		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	430(a)	Observed no paper towel at hand sink in kitchen at the time of inspection.	Pf	Yes	AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	440(a)or(b)	Observed employee cell phone sitting against a loaf of bread at the time of inspection.	C		AntonioTurner
Moods	2544-50 Portage Mall	01/12/26	447(a)	Observed wet mop sitting in bucket in back room at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Net Par	2780 Matson Dr	01/12/26	214(a),(b),or(c)	Observed no date marking and labeling on containers of marinara, shredded cheese and ready to eat meat.	Pf		Noah Weber
Net Par	2780 Matson Dr	01/12/26	281(a)	Observed no chlorine testing strips on site at time of inspection.	Pf		Noah Weber
Net Par	2780 Matson Dr	01/12/26	306(a)	Observed bar soda gun nozzle with organic black growth. Observed ice machine with pink organic growth on internal ice forming bracket.	Pf		Noah Weber
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	281(a)	Observed no quat or chlorine test strips at the time of inspection.	Pf		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	289(a)	Observed water sprayer with food residue around nozzle at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	306(b)&(c)	Observed food buildup around the outside of large slicer and observed food residue on outside of cooler doors across from fryer at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	307(e)	Observed, large ice machine with brown and black buildup on deflector chute, observed black buildup in ice machine chute at drive thru window and observed cocoa cola nozzle with syrup buildup at self-serve station at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	330(a),(b),(c)_1	Observed single use forks, knives and spoons, uncovered behind register at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	394(a)	Observed 1st stall in women's restroom with a closed receptacle at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	436(a),(b),or(c)	Observed low light intensity throughout kitchen and in walk-in cooler at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	443(a),(b)	Observed heavy grease buildup under fryer station and heavy food residue behind unused equipment at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	453(a)	Observed a large number of unnecessary clutters throughout establishment at the time of inspection.	C		AntonioTurner
Nicky's Gyros At The Lure	6401 Melton Rd	01/13/26	456(a)	Observed yellow chemical in spray bottle without a label at the time of inspection.	Pf	Yes	AntonioTurner
NP ONE LLC-DBA Bronko's Pizza	725 State Road 2	01/26/26	186(a)	Observed single use gloves being washed then reused for another task	P		Jonathan Weitgenant
NP ONE LLC-DBA Bronko's Pizza	725 State Road 2	01/26/26	306(b)&(c)	Observed heavy build up of food residue and food splatter on the underside of the shelving at pizza station.	C		Jonathan Weitgenant
NP ONE LLC-DBA Bronko's Pizza	725 State Road 2	01/26/26	353(a),(b),(c),or(d)	Observed no service sink	C		Jonathan Weitgenant
NP ONE LLC-DBA Bronko's Pizza	725 State Road 2	01/26/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
NP ONE LLC-DBA Bronko's Pizza	725 State Road 2	01/26/26	443(a),(b)	Observed 3d dust build up on side and above hood system	C		Jonathan Weitgenant
Nutrition Cove	539 Broadway	01/16/26	301(a)	Observed quat test strips expired in 2018.	Pf		Noah Weber
Paul Robert Strange American Legion Post #502	429 W Co Rd 750 N	01/22/26	307(e)	Observed ice machine with black buildup on inside roof and observed soda nozzle behind bar with soda syrup buildup at the time of inspection.	C		AntonioTurner
Pav's Grill	642 N Main St	01/26/26	153(a)	Observed no process in place for vomit/diarrheal clean up.	Pf	Yes	Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Pav's Grill	642 N Main St	01/26/26	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed multiple containers of open food (sauces, cut vegetables) in walk in cooler stored uncovered. Observed containers of uncovered sauce stored under raw eggs.	P		Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	306(b)&(c)	Observed heavy food residue build up on shelves in deli cooler on line near flat top. Observed food splatter on the underside of the lid of the deli top cooler near flat top.	C		Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	308(a)or(b)	Observed black microwave near flat top heavily soiled inside	C	Yes	Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	324(a)	Observed multiple stacks of pans on storage shelf with trapped moisture in between	C		Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	442(a)	Observed ceiling tiles with staining in mens bathroom and ceiling tile falling down in prep area above storage shelves.	C		Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	447(a)	Observed 2 wet mops sitting down in the service sink	C	Yes	Jonathan Weitgenant
Pav's Grill	642 N Main St	01/26/26	451(a)	Observed fly traps in prep area near prep stations with a heavy accumulation of dead flies	C	Yes	Jonathan Weitgenant
Popeyes Louisiana Kitchen	2940 Matson Dr	01/29/26	189(a)	Observed open jar of pickled jalapenos with no covering at customer ordering station.	C		Noah Weber
Popeyes Louisiana Kitchen	2940 Matson Dr	01/29/26	363(a)(2)	Observed prep sink located in back of house across from ice machine with detached pcv piping.	C		Noah Weber
Popeyes Louisiana Kitchen	2940 Matson Dr	01/29/26	447(a)	Observed used wet mop not hanging to air dry properly.	C		Noah Weber
Popeyes/ Portage QSR, Inc.	6200 US Highway 6	01/12/26	421(a)or(d)	Observed small gap at bottom of entrance doors, doors leading into restaurant need a floor sweep at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	189(a)	Observed bags of potatoes stored directly on floor at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	210(a)(1)thru(a)(3)	Observed two blocks of ground beef thawing in bucket on floor at the time of inspection.	Pf	Yes	AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	212(a)	Observed sausage gravy cooling on counter without rapid cooling equipment at the time of inspection.	Pf		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	247(a)or(b)	Observed no ambient thermometer inside cheesecake cooler in wait staff area at the time of inspection.	Pf		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured chlorine sanitizer bucket at less than 10ppm at the time of inspection.	P		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	309(a)	Observed fan covers in walk-in cooler at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	359(a),(b),(c)	Observed hand sink in wait staff area used to dump coffee at the time of inspection.	Pf		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	363(a)(1)	Observed hand sink at end of cooks' line leaking water from faucet while turned off at the time of inspection.	P		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	400(a)	Observed dumpster lid left open at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	421(a)or(d)	Observed screen door wedged open, exposing gaps along bottom of back exit door at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Portage Pancake House	5900 US Highway 6	01/20/26	443(a),(b)	Observed heavy food residue on floors at the end of cooks' line and under equipment and observed mice poop on dry storage floor at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	447(a)	Observed wet mop sitting in bucket after use at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	451(a)	Observed two dead roaches on floor in kitchen at the time of inspection.	C		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	456(a)	Observed sprayer bottle unlabeled at the time of inspection.	Pf		AntonioTurner
Portage Pancake House	5900 US Highway 6	01/20/26	457(a)	Observed two cans of Raid roach spray stored on cooks' line at the time of inspection.	P		AntonioTurner
Quick Run	3130 Willowcreek Rd	01/12/26	359(a),(b),(c)	Observed employee washing dish in hand sink at the time of inspection.	Pf		AntonioTurner
Region Bowl	725 S St Rd 2	01/21/26	306(b)&(c)	Observed heavy residue build up in soda gun holster behind bar	C		Jonathan Weitgenant
Region Bowl	725 S St Rd 2	01/21/26	307(e)	Observed black and pink residue build up in ice machine	C		Jonathan Weitgenant
Region Bowl	725 S St Rd 2	01/21/26	308(a)or(b)	Observed microwave soiled inside	C		Jonathan Weitgenant
Region Bowl	725 S St Rd 2	01/21/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Region Bowl	725 S St Rd 2	01/21/26	445(a)or(b)	Observed hood filters with build up of grease and dust	C		Jonathan Weitgenant
Rise'n Roll Bakery-Valparaiso	1320 E. Lincolnway	01/30/26	400(a)	Observed dumpster lids open	C		Jonathan Weitgenant
Rise'n Roll Bakery-Valparaiso	1320 E. Lincolnway	01/30/26	459(a)(2),(a)(3),or(b)	Observed can of residential Raid Wasp and Hornet killer (labeled for outdoor use only) in chemical storage in kitchen.	P		Jonathan Weitgenant
Rosatis Pizza	2160 Morthland Dr	01/30/26	459(a)(2),(a)(3),or(b)	Observed can of hornet and wasp killer in chemical closet near pizza prep area	P		Jonathan Weitgenant
Running Vines Winery CHESTERTON	101 Broadway	01/28/26	306(a)	Observed bar ice machine with organic black growth on internal upper section on ice forming unit.	Pf		Noah Weber
Running Vines Winery CHESTERTON	101 Broadway	01/28/26	386(a)	Observed standing water on basement floor in dry storage area resulting from condensation drip on the ceiling.	C		Noah Weber
Rusty Nail Bar	2420 Dombey Rd	01/27/26	302(a)	Observed fryer basket furthest to the left in bad repair at the time of inspection.	C		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	306(b)&(c)	Observed dust buildup on walk-in cooler ceiling at the time of inspection.	C		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	307(e)	Observed ice machine deflector with black buildup on left side at the time of inspection.	C		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	351(a)	Observed no hand washing available for behind the bar at the time of inspection.	Pf		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	442(a)	Observed chipped floor tile in kitchen and observed missing ceiling tiles, exposing insulation at the time of inspection.	C		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	443(a),(b)	Observed grease buildup on floors under fryer station at the time of inspection.	C		AntonioTurner
Rusty Nail Bar	2420 Dombey Rd	01/27/26	447(a)	Observed wet mop siting inside bucket in between use at the time of inspection.	C		AntonioTurner
San Jose's Fresh Market	6333 Central Ave	01/22/26	214(a),(b),or(c)	Observed no date marking in cold case at the time of inspection.	Pf		AntonioTurner
San Jose's Fresh Market	6333 Central Ave	01/22/26	234(a)	Observed carboard lining the bottom of tamale hot case at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
San Jose's Fresh Market	6333 Central Ave	01/22/26	420(a)or(b)	Observed employee rest room without a self-closing mechanism at the time of inspection.	C		AntonioTurner
San Jose's Fresh Market	6333 Central Ave	01/22/26	443(a),(b)	Observed ceiling vent above grinder with dust buildup at the time of inspection.	C		AntonioTurner
San Jose's Fresh Market	6333 Central Ave	01/22/26	461(a)	Measured sanitizer at greater than 200ppm at the time of inspection.	P	Yes	AntonioTurner
Smoothie King Portage	5894 US Highway 6	01/13/26	307(e)	Observed ice machine with pink and brown buildup on inside ceiling at the time of inspection.	C		AntonioTurner
Speedway #6621	153 Morthland Dr	01/27/26	306(b)&(c)	Observed black residue build up on wire shelving throughout beverage cooler.	C		Jonathan Weitgenant
Speedway #6621	153 Morthland Dr	01/27/26	307(e)	Observed residue build up on big gulp ice dispenser. Observed heavy residue build up on big gulp beverage dispenser. Observed residue build up on underplate of espresso machines and delight creamer dispenser.	C		Jonathan Weitgenant
Speedway #6621	153 Morthland Dr	01/27/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Speedway #6621	153 Morthland Dr	01/27/26	442(a)	Observed broken ceiling tiles above beverage cooler and staining on multiple ceiling tiles throughout main service area	C		Jonathan Weitgenant
Speedway #6621	153 Morthland Dr	01/27/26	443(a),(b)	Observed soda syrup dried onto floor under soda boxes in back storage area. Observed beverage residue build up under the espresso machines in main area.	C		Jonathan Weitgenant
Sports Bar & Grill	381 W US Highway 6	01/21/26	175(a)(3thru8)	Observed ice bin behind bar, uncovered at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	302(a)	Observed flour scooper with a broken handle at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	306(b)&(c)	Observed walk-in cooler fan covers with heavy dust buildup at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	306(a)	Observed dried food residue on stationary can opener blade at the time of inspection.	Pf		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	P		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	400(a)	Observed dumpster lid open at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	407(a)	Observed walls and ceiling inside kitchen, peeling and chipping, leaving them absorbent and observed seal on concrete floor wearing off at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	420(a)or(b)	Observed men's rest room door wedged open at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	442(a)	Observed hole in wall next to mop sink due to recent repairs, observed hole in upper wall next to flat top and observed damaged or missing floor tiles in kitchen at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	443(a),(b)	Observed grease and food buildup on floors under fryer station at the time of inspection.	C		AntonioTurner
Sports Bar & Grill	381 W US Highway 6	01/21/26	447(a)	Observed wet mop sitting in empty bucket in between use at the time of inspection.	C		AntonioTurner
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	213(a)(2),(b)	Observed fried chicken and pasta salad measuring at 45 degrees in deli cooler. Ambient thermometer in cooler also reading at 50 degrees	P		Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	306(b)&(c)	Observed bus tub on shelf in butcher cooler with heavy residue growth inside and out	C	Yes	Jonathan Weitgenant
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	348(a)	Observed service sink hose in service sink while sink was completely backed up with waste water.	P	Yes	Jonathan Weitgenant
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	440(a)or(b)	Observed personal phone left on counter top in fish section	C	Yes	Jonathan Weitgenant
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	442(a)	Observed cracked and peeling tiles under fryers with grease entering underneath	C		Jonathan Weitgenant
Strack & Van Til Food Market	2168 Morthland Drive	01/13/26	443(a),(b)	Observed heavy grease and food residue build up on floor under and behind fryers. Observed dust build up on ceiling and fan blade covers in various walk in coolers. Observed water coming from fans in produce cooler causing residue build up on fan blade cover. Observed build up of refuse and pan of old grease under smoker unit.	C		Jonathan Weitgenant
Subway Portage	2674 Willowcreek Rd	01/26/26	306(b)&(c)	Observed ceiling vent above 3 bays with dust buildup at the time of inspection.	C		AntonioTurner
Subway Portage	2674 Willowcreek Rd	01/26/26	447(a)	Observed wet mop sitting on floor in between use at the time of inspection.	C		AntonioTurner
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	176(a)	Observed bulk containers in bakery area missing labels for product	C		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	213(a)(2),(b)	Observed cooler underneath toaster on line measuring at 48 degrees. Observed the cottage cheese in cooler measuring at 48 degrees.	P		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	234(a)	Observed shelving in dry storage with unsealed absorbent wood boards	C		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	286(a),(b),or(c)	Observed gaps in seal (enough to let light through) on left most walk in cooler outside	C		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	306(b)&(c)	Observed soda residue and dust accumulation on under plate of pepsi dispensing machines in server area	C		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	324(a)	Observed stacks of metal storage containers on storage shelf with trapped moisture	C		Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	432(a)	Observed no handwashing signage around hand sink for kitchen line or in bakery area	C	Yes	Jonathan Weitgenant
Suzie's Caf�� & Catering	1050 Southpoint Drive	01/29/26	469(b)	Observed container of prescription pills on shelf in bakery cooler near/above product	P		Jonathan Weitgenant
Taco Bell #19297	6053 US Highway 6	01/21/26	260(a),(b),(d)	Observed cooler across from kiosk with an ambient thermometer at the time of inspection.	C	Yes	AntonioTurner
Taco Bell #19297	6053 US Highway 6	01/21/26	284(a)or(b)	Observed hand sink across from office with damaged seals at the time of inspection.	C		AntonioTurner
Taco Bell #19297	6053 US Highway 6	01/21/26	306(b)&(c)	Observed fan cover in walk-in cooler with hanging dust at the time of inspection.	C		AntonioTurner
Taco Bell #19297	6053 US Highway 6	01/21/26	348(a)	Observed connected to mop sink faucet at the time of inspection.	P		AntonioTurner
Taco Bell #19297	6053 US Highway 6	01/21/26	436(a),(b),or(c)	Observed low light intensity inside walk-in cooler at the time of inspection.	C		AntonioTurner
Tate's Place	3051 Willowcreek Rd	01/16/26	135(a)(1)	Observed expired serve safe certificate at the time of inspection.	Pf		AntonioTurner
Tate's Place	3051 Willowcreek Rd	01/16/26	302(a)	Observed stationary can opener blade, dull, causing metal shavings at the time of inspection.	C		AntonioTurner

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Tate's Place	3051 Willowcreek Rd	01/16/26	306(b)&(c)	Observed food buildup on soda box rack at the time of inspection.	C		AntonioTurner
Tate's Place	3051 Willowcreek Rd	01/16/26	429(a)	Observed no hand soap at kitchen hand sink at the time of inspection.	Pf	Yes	AntonioTurner
Tate's Place	3051 Willowcreek Rd	01/16/26	443(a),(b)	Observed food buildup on floor under cooking equipment at the time of inspection.	C		AntonioTurner
Tate's Place	3051 Willowcreek Rd	01/16/26	456(a)	Observed spray bottle unlabeled at the time of inspection.	Pf	Yes	AntonioTurner
The Nutrition Place	6008 Central Avenue	01/21/26	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	P		AntonioTurner
The Nutrition Place	6008 Central Avenue	01/21/26	420(a)or(b)	Observed rest room door wedged open at the time of inspection.	C		AntonioTurner
Tres Amigos	816 Country Square Plz	01/26/26	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed container of raw shrimp being stored above raw avocados in standing reach in cooler on line	P		Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	176(a)	Observed multiple bulk containers (sugar, rice, beans, salt) unlabeled	C		Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	213(a)(2),(b)	Observed walk in cooler measuring at 48 degrees	P		Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	307(e)	Observed residue build up on deflector of ice machine	C		Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	430(a)	Observed no paper towel in kitchen/dish room near hand sink	Pf	Yes	Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	443(a),(b)	Observed heavy grease build up under and around the grease trap under the sink. Observed heavy build up of food residue on floor beside three bay sink.	C	Yes	Jonathan Weitgenant
Tres Amigos	816 Country Square Plz	01/26/26	456(a)	Observed container of sanitizer in server station with no label	Pf	Yes	Jonathan Weitgenant
Vcal Donuts, Inc. / Dunkin Donuts/Baskin Robbins	3310 Calumet Ave	01/20/26	400(a)	Observed dumpster lid open at time of inspection.	C		Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed plastic containers from sour cream being reused to hold food product and keep things warm in steam table	C		Jonathan Weitgenant
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	281(a)	Observed no chlorine testing strips for dishwashers	Pf		Jonathan Weitgenant
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	286(a),(b),or(c)	Observed handle broken on reach in cooler on the line	C		Jonathan Weitgenant
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	307(e)	Observed residue build up in ice machine	C		Jonathan Weitgenant
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	456(a)	Observed multiple spray bottles without labeling	Pf		Jonathan Weitgenant
Veleros Restaurant	255 1/2 Indiana Ave	01/27/26	461(a)	Observed bleach solution next to line testing over 200ppm	P		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	234(a)	Observed exposed wood on shelf surrounding the pizza cooler	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	284(a)or(b)	Observed no sealing on 3bay sink or hand sink in kitchen	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	286(a),(b),or(c)	Observed broken seal on cooler doors on pizza reach in cooler	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	306(b)&(c)	Observed heavy flour build up on large mixer.	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	307(a)or(c)	Observed utensils (pizza sauce scoop) left over night in product in the cooler and beside the microwave (brush in cinnamon infused butter)	P		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	400(a)	Observed dumpster open	C		Jonathan Weitgenant

Facility Name	Address	Inspection Date	Code Number	Observation	Violation Type	Corrected at Time of Inspection	Inspector
Wana Pizza Hebron	618-A Front St	01/26/26	421(a)or(d)	Observed gap on the bottom of the back kitchen door	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	443(a),(b)	Observed 3d dust accumulating on ceiling near vents above prep tables and mixer	C		Jonathan Weitgenant
Wana Pizza Hebron	618-A Front St	01/26/26	445(a)or(b)	Observed heavy dust build up stuck to hood vents above pizza oven	C		Jonathan Weitgenant
Wingstop Portage	6542 US Hwy 6	01/26/26	135(a)(1)	Observed no serve safe certificate at the time of inspection.	Pf		AntonioTurner
Wingstop Portage	6542 US Hwy 6	01/26/26	400(a)	Observed dumpster lid open at the time of inspection.	C		AntonioTurner
ZAO Island	1050 Horse Prairie Ave	01/29/26	286(a),(b),or(c)	Observed storage cabinet with two broken shelves storing bags of sugar and equipment	C		Jonathan Weitgenant
ZAO Island	1050 Horse Prairie Ave	01/29/26	306(b)&(c)	Observed beverage residue build up on the under plate of the soda dispensing machine	C		Jonathan Weitgenant
ZAO Island	1050 Horse Prairie Ave	01/29/26	308(a)or(b)	Observed microwave soiled on internal walls and ceiling	C		Jonathan Weitgenant
ZAO Island	1050 Horse Prairie Ave	01/29/26	394(a)	Observed missing covered receptacle in unisex bathroom in dining area	C		Jonathan Weitgenant
ZAO Island	1050 Horse Prairie Ave	01/29/26	400(a)	Observed dumpster lid open	C		Jonathan Weitgenant
ZAO Island	1050 Horse Prairie Ave	01/29/26	443(a),(b)	Observed 3d dust and grease build up on light fixtures and ceiling above pizza oven. Observed heavy residue build up under the storage shelves in the walk in freezer	C		Jonathan Weitgenant