

Number of Citations	Facility Name	Address	City	Date	Purpose	Violation Type	Observation	Code	Immediate Correction	Inspector
2	Woodstock and Grill Mobile Unit	16171 Merson Court	Buchanan	06/03/26	Temporary	Pf	Observed wrong type of sanitizer test strips available at inspection. Quat sanitizer available for use but strips provided to inspector were for chlorine sanitizer.	301(a)		ShelbySouth
	Woodstock and Grill Mobile Unit	16171 Merson Court	Buchanan	06/03/26	Temporary	Pf	Observed no hand drying provision available at time of inspection.	430(a)		ShelbySouth
1	Taco Bell #41163	250 Melton Rd	Burns Harbor	06/16/26	Routine	C	Observed cleaned metal bins stacked together before properly air drying.	324(a)		Noah Weber
5	American Legion Post #170	798 Wabash Ave	Chesterton	06/25/26	Routine	Pf	Observed no quat testing strips available at time of inspection.	281(a)		Noah Weber
	American Legion Post #170	798 Wabash Ave	Chesterton	06/25/26	Routine	Pf	Observed ice machine deflector blade with pink residue.	306(a)		Noah Weber
	American Legion Post #170	798 Wabash Ave	Chesterton	06/25/26	Routine	Pf	Observed kitchen hand sink blocked by fan and freezer.	359(a),(b),(c)		Noah Weber
	American Legion Post #170	798 Wabash Ave	Chesterton	06/25/26	Routine	C	Observed kitchen hand sink without adequate flowing water.	363(a)(2)		Noah Weber
	American Legion Post #170	798 Wabash Ave	Chesterton	06/25/26	Routine	C	Observed large amount of white residue on ceiling and walls of beverage walk in cooler.	443(a),(b)		Noah Weber
1	CVS Pharmacy #6910	505 E 1100 N	Chesterton	06/30/26	Routine	C	Metal trash can in unisex bathroom had no cover	394(a)	No	JimChowning
8	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed ice scoop within metal bin with soiled still water.	183(a)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	P	Observed prep top cooler out of temperature with multiple cheese singles at 57 and 54 degrees F, Observed hot dogs at 55.5 degrees F. Any food that was out of temp for longer than 4 hours was recommended to be discarded.	213(a)(2),(b)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	Pf	Observed opened milk not date marked and prepped cheese and hot dogs not date marked or labeled.	214(a),(b),or(c)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed cardboard being used as shelf liner by drive up window.	234(a)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed sink with water spilling onto floor in back left of ice cream kitchen area.	363(a)(2)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed women's restroom with no self-closing mechanism.	420(a)or(b)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed large amount of cardboard on floor blocking access to back exit. Observed grease and food debris pooling behind flat top grill. Observed kitchen floor with waste and food debris in general kitchen areas in need of cleaning. Observed sauce spill within walk in cooler on floor and green metal rack. Observed general waste clutter on floor and in corners of back kitchen by ice machine.	443(a),(b)		Noah Weber
	Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	Chesterton	06/10/26	Routine	C	Observed grease build up on flat top hood vent.	445(a)or(b)		Noah Weber
1	Dollar Tree #6003	321 Indian Boundary Rd	Chesterton	06/30/26	Routine	C	The trashcan in the restroom had no lid or cover.	394(a)	No	JimChowning
3	Flat Rock Grill	711-2 Plaza Dr	Chesterton	06/04/26	Routine	P	Observed prep top cooler out of temp on cook line with blue cheese at 48.4 degrees F, shredded cheese at 46.6, pineapple pico at 47.8, and boiled eggs at 45.8 degrees F. Food that was out of temp for longer than 4 hours was recommended to be thrown away.	213(a)(2),(b)	Yes	Noah Weber
	Flat Rock Grill	711-2 Plaza Dr	Chesterton	06/04/26	Routine	Pf	Observed x2 gallons of milk not date marked after opening.	214(a),(b),or(c)		Noah Weber
	Flat Rock Grill	711-2 Plaza Dr	Chesterton	06/04/26	Routine	Pf	Observed in use metal tongs stored on oven handle on cook line.	306(a)	Yes	Noah Weber
11	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	Pf	Observed milk opened and not date marked. Observed RTE food not labeled or date marked.	214(a),(b),or(c)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed brownies for sale in front window with no labeling on product.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed soiled cardboard being used as liner within far left facing open top beverage cooler in left side of bar.	234(a)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed half of the metal shelving within walk in food cooler with degrading with large amounts of rust.	286(a),(b),or(c)		Noah Weber

	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed organic green residue on shelving of beverage walk in cooler. Observed green residue on reach in glass beverage cooler shelving located on right side of bar. Observed leftmost top-down beverage cooler with food debris soiled within door track. Observed flour and oil residue build up on flour storage shelving and walls next to large stand mixer.	306(b)&(c)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	Pf	Observed x2 bar soda gun nozzles and holster with heavy black residue. Observed ice machine with pink and black residue on underside of deflector blade.	306(a)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	Pf	Observed only one hand sink located in dishwashing area. Observed no conveniently placed hand sinks in kitchen areas for employee use.	351(a)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed double doors at bar entrance with gap on bottom section.	421(a)or(d)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed discolored walls and ceiling tiles with oil residue located above and next to large pizza oven.	443(a),(b)		Noah Weber
	Gelsosomo's Pizzeria	371 Indian Boundary Rd	Chesterton	06/25/26	Routine	C	Observed hood vent system above fry station with heavy build up. Recommend changing cleaning service to every 3 months instead of 6 and self-clean hood vent grates.	445(a)or(b)		Noah Weber
4	Joe's Bread	225 S Calumet Rd	Chesterton	06/29/26	Routine	C	Observed caulking needed for multiple sinks in kitchen area.	284(a)or(b)		Noah Weber
	Joe's Bread	225 S Calumet Rd	Chesterton	06/29/26	Routine	C	Observed large amount of grease accumulation on underbelly of flat top grill unit. Observed grease build up on underbelly of broiler "Salamander". Observed organic white and black residue on gasket areas of prep top cooler as wells as on internal walls and shelving.	306(b)&(c)		Noah Weber
	Joe's Bread	225 S Calumet Rd	Chesterton	06/29/26	Routine	C	Observed basement walk in cooler with unsealed concrete flooring.	407(a)		Noah Weber
	Joe's Bread	225 S Calumet Rd	Chesterton	06/29/26	Routine	C	Observed basement walk in cooler with large amounts of moister, food debris and organic residue chunks in need of cleaning. Observed kitchen floor soiled. Observed piping and floors behind flat top grill with grease accumulation.	443(a),(b)		Noah Weber
1	Lemon Tree Mediterranean Grill	356 Indian Boundary Rd	Chesterton	06/16/26	Routine	C	Observed packaged cookies and macarons not labeled at time of inspection.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Noah Weber
11	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	P	Observed raw chicken stored above dough in cooler in cook line. Observed herbs and spices x4 uncovered in bins in dry storage area.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed metal oven tongs in use stored on oven handle.	183(a)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	Pf	Observed opened milk x2 opened and not date marked. Observed proper date marking on food products but required more labeling of food products.	214(a),(b),or(c)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed cardboard being used as shelf liner of onions. Observed absorbent particle board material being used and dry storage area.	234(a)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed prep top cooler within cook line with water pooling in bottom with no proper drainage.	268(a)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	Pf	Observed mounted can opener plunger soiled with food debris and metal shavings.	306(a)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	Pf	Observed hand sink within cook line with soiled cooking pan down within basin at time of inspection.	359(a),(b),(c)	Yes	Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed dish machine with minor water leak in bottom section.	363(a)(2)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed screen door used in back with hole in bottom right and minor gaps along edges.	421(a)or(d)		Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed x2 hand sinks with no signage at time of inspection.	432(a)	Yes	Noah Weber
	Namaste India Restaurant	715 Plaza Dr	Chesterton	06/24/26	Routine	C	Observed oil build up on x3 ceiling are vents within kitchen area. Observed food debris and residue in corner of walk in cooler. Observed food splatter on underbelly of x2 shelves.	443(a),(b)		Noah Weber

3	Red Cup Caf�� & Deli	117 Broadway	Chesterton	06/25/26	Routine	Pf	Observed opened milk and RTE icings and food products not labeled or date marked.	214(a),(b),or(c)		Noah Weber
	Red Cup Caf�� & Deli	117 Broadway	Chesterton	06/25/26	Routine	C	Observed front glass display cooler temping at 53 degrees F at time of inspection.	286(a),(b),or(c)		Noah Weber
	Red Cup Caf�� & Deli	117 Broadway	Chesterton	06/25/26	Routine	Pf	Observed pink residue on internal system of ice machine.	306(a)		Noah Weber
3	Sand Creek Country Club/Caf��	1001 Sand Creek Dr	Chesterton	06/10/26	Routine	C	Observed ice scoop stored on top of ice machine unit.	183(a)	Yes	Noah Weber
	Sand Creek Country Club/Caf��	1001 Sand Creek Dr	Chesterton	06/10/26	Routine	C	Observed hole in counter slider screen in need of repair.	421(a)or(d)		Noah Weber
	Sand Creek Country Club/Caf��	1001 Sand Creek Dr	Chesterton	06/10/26	Routine	P	Observed sanitizer above 500ppm at time of inspection.	461(a)		Noah Weber
10	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	C	Observed in use metal tongs stored on oven handle in cook line.	183(a)	Yes	Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	P	Observed small prep top cooler in cook line out of temperature. Observed cu tomatoes at 64 degrees F/ shredded cheese at 61.8/ white cheese 64.7/ ham slices 62 degrees F. Any potentially hazardous food that was out of temp for longer than 4 hours was recommended to be discarded. Observed first waiting area standing silver cooler temping at 51 degrees F. Any food that was out of temp for longer than 4 hours was recommended to be discarded.	213(a)(2),(b)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	Pf	Observed x5 opened milk gallons not date marked after opening.	214(a),(b),or(c)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	P	Observed bar dish machine with no sanitizer during rinse cycle.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	C	Observed Salamander broiler underbelly in cook line with grease accumulation.	306(b)&(c)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	Pf	Observed ice machine with pink residue on deflector blade.	306(a)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	C	Observed dumpster open at time of inspection.	400(a)	Yes	Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	C	Observed large amounts of grease and food debris located under cook line and cooler equipment in kitchen space. Observed dust and residue build up in fan cover within walk in cooler.	443(a),(b)		Noah Weber
	StoryPoint Chesterton	700 Dickinson Rd	Chesterton	06/24/26	Routine	C	Observed hood vent system above oil fryers with grease build up.	445(a)or(b)		Noah Weber
4	Taco Bell #3002077	702 Plaza Dr	Chesterton	06/25/26	Routine	C	Observed drive through window soda machine underbelly with green residue.	306(b)&(c)		Noah Weber
	Taco Bell #3002077	702 Plaza Dr	Chesterton	06/25/26	Routine	Pf	Observed front of house soda machine ice chute with minor pink residue.	306(a)		Noah Weber
	Taco Bell #3002077	702 Plaza Dr	Chesterton	06/25/26	Routine	C	Observed cleaned metal bins stacked together without being properly air dried on clean dish rack.	324(a)		Noah Weber
	Taco Bell #3002077	702 Plaza Dr	Chesterton	06/25/26	Routine	C	Observed dried syrup and plastic debris underneath soda syrup box shelving. Observed yellow soda syrup leaking underneath front of house soda machine.	443(a),(b)		Noah Weber
1	The BBQ Ribcage LLC.	1331 Broadway	Chesterton	06/29/26	Routine	C	Observed microwave with internal splatter.	306(b)&(c)		Noah Weber
	Wendy's of Chesterton #327	748 Indian Boundary Rd	Chesterton	06/05/26	Routine	C	Observed prep top cooler bottom section with minor water drip in need of repair. Observed indoor walk in cooler with great ice/frost accumulation on inside of unit over every surface. Observed external walk in freezer with weak seal not keeping door closed.	286(a),(b),or(c)		Noah Weber
	Wendy's of Chesterton #327	748 Indian Boundary Rd	Chesterton	06/05/26	Routine	C	Observed green residue on shelving in walk in cooler.	306(b)&(c)		Noah Weber
	Wendy's of Chesterton #327	748 Indian Boundary Rd	Chesterton	06/05/26	Routine	C	Observed metal bins stacked together before fully air drying.	324(a)		Noah Weber
	Wendy's of Chesterton #327	748 Indian Boundary Rd	Chesterton	06/05/26	Routine	C	Observed heavy grease pooling underneath fry station area with food debris.	443(a),(b)		Noah Weber
	Wendy's of Chesterton #327	748 Indian Boundary Rd	Chesterton	06/05/26	Routine	C	Observed hood vent above burger flat top with dark grease accumulation.	445(a)or(b)		Noah Weber
1	Great Harvest Crown Point VALPARAISO MARKET	10420 Broadway	Crown Point	06/02/26	Temporary	Pf	Observed no available paper towels to dry hands. Observed using rags.	430(a)		Noah Weber
3	3 Aces Catering LLC/Ace Catering	118 Valley View Ln	Dyer	06/20/26	Temporary	P	Measured cold holding at 49F and 52F at the time of inspection.	213(a)(2),(b)		AntonioTurner
	3 Aces Catering LLC/Ace Catering	118 Valley View Ln	Dyer	06/20/26	Temporary	P	Measured hot holding at 105F and 119F at the time of inspection.	213(a)(1)		AntonioTurner

	3 Aces Catering LLC/Ace Catering	118 Valley View Ln	Dyer	06/20/26	Temporary	C	Observed no free flowing spigot at the time of inspection.	347(b),(c),or(d)		AntonioTurner
5	SizzleBox Mobile Unit @ Wildrose Brewery Commissary	1104 East Main Street	Griffith	06/27/26	Temporary	C	Observed buttered bread on steel table, uncovered at the time of inspection.	175(a)(3thru8)		AntonioTurner
	SizzleBox Mobile Unit @ Wildrose Brewery Commissary	1104 East Main Street	Griffith	06/27/26	Temporary	C	Observed no seal behind hand sink at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	SizzleBox Mobile Unit @ Wildrose Brewery Commissary	1104 East Main Street	Griffith	06/27/26	Temporary	C	Observed grease buildup in between cooking equipment at the time of inspection.	306(b)&(c)		AntonioTurner
	SizzleBox Mobile Unit @ Wildrose Brewery Commissary	1104 East Main Street	Griffith	06/27/26	Temporary	C	Observed garage style door open without a screen at the time of inspection.	421(a)or(d)		AntonioTurner
	SizzleBox Mobile Unit @ Wildrose Brewery Commissary	1104 East Main Street	Griffith	06/27/26	Temporary	C	Observed floor damaged and not being sealed at the time of inspection.	442(a)		AntonioTurner
1	Dollar General #7365	814 Country Square Plz	Hebron	06/22/26	Routine	C		260(a),(b),(d)	No	JimChowning
2	Hebron Dairy Queen	620 N Front St	Hebron	06/16/26	Routine	P	Observed y splitter with shut off valves installed downstream from atmospheric vacuum breaker. Observed chemical dispenser installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Hebron Dairy Queen	620 N Front St	Hebron	06/16/26	Routine	C	Observed used mop sitting in soiled water in mop bucket next to mop sink	447(a)		Jonathan Weitgenant
4	Lighthouse Inc	425 Pratt St	Hebron	06/16/26	Routine	C	Observed ice at bar used for drinks exposed with soda gun tubing touching ice	189(a)		Jonathan Weitgenant
	Lighthouse Inc	425 Pratt St	Hebron	06/16/26	Routine	Pf	Observed all sanitizer test kits (chlorine and quat) expired in October of 2023.	301(a)		Jonathan Weitgenant
	Lighthouse Inc	425 Pratt St	Hebron	06/16/26	Routine	C	Observed residue build up in ice machine door and deflector. Observed residue build up in left hand soda gun nozzle at bar.	307(e)		Jonathan Weitgenant
	Lighthouse Inc	425 Pratt St	Hebron	06/16/26	Routine	C	Observed gap in back door near ice machine and beverage storage	421(a)or(d)		Jonathan Weitgenant
1	S & S Petroleum of Crown Point	206 N Main St	Hebron	06/22/26	Routine	C	Observed a large gap in the ceiling above the 3 bay sink with yellow insulation hanging out (see picture below).	442(a)	No	JimChowning
1	Subway 5369	615 N Main St	Hebron	06/03/26	Routine	P	Observed meatballs and potato soup measuring at 100 degrees in the steam hot holding well	213(a)(1)	Yes	Jonathan Weitgenant
3	Three Kings Subway, LLC	101 E Indiana St	Kouts	06/15/26	Routine	Pf	Observed frozen meats, tortillas, and pizzas thawing on counter top in prep kitchen space	210(a)(1)thru(a)(3)		Jonathan Weitgenant
	Three Kings Subway, LLC	101 E Indiana St	Kouts	06/15/26	Routine	Pf	Observed sanitizer test strips for quat expired in 2024	301(a)		Jonathan Weitgenant
	Three Kings Subway, LLC	101 E Indiana St	Kouts	06/15/26	Routine	C	Observed shared dumpster lid open	400(a)		Jonathan Weitgenant
2	Wana Pizza Kouts	104 Railroad St	Kouts	06/15/26	Routine	C	Observed food residue build up on plastic shelving in walk in cooler	306(b)&(c)		Jonathan Weitgenant
	Wana Pizza Kouts	104 Railroad St	Kouts	06/15/26	Routine	C	Observed floor tiles cracked in walk in cooler	442(a)		Jonathan Weitgenant
1	ReMix Catering & Events @ Innsbrook Country Club	6701 Taft St	Merrillville	06/20/26	Temporary	P	Measured proteins in reach in cooler at 46F at the time of inspection.	213(a)(2),(b)		AntonioTurner
6	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	P	Measured hot hold cabinet at 116F at the time of inspection.	213(a)(1)	Yes	AntonioTurner
	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	Pf	Observed external ambient thermometer not calibrated at the time of inspection.	247(a)or(b)		AntonioTurner
	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	C	Observed stationary can opener blade dull and metal shavings buildup behind blade at the time of inspection.	302(a)		AntonioTurner
	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	C	Observed ice machine in wait staff area with pink/black buildup on chute at the time of inspection.	307(e)		AntonioTurner
	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	P	Observed 3 bays leaking water from pipe into bin at the time of inspection.	363(a)(1)		AntonioTurner
	Aurelio's Pizza of Portage	6500 US Highway 6	Portage	06/10/26	Routine	Pf	Observed spray bottle in mop sink closet without label at the time of inspection.	456(a)	Yes	AntonioTurner
3	Bam Pizza Company	2556 Portage Mall	Portage	06/29/26	Routine	C	Observed coolers in need of ambient thermometers at the time of inspection.	260(a),(b),(d)	Yes	AntonioTurner
	Bam Pizza Company	2556 Portage Mall	Portage	06/29/26	Routine	C	Observed walk-in freezer leaking and covered in ice at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Bam Pizza Company	2556 Portage Mall	Portage	06/29/26	Routine	Pf	Observed two unlabeled squirt bottles at the time of inspection.	456(a)		AntonioTurner
12	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed raw meats stored on top of bell peppers and observed several foods uncovered at the time of inspection.	175(a)(3thru8)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed pots stored directly stored on floor at the time of inspection.	189(a)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed wood shelf holding food and single use containers, unsealed at the time of inspection.	226(a)(2),(a)(3),(a)(4), or(a)(5)		AntonioTurner

	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed floor in walk-in cooler lined with sheets of cardboard at the time of inspection.	234(a)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed water buildup on floor of reach in cooler on cooks' line at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed ketchup kept in can after opening at the time of inspection.	304(a)or(b)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	Pf	Observed stationary can opener blade with dried food residue at the time of inspection.	306(a)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	Pf	Observed hand sink blocked at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed cell phone sitting on top of pop top cooler at the time of inspection.	440(a)or(b)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed grease buildup under fryer station at the time of inspection.	443(a),(b)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	C	Observed hood filters with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
	Beijing Restaurant	6214 US Highway 6	Portage	06/24/26	Routine	Pf	Observed chemical bottle unlabeled at the time of inspection.	456(a)	Yes	AntonioTurner
10	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	P	Observed bagged ice bag stored inside ice machine directly on top of ready to use ice at the time of inspection.	180(a)	Yes	AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed ice bags being made without the name and place of business of the manufacture, packer, or distributor at the time of inspection.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed walk-in cooler and freezer leaking water onto floor at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed heavy grease buildup on fryer wheels at the time of inspection.	306(b)&(c)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	P	Observed y-valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed trash buildup around dumpster at the time of inspection.	402(a)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed gap along bottom right hand corner of back door at the time of inspection.	421(a)or(d)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed ceiling tile missing above soda box storage at the time of inspection.	442(a)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed heavy dust on ceiling fan and vents above cooks' line at the time of inspection.	443(a),(b)		AntonioTurner
	Burger King #2727	2595 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed grease buildup on hood filters at the time of inspection.	445(a)or(b)		AntonioTurner
4	Chipotle Mexican Grill #2512	6040 US Highway 6	Portage	06/03/26	Routine	C	Observed dust buildup on fan covers in walk-in cooler at the time of inspection.	306(b)&(c)		AntonioTurner
	Chipotle Mexican Grill #2512	6040 US Highway 6	Portage	06/03/26	Routine	C	Observed dumpster lids open at the time of inspection.	400(a)		AntonioTurner
	Chipotle Mexican Grill #2512	6040 US Highway 6	Portage	06/03/26	Routine	C	Observed trash and food debris around dumpster at the time of inspection.	402(a)		AntonioTurner
	Chipotle Mexican Grill #2512	6040 US Highway 6	Portage	06/03/26	Routine	C	Observed wet mop laying on mop sink floor at the time of inspection.	447(a)		AntonioTurner
4	Culver's of Portage IN	6139 US Highway 6	Portage	06/04/26	Routine	Pf	Observed no ambient thermometer inside reach in cooler behind register at the time of inspection.	247(a)or(b)	Yes	AntonioTurner
	Culver's of Portage IN	6139 US Highway 6	Portage	06/04/26	Routine	Pf	Measured sanitizer in bucket at less than ten parts per million at the time of inspection.	299(a)(6)(C),(a)(6)(D)	Yes	AntonioTurner
	Culver's of Portage IN	6139 US Highway 6	Portage	06/04/26	Routine	Pf	Observed hand sink blocked by large ice cream machine panel at the time of inspection.	359(a),(b),(c)	Yes	AntonioTurner
	Culver's of Portage IN	6139 US Highway 6	Portage	06/04/26	Routine	C	Observed employee red bull stored with frozen buns in freezer at the time of inspection.	440(a)or(b)		AntonioTurner
1	Dari Dip	5469 Central Ave	Portage	06/04/26	Routine	C	Observed dust buildup on fan covers in walk-in cooler at the time of inspection.	306(b)&(c)		AntonioTurner
3	Dunes Service Station BJ's Petroleum	5865 US Highway 12	Portage	06/04/26	Routine	Pf	Observed no sanitizer test kits at the time of inspection.	281(a)		AntonioTurner
	Dunes Service Station BJ's Petroleum	5865 US Highway 12	Portage	06/04/26	Routine	C	Observed dust buildup on fan covers in walk-in cooler at the time of inspection.	306(b)&(c)		AntonioTurner
	Dunes Service Station BJ's Petroleum	5865 US Highway 12	Portage	06/04/26	Routine	P	Observed no sanitizing step being used after washing out coffee pot at the time of inspection.	317(a)		AntonioTurner
5	Family Express Corp #63	5901 US Highway 6	Portage	06/09/26	Routine	Pf	Observed no quat test kit onsite at the time of inspection.	281(a)		AntonioTurner
	Family Express Corp #63	5901 US Highway 6	Portage	06/09/26	Routine	C	Observed walk-in cooler fan covers with dust buildup at the time of inspection.	306(b)&(c)		AntonioTurner

	Family Express Corp #63	5901 US Highway 6	Portage	06/09/26	Routine	Pf	Observed ice deflector with buildup, at both beverage bay ice machines at the time of inspection.	306(a)		AntonioTurner
	Family Express Corp #63	5901 US Highway 6	Portage	06/09/26	Routine	Pf	Observed hand sink next to 3 bays, blocked with soda nozzles and observed hand sink next to ice machine blocked by bag of ice at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Family Express Corp #63	5901 US Highway 6	Portage	06/09/26	Routine	C	Observed soda syrup on floor under soda box storage at the time of inspection.	443(a),(b)		AntonioTurner
3	First Wok	2555 Willowcreek Rd	Portage	06/05/26	Routine	C	Observed pork stored uncovered in walk-in freezer at the time of inspection.	175(a)(3thru8)	Yes	AntonioTurner
	First Wok	2555 Willowcreek Rd	Portage	06/05/26	Routine	C	Observed food being stored inside cans after opening at the time of inspection.	304(a)or(b)		AntonioTurner
	First Wok	2555 Willowcreek Rd	Portage	06/05/26	Routine	Pf	Observed unknown chemical in spray bottle without label at the time of inspection.	456(a)	Yes	AntonioTurner
7	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	C	Observed tongs hanging from stove handle and observed plastic containers used to scoop rice and sugar at the time of inspection.	183(a)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	Pf	Observed several items not, date marked at the time of inspection.	214(a),(b),or(c)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	Pf	Observed no ambient thermometer inside reach in cooler next to hand sink at the time of inspection.	247(a)or(b)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	C	Observed walk-in cooler leaking water into bucket at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	C	Observed chicken being stored inside "thank you" bags at the time of inspection.	304(a)or(b)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	C	Observed dust buildup on vents on outside of exhaust hoods at the time of inspection.	306(b)&(c)		AntonioTurner
	Fuji Japanese Restaurant	5942 US Highway 6	Portage	06/10/26	Routine	Pf	Observed hand sink blocked by carts at the time of inspection.	359(a),(b),(c)		AntonioTurner
8	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed food items stored uncovered in walk-in cooler at the time of inspection.	175(a)(3thru8)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed eggs stored directly on floor in walk-in cooler at the time of inspection.	189(a)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed hand sink with damaged seal at the time of inspection.	284(a)or(b)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed the use of single use containers to store food and observed the reuse of cans after opening at the time of inspection.	304(a)or(b)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed coving missing in kitchen at the time of inspection.	411(a)or(b)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed back screen door with gap along bottom at the time of inspection.	421(a)or(d)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	C	Observed chipped floor tile in kitchen at the time of inspection.	442(a)		AntonioTurner
	Jade Garden Restaurant	6222 Central Ave	Portage	06/10/26	Routine	P	Observed medicine bottle stored next to food in walk-in cooler at the time of inspection.	469(b)		AntonioTurner
6	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	C	Observed ice machine with pink buildup at the time of inspection.	307(e)		AntonioTurner
	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	C	Observed pans wet nesting at the time of inspection.	324(a)		AntonioTurner
	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	Pf	Observed no paper towel at hand sink at the time of inspection.	430(a)		AntonioTurner
	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	C	Observed food and grease buildup under fryer station at the time of inspection.	443(a),(b)		AntonioTurner
	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	C	Observed hood filters with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
	Marina Shores Yacht Club	5987 S Dune Harbor Dr	Portage	06/26/26	Routine	C	Observed wet mop sitting inside bucket at the time of inspection.	447(a)		AntonioTurner
1	McDonalds #3278	6120 Central Ave	Portage	06/24/26	Routine	C	Observed heavy ice buildup around fans and motor inside walk-in freezer at the time of inspection.	286(a),(b),or(c)		AntonioTurner
1	MCR Short Stop	6381 Central Ave	Portage	06/15/26	Routine	C	1 of the 2 dumpster lids was not closed	400(a)	Yes	JimChowning
2	MCR Short Stop	6381 Central Ave	Portage	06/15/26	Routine	P	carton of eggs in 3 door True cooler was on shelf above other food products	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		JimChowning
	MCR Short Stop	6381 Central Ave	Portage	06/15/26	Routine	C	1 of the 2 dumpster lids was not closed	400(a)	Yes	JimChowning
6	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	C	Observed black trash bag inside ice machine, on ice at the time of inspection.	189(a)		AntonioTurner
	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	C	Observed ceiling inside beer cooler unsealed wood at the time of inspection.	226(a)(2),(a)(3),(a)(4),or(a)(5)		AntonioTurner
	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	Pf	Observed no quaternary test kits at the time of inspection.	281(a)		AntonioTurner

	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	Pf	Observed no hand soap at hand sink at the time of inspection.	429(a)		AntonioTurner
	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	Pf	Observed no paper towel at hand sink next to three bays at the time of inspection.	430(a)		AntonioTurner
	Moods	2544-50 Portage Mall	Portage	06/29/26	Routine	C	Observed wet mop laying in bucket in between use at the time of inspection.	447(a)		AntonioTurner
6	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	C	Observed hand sink on cooks' line with damaged seal at the time of inspection.	284(a)or(b)		AntonioTurner
	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	C	Observed fan covers in walk-in cooler with dust buildup at the time of inspection.	306(b)&(c)		AntonioTurner
	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	C	Observed metal pans wet nesting above three bays at the time of inspection.	324(a)		AntonioTurner
	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	P	Observed y-valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	C	Observed back door wedged open at the time of inspection.	421(a)or(d)	Yes	AntonioTurner
	Popeyes/ Portage QSR, Inc.	6200 US Highway 6	Portage	06/24/26	Routine	C	Observed wet mops sitting on floor of mop sink at the time of inspection.	447(a)		AntonioTurner
3	Portage BP - DBA Gasco	6090 Central Ave	Portage	06/15/26	Routine	P	cartons of eggs on waist level shelf with other food products below them	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	No	JimChowning
	Portage BP - DBA Gasco	6090 Central Ave	Portage	06/15/26	Routine	C	self-serve chest freezer with frozen cheeseburgers & chicken sandwiches did not have a thermometer	260(a),(b),(d)	No	JimChowning
	Portage BP - DBA Gasco	6090 Central Ave	Portage	06/15/26	Routine	Pf		430(a)	Yes	JimChowning
2	Portage Jimmy Johns	2547 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed ice machine with heavy black buildup around rim of chute at the time of inspection.	307(e)	Yes	AntonioTurner
	Portage Jimmy Johns	2547 Willowcreek Rd	Portage	06/08/26	Routine	C	Observed dumpster lid open at the time of inspection.	400(a)	Yes	AntonioTurner
13	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed unlabeled buckets of dry pasta and beans at the time of inspection.	176(a)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed tongs hanging from stove handles at the time of inspection.	183(a)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed sanitizer buckets stored on floor at the time of inspection.	185(a)thruf		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	P	Measured eggs sitting out on pop top cooler since 6am at 72F at the time of inspection.	213(a)(2),(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed ceiling tiles above ware washing area, acoustic and absorbent at the time of inspection.	226(a)(2),(a)(3),(a)(4), or(a)(5)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	Pf	Observed mini fridge in wait staff area without ambient thermometer at the time of inspection.	247(a)or(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	Pf	Observed no food probe thermometer onsite at the time of inspection.	279(a)or(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed hand sink in wait staff area with damaged seal at the time of inspection.	284(a)or(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	Pf	Observed hand sink next to 3 bays blocked by drying rack at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	P	Observed waste line from ice machine, walk-in freezer and cooler not leading to a drain at the time of inspection.	382(a)(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	Pf	Observed no hand soap at hand sink next to 3 bays at the time of inspection.	429(a)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	C	Observed food debris buildup on floors throughout kitchen at the time of inspection.	443(a),(b)		AntonioTurner
	Portage Pancake House	5900 US Highway 6	Portage	06/10/26	Routine	Pf	Observed spray bottle unlabeled with unknown chemical by three bays at the time of inspection.	456(a)		AntonioTurner
2	Sassy Nails & Spa	6638 US Highway 6	Portage	06/11/26	Routine	C	Observed no ambient thermometer inside reach in cooler behind bar at the time of inspection.	260(a),(b),(d)	Yes	AntonioTurner
	Sassy Nails & Spa	6638 US Highway 6	Portage	06/11/26	Routine	Pf	Observed hand sink next to 3 bays blocked at the time of inspection.	359(a),(b),(c)	Yes	AntonioTurner
6	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	Pf	Observed no written procedure for vomiting or diarrheal cleanup at the time of inspection.	153(a)		AntonioTurner
	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	C	Observed eggs not on bottom shelf at the time of inspection.	175(a)(3thru8)	Yes	AntonioTurner
	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	C	Observed no ambient thermometer inside reach in ice cream freezer at the time of inspection.	260(a),(b),(d)	Yes	AntonioTurner
	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	C	Observed reuse of can after opening and observed creamer nozzles not cut on a diagonal at the time of inspection.	304(a)or(b)	Yes	AntonioTurner
	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	P	Observed mop sink hose hanging below flood rim level at the time of inspection.	348(a)	Yes	AntonioTurner

	South Shore Marathon	6598 US Hwy 6	Portage	06/11/26	Routine	P	Measured quat sanitizer above 500ppm at the time of inspection.	461(a)	Yes	AntonioTurner
2	Stonequarry Lounge RMAX INC.	2596 Portage Mall	Portage	06/29/26	Routine	C	Observed inside of ice machine with pink buildup at the time of inspection.	307(e)		AntonioTurner
	Stonequarry Lounge RMAX INC.	2596 Portage Mall	Portage	06/29/26	Routine	C	Observed grease buildup under cooking equipment at the time of inspection.	443(a),(b)		AntonioTurner
2	Teatery	2531 Willowcreek Rd	Portage	06/05/26	Routine	P	Observed y valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Teatery	2531 Willowcreek Rd	Portage	06/05/26	Routine	C	Observed both ceiling vents with dust buildup at the time of inspection.	443(a),(b)		AntonioTurner
1	Teazentea Portage	6502 US HWY 6	Portage	06/03/26	Routine	P	Observed Y-valve installed on mop sink faucet at the time of inspection.	348(a)		AntonioTurner
6	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	Pf	Observed person in charge during breakfast hours with lack of knowledge on proper sanitizing procedure of dishware.	135(a)(1)		Noah Weber
	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	P	Observed once frozen sausage and eggs set out on counter thawed and not being held at proper cold holding temp of 41 or below. Recommended if food was out of temp longer than 4 hours to discard of food product.	213(a)(2),(b)	Yes	Noah Weber
	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	Pf	Observed quat sanitizer testing kit expired since 2021.	301(a)		Noah Weber
	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	Pf	Observed first floor ice machine with heavy pink of black residue on internal ice flap and ice forming unit.	306(a)		Noah Weber
	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	P	Observed no 3 bay sanitizer station set up and no sanitizer buckets made at time of inspection during food serving hours. Observed insufficient amount of 3 bay drain plugs to be able to set up proper 3 bay wash-rinse-sanitize sink.	318(a)		Noah Weber
	Comfort Inn & Suites / Food	1800 W US Highway 20	Porter	06/24/26	Routine	P	Observed y-splitter installed on mop sink faucet.	349(a)		Noah Weber
1	Village Tavern	128 Lincoln St	Porter	06/10/26	Follow-up	C	Observed large 3 door reach in cooler by cook line with water dripping from cooling unit in need of repair.	286(a),(b),or(c)		Noah Weber
4	49'er Drive-In	675 N Calumet Ave	Valparaiso	06/03/26	Routine	Pf	Observed no date marking or labeling on RTE food products in cooler.	214(a),(b),or(c)		Noah Weber
	49'er Drive-In	675 N Calumet Ave	Valparaiso	06/03/26	Routine	Pf	Observed plunger on mounted can opener with black residue.	306(a)		Noah Weber
	49'er Drive-In	675 N Calumet Ave	Valparaiso	06/03/26	Routine	C	Observed missing/damaged coving in soda syrup wall, wall behind 3 bay sink and right side wall at pizza oven entrance.	442(a)		Noah Weber
	49'er Drive-In	675 N Calumet Ave	Valparaiso	06/03/26	Routine	C	Observed hood vent grate above flat-top grill with grease accumulation.	445(a)or(b)		Noah Weber
1	Aberdeen POA Snack Bar	9 Whitekirk Green	Valparaiso	06/08/26	Routine	Pf		279(a)or(b)		JimChowning
5	Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed bulk seasoning and flour containers with no labeling	176(a)		Jonathan Weitgenant
	Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed 2oz portion cups being used to dispense seasonings and stored in the container	183(a)		Jonathan Weitgenant
	Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed no written allergen notification for customers	222(a),(b)		Jonathan Weitgenant
	Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed residue build up on shelves in the small reach in fridge. Observed residue build up underneath the pepsi dispenser.	306(b)&(c)		Jonathan Weitgenant
	Ben's Soft Pretzels @ Walmart	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed residue build up on chute of ice dispenser of pepsi machine. Observed beverage residue and dust build up on the under plate of the soda dispenser.	307(e)		Jonathan Weitgenant
10	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed ice bins at bar completely uncovered	175(a)(3thru8)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	Pf	Observed no logs verifying safety of sushi rice as detailed in agreement on file	216(a),(b)(3),or(c)(2)or(c)(3)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed no written notification for customers alerting to the presence of major food allergens	222(a),(b)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed cardboard being used on shelving underneath bottles of beer and liquor in basement. Observed absorbent board being used as shelving in walk in cooler	234(a)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	Pf	Observed no chlorine testing strips available at bar and in dishroom to test dish washers	281(a)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	P	Observed dish machine in basement not dispensing sanitizer into machine. Observed sanitizer in 3bay sink in bar measuring below 200ppm quat solution.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		Jonathan Weitgenant

	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed dripping grease on the outer rim of the hood system on hot line. Observed heavy beverage residue in the bottom of bar cooler.	306(b)&(c)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed soda residue build up on the under plate of the dispenser in the server station. Observed soda residue build up in the soda gun holsters at the bar	307(e)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	C	Observed missing coving under hand sink and 3bay sink in basement dish room. Observed missing coving/peeling coving on wall in sushi area near back door	411(a)or(b)		Jonathan Weitgenant
	Blue Point Oysters & Sushi Bar	13 Lincolnway	Valparaiso	06/30/26	Routine	Pf	Observed presence of flies around the oyster shucking station in the back of the kitchen	450(a)(3)		Jonathan Weitgenant
5	Buona Beef & Rainbow Cone	2901 John Howell Drive	Valparaiso	06/22/26	Routine	P	Observed product in pasta prep top cooler measuring at 45 degrees	213(a)(2),(b)		Jonathan Weitgenant
	Buona Beef & Rainbow Cone	2901 John Howell Drive	Valparaiso	06/22/26	Routine	C	Observed 2 seals on pasta cooler torn and hanging off the doors	286(a),(b),or(c)		Jonathan Weitgenant
	Buona Beef & Rainbow Cone	2901 John Howell Drive	Valparaiso	06/22/26	Routine	C	Observed beverage residue build up on the under plate of the soda dispensers at the drive thru window	306(b)&(c)		Jonathan Weitgenant
	Buona Beef & Rainbow Cone	2901 John Howell Drive	Valparaiso	06/22/26	Routine	P	Observed y-splitter installed on mop sink faucet with downstream shut off valves and chemical dispenser installed above the atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	Buona Beef & Rainbow Cone	2901 John Howell Drive	Valparaiso	06/22/26	Routine	C	Observed grease build up in the back corner of the lower shelf under the fry seasoning and hot holding station. Observed grease build up under the fryers. Observed water build up along the wall under the dishwasher, 3bay sink, and clean container storage shelf	443(a),(b)		Jonathan Weitgenant
8	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed two employees not wearing hair restraints at the time of inspection.	151(a)	Yes	AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed ice bucket not inverted in between use at the time of inspection.	183(a)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed several food items meant to be kept frozen, not frozen at the time of inspection.	208(a)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed no ambient thermometer inside reach in freezer next to fryer station at the time of inspection.	260(a),(b),(d)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Measured walk-in freezer at 34F at the time of inspection.	286(a),(b),or(c)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	P	Observed Y-valve installed at mop sink at the time of inspection.	348(a)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed leaf and trash debris around dumpster at the time of inspection.	402(a)		AntonioTurner
	Burger King #8944	374 W US Highway 6	Valparaiso	06/09/26	Routine	C	Observed broken light shield above cooks' line at the time of inspection.	417(a)or(c)		AntonioTurner
4	Cafe Manna / St. Teresa of Avila	1604 East Lincolnway	Valparaiso	06/18/26	Routine	P	Observed worker prepping raw pork loin with no glove on, then employee dunked hand into soapy dish washing sink at 3bay and wiped hands on cloth towel to dry before moving on to next task. Later observed same worker wash both hands in 3bay sink after removing gloves.	141(a)&(b)		Jonathan Weitgenant
	Cafe Manna / St. Teresa of Avila	1604 East Lincolnway	Valparaiso	06/18/26	Routine	Pf	Observed chlorine test strips for 3bay sink dated for expiration in 2021	301(a)		Jonathan Weitgenant
	Cafe Manna / St. Teresa of Avila	1604 East Lincolnway	Valparaiso	06/18/26	Routine	C	Observed metal fragments inside the can open and on the can opener base attached to the prep table	306(b)&(c)		Jonathan Weitgenant
	Cafe Manna / St. Teresa of Avila	1604 East Lincolnway	Valparaiso	06/18/26	Routine	P	Observed mop sink hose stored in sink below flood rim level	348(a)	Yes	Jonathan Weitgenant
6	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	C	Observed no written notification for consumers of the presence of major food allergens	222(a),(b)		Jonathan Weitgenant
	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	C	Observed hand sink in kitchen loose from the wall with broken sealant	284(a)or(b)		Jonathan Weitgenant
	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	C	Observed food residue build up on wire shelving inside deli top pizza cooler and observed food residue build up on the lid and sides of the pizza cooler	306(b)&(c)		Jonathan Weitgenant
	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	C	Observed beverage residue build up on and around coffee dispenser nozzles, soda dispensing units, and frostbite machine	307(e)		Jonathan Weitgenant
	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	P	Observed chemical dispensing system installed above mop sink faucet causing a back pressure possibility on the atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant

	Casey's General Store #3682	2004 Morthland Dr	Valparaiso	06/26/26	Routine	C	Observed large collection of unused trash cans stored in dumpster corral collecting water and trash.	453(a)		Jonathan Weitgenant
1	Chicken Salad Girl @ Nana Clares	3907 Calumet Ave	Valparaiso	06/05/26	Temporary	C	Observed packaged baked goods without proper labeling.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Noah Weber
10	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	P	Observed incorrect storage hierarchy in walk in cooler with raw chicken and other proteins being stored above raw vegetables. Observed uncovered buckets of bean sprouts and noodles soaking in water on floor of walk in cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed clothe towels in contact with food being used to cover cooked product	184(a)	Yes	Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	Pf	Observed basket of raw chicken wings in drainage basket measuring at 65 degrees sitting on drainage board of sink to thaw before being cooked	210(a)(1)thru(a)(3)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	P	Observed product in all refrigerator units and walk in cooler measuring above 41 degrees.	213(a)(2),(b)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed metal cans opened and being used for storage in coolers and on line	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed hood filters soiled above cooking equipment	245(a)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed black and pink residue on plastic plating inside ice machine	307(e)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	Pf	Observed hand sink in kitchen used to dump water from thawing chicken	359(a),(b),(c)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed no covered receptacle in women's restroom	394(a)		Jonathan Weitgenant
	China House Restaurant	120 Lincolnway	Valparaiso	06/09/26	Routine	C	Observed dumpster lid open	400(a)		Jonathan Weitgenant
5	Country Inn & Suites / Food	2020 Laporte Ave	Valparaiso	06/09/26	Routine	C	Observed dust build up in ice chute of ice machine on first floor	307(e)		Jonathan Weitgenant
	Country Inn & Suites / Food	2020 Laporte Ave	Valparaiso	06/09/26	Routine	P	Observed damage to atmospheric vacuum breaker on service sink faucet.	349(a)		Jonathan Weitgenant
	Country Inn & Suites / Food	2020 Laporte Ave	Valparaiso	06/09/26	Routine	C	Observed shared dumpster open	400(a)		Jonathan Weitgenant
	Country Inn & Suites / Food	2020 Laporte Ave	Valparaiso	06/09/26	Routine	Pf	Observed no single use paper towels available at kitchen hand sink	430(a)	Yes	Jonathan Weitgenant
	Country Inn & Suites / Food	2020 Laporte Ave	Valparaiso	06/09/26	Routine	C	Observed build up of cereal in cabinets and drawers on serving line	443(a),(b)		Jonathan Weitgenant
3	Crozier's Dairy Queen	3029 Calumet Ave	Valparaiso	06/29/26	Routine	C	Observed heavy residue build up on wire shelving on walk in cooler near hot kitchen line. Observed ketchup splatter on back wall of low boy reach in cooler on cook line	306(b)&(c)		Jonathan Weitgenant
	Crozier's Dairy Queen	3029 Calumet Ave	Valparaiso	06/29/26	Routine	P	Observed y-splitter with down stream shut off valves on mops sink faucet. Observed chemical dispenser installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Crozier's Dairy Queen	3029 Calumet Ave	Valparaiso	06/29/26	Routine	C	Observed open trash cans with sitting water, milk crates, and other potential harborage conditions around the dumpster	402(a)		Jonathan Weitgenant
2	Culver's --Valparaiso Burgers (Culver's)	2101 Laporte Ave	Valparaiso	06/05/26	Routine	C	Observed large fryer oil spill underneath fryers on the cook line	443(a),(b)		Jonathan Weitgenant
	Culver's --Valparaiso Burgers (Culver's)	2101 Laporte Ave	Valparaiso	06/05/26	Routine	C	Observed mop stored in bucket sitting in water.	447(a)	Yes	Jonathan Weitgenant
2	Do Goodies	2801 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed no written allergen notification for customers on premises	222(a),(b)		Jonathan Weitgenant
	Do Goodies	2801 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed coving missing behind metal storage shelf on wall between fudge processing and dishwasher section.	411(a)or(b)		Jonathan Weitgenant
1	Dollar General Store #20119	7 W US Highway 6	Valparaiso	06/23/26	Routine	P	five 12.5 oz canisters of Good Start Gentle Pro baby formula with a sell by date of 22May2026 were observed on the shelf	224(a),(b),(c),(d),(e)	Yes	JimChowning
1	Dollar Tree # 11017	2410 Laporte Ave	Valparaiso	06/02/26	Routine	C	Observed no covered receptacle in the public gender neutral bathroom	394(a)		Jonathan Weitgenant
2	Dollar Tree #5518	1170 Strongbow Center Dr	Valparaiso	06/17/26	Routine	C	a carton containing boxes of frozen pizza was resting directly on the floor of the walk-in freezer. Cartons of Food products were also on the floor of the Imperial walk-in cooler.	189(a)	Yes	JimChowning
	Dollar Tree #5518	1170 Strongbow Center Dr	Valparaiso	06/17/26	Routine	C	Observed dispensing hose for mop sink stored below flood rim of service sink	442(a)		JimChowning
2	Dutch Bros IN0701 Valparaiso	2510 Laporte Ave	Valparaiso	06/02/26	Routine	P	Observed leak on the back floor near hot water heater and main water line connection	363(a)(2)		Jonathan Weitgenant
1	Edible - Valparaiso Store #719	501 Silhavy Rd, Ste. B-100	Valparaiso	06/17/26	Routine	C	Observed dumpster open at time of inspection.	400(a)		Noah Weber

2	Fairfield Inn & Suites Valparaiso	2101 Morthland Dr	Valparaiso	06/02/26	Routine	Pf	Observed no quat test strips available	281(a)		Jonathan Weitgenant
	Fairfield Inn & Suites Valparaiso	2101 Morthland Dr	Valparaiso	06/02/26	Routine	Pf	Observed no quat sanitizer available in 3bay sink. Observed sanitizer generator inoperable.	282(a)or(b)		Jonathan Weitgenant
4	Family Express #85	213 S. SR-49	Valparaiso	06/10/26	Routine	Pf	Observed no certified food manager on property for training	135(a)(1)		Jonathan Weitgenant
	Family Express #85	213 S. SR-49	Valparaiso	06/10/26	Routine	C	Observed no written allergen notification on premises	222(a),(b)		Jonathan Weitgenant
	Family Express #85	213 S. SR-49	Valparaiso	06/10/26	Routine	C	Observed milk tube cut flat and more than 1 inch protruding from the dispensing head	304(a)or(b)		Jonathan Weitgenant
	Family Express #85	213 S. SR-49	Valparaiso	06/10/26	Routine	Pf	Observed no hand soap available in the men's public restroom	429(a)	Yes	Jonathan Weitgenant
8	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed no written allergen notification for customers on premises	222(a),(b)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed exposed wood being used for shelving of beverage and food product in both storage rooms	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed 3d residue build up on fan blade covers of walk in cooler and on beverage can dispensing racks	306(b)&(c)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed beverage residue build up on creamer machine, coffee dispensers, southern sweet tea, and fountain drink dispenser	307(e)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed food residue build up inside microwave	308(a)or(b)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	P	Observed y-splitter installed on service sink faucet with down stream shut off valves and chemical dispenser installed above atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed coving missing around service sink and underneath 3bay sink.	411(a)or(b)		Jonathan Weitgenant
	Family Express Corp #21	204 Silhavy Rd	Valparaiso	06/22/26	Routine	C	Observed damage to dry wall underneath storage shelves in storage room by checkout	442(a)		Jonathan Weitgenant
6	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	C	Observed three bins of breakfast items stored directly on floor inside walk-in cooler at the time of inspection.	189(a)		AntonioTurner
	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	C	Observed exposed drywall, behind and above 3 bays and observed soda boxes and other food items stored on unsealed wood shelving at the time of inspection	234(a)		AntonioTurner
	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	P	Observed y-valve installed on mop sink faucet at the time of inspection.	348(a)		AntonioTurner
	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	Pf	Observed hand sink blocked with leaking case of monster energy drink at the time of inspection.	359(a),(b),(c)		AntonioTurner
	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	C	Observed trash behind dumpster and on the ground near back door at the time of inspection.	402(a)		AntonioTurner
	Family Express Corp #53	252 W State Road 130	Valparaiso	06/03/26	Routine	C	Observed mice feces inside cabinet next to single use items on self-serve line at the time of inspection.	443(a),(b)		AntonioTurner
5	Family Express Corp #70	2605 Calumet Ave	Valparaiso	06/16/26	Routine	C	Observed fuzzy residue on walk in drink shelving mainly in coffee and Gatorade sections.	306(b)&(c)		Noah Weber
	Family Express Corp #70	2605 Calumet Ave	Valparaiso	06/16/26	Routine	Pf	Observed ice coffee ice dispenser with pink residue on internal flap. Observed green residue on internal ice dispenser at soda station.	306(a)		Noah Weber
	Family Express Corp #70	2605 Calumet Ave	Valparaiso	06/16/26	Routine	P	Observed y-splitter installed downstream with shutoff valves on mops sink faucet. Observed chemical dispensers installed above atmospheric vacuum breaker.	349(a)		Noah Weber
	Family Express Corp #70	2605 Calumet Ave	Valparaiso	06/16/26	Routine	C	Observed dumpster left open at time of inspection.	400(a)	Yes	Noah Weber
	Family Express Corp #70	2605 Calumet Ave	Valparaiso	06/16/26	Routine	C	Observed dust build up on ceiling vent above pizza oven stations.	443(a),(b)		Noah Weber
6	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	C	Observed 3 bay sink with need of new caulking.	284(a)or(b)		Noah Weber
	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	C	Observed white residue on green metal shelving of walk in cooler.	306(b)&(c)		Noah Weber
	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	Pf	Observed pink residue on ice machine deflector blade. Observed residue build up on nozzles and underbelly of x3 soda machines.	306(a)		Noah Weber
	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	C	Observed cleaned metal bins stacked together before properly air drying.	324(a)		Noah Weber
	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	C	Observed large cut out hole in wall behind pasta warming station in need of repair.	442(a)		Noah Weber
	Fazoli's Restaurant 5924	2809 Calumet Ave	Valparaiso	06/26/26	Routine	C	Observed large amount of food residue and debris located underneath primarily under pasta warming station. Observed white residue on ceiling located above fan covers within walk in cooler.	443(a),(b)		Noah Weber
2	Five Guys Burgers & Fries	2505 Laporte Ave Ste 171	Valparaiso	06/17/26	Routine	Pf	Observed soiled knife within knife block holder.	306(a)	Yes	Noah Weber

	Five Guys Burgers & Fries	2505 Laporte Ave Ste 171	Valparaiso	06/17/26	Routine	C	Observed water leaking from ceiling in kitchen during rainstorm.	442(a)		Noah Weber
7	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	P	Observed raw tuna on counter next to hand sink in sushi area measuring at 65 degrees internal temperature	213(a)(2),(b)	Yes	Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	C	Observed no written notification to consumers about presence of major food allergens	222(a),(b)		Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	Pf	Observed no consumer advisory on menu when serving raw fish	223(a),(b),or(c)		Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	P	Observed sanitizer dispensing into dish machine but concentration measuring below 50 ppm chlorine solution	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	C	Observed food residue splatter on wall in walk in cooler.			Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	C	Observed heavy grease build up on the upright fridge/freezer on kitchen line	306(b)&(c)		Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	C	Observed dumpster lid open	400(a)		Jonathan Weitgenant
	Furin Japanese Restaurant	21 Lincolnway	Valparaiso	06/29/26	Routine	C	Observed ceiling pieces peeling from the top of the walk in cooler. Observed large amount of trapped moisture in between damaged ceiling tiles of walk in cooler	442(a)		Jonathan Weitgenant
5	Golden Buffet	1805 Lincolnway	Valparaiso	06/18/26	Routine	Pf	Observed no date marking on bulk sauce containers in walk in coolers.	214(a),(b),or(c)		Jonathan Weitgenant
	Golden Buffet	1805 Lincolnway	Valparaiso	06/18/26	Routine	C	Observed stacks of metal pans on storage shelf with excess moisture trapped between layers	324(a)		Jonathan Weitgenant
	Golden Buffet	1805 Lincolnway	Valparaiso	06/18/26	Routine	C	Observed dumpster lids open	400(a)	Yes	Jonathan Weitgenant
	Golden Buffet	1805 Lincolnway	Valparaiso	06/18/26	Routine	C	Observed screen door leading from the kitchen to the back concrete pad with no protection on the bottom to prevent pest entrance.	421(a)or(d)		Jonathan Weitgenant
	Golden Buffet	1805 Lincolnway	Valparaiso	06/18/26	Routine	P	Observed chlorine sanitizer concentration in bucket for front of house use measuring above 200ppm	461(a)	Yes	Jonathan Weitgenant
2	Hampton Inn & Suites Valparaiso	1451 Silhavy Rd	Valparaiso	06/10/26	Routine	C	Observed 1st floor ice machine with residue build up around ice dispensing chute	307(e)		Jonathan Weitgenant
	Hampton Inn & Suites Valparaiso	1451 Silhavy Rd	Valparaiso	06/10/26	Routine	C	Observed dumpster lid open	400(a)		Jonathan Weitgenant
2	Holiday Inn Express and Suites	1251 Silhavy Road	Valparaiso	06/05/26	Routine	Pf	Observed dish machine in kitchen not dispensing the correct concentration of sanitizing solution.	265(a)		Jonathan Weitgenant
	Holiday Inn Express and Suites	1251 Silhavy Road	Valparaiso	06/05/26	Routine	P	Observed 2 sets of y-splitters installed downstream with shutoff valves on mops sink faucet. Observed chemical dispensers installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
6	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	C	Observed bulk sugar stored in unlabeled container in kitchen	176(a)		Jonathan Weitgenant
	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	P	Observed chlorine sanitizer concentration in 3bay sink below 50ppm.	317(a)		Jonathan Weitgenant
	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	C	Observed both outer doors propped open with no protective cover leading straight into kitchen	421(a)or(d)		Jonathan Weitgenant
	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	C	Observed no waste receptacle in furthest bathroom near kitchen	433(a)		Jonathan Weitgenant
	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	C	Observed grease and residue build up in hood vents above wok station	445(a)or(b)		Jonathan Weitgenant
	Kin Khao Thai Up-N-Smoke	55 University Dr Ste 100	Valparaiso	06/22/26	Routine	C	Observed wet mop stored down in mop sink unable to dry	447(a)	Yes	Jonathan Weitgenant
1	King Gyros	1610 Lincolnway	Valparaiso	06/18/26	Routine	Pf	Observed no date marking on prepared ribs, chicken wings, marinated raw chicken, and other products in walk in cooler.	214(a),(b),or(c)		Jonathan Weitgenant
3	Lenny's Coal Fired Pizza	3800 N Calumet Ave	Valparaiso	06/29/26	Routine	C	Observed heavy 3d residue build up on the green wire storage racks in the walk in cooler	306(b)&(c)		Jonathan Weitgenant
	Lenny's Coal Fired Pizza	3800 N Calumet Ave	Valparaiso	06/29/26	Routine	P	Observed y-splitter installed with down stream shut off valves. Observed chemical dispenser installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Lenny's Coal Fired Pizza	3800 N Calumet Ave	Valparaiso	06/29/26	Routine	C	Observed drain plug missing from shared dumpster	401(a)		Jonathan Weitgenant
3	McAlister's Deli	300 Porters Vale Blvd, Ste. 130	Valparaiso	06/24/26	Routine	C	Observed exposed absorbent wood in the openings for the dining room trash cans	234(a)		Jonathan Weitgenant
	McAlister's Deli	300 Porters Vale Blvd, Ste. 130	Valparaiso	06/24/26	Routine	C	Observed 3d dust build up on the cover and inner surfaces of the walk in cooler fan	306(b)&(c)		Jonathan Weitgenant
	McAlister's Deli	300 Porters Vale Blvd, Ste. 130	Valparaiso	06/24/26	Routine	P	Observed y-splitter with downstream shut off valves mop sink faucet and chemical dispenser installed above the atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant

4	McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	06/24/26	Routine	C	Observed no hair restraint on employee and no beard guard on another employee while doing food prep.	151(a)		Noah Weber
	McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	06/24/26	Routine	C	Observed exposed particle wood located underneath front of house fish display with no sealant and with damage releasing splinters.	234(a)		Noah Weber
	McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	06/24/26	Routine	C	Observed gasket on produce cooler damaged and repaired with duct tape.	286(a),(b),or(c)		Noah Weber
	McGowan & Sons INC	1607 Burlington Beach Rd	Valparaiso	06/24/26	Routine	C	Observed multiple large plastic bins stacked together before fully air drying.	324(a)		Noah Weber
1	Menards / Valparaiso	351 Silhavy Rd	Valparaiso	06/24/26	Routine	C	The seals on all 3 doors of the middle cooler (containing milk and cheese) are in various stages of separation and disrepair.	286(a),(b),or(c)	No	JimChowning
3	Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	06/01/26	Pre-Opening	C	Observed unapproved mini fryer installed and being used with no hood ventilation system installed.	276(a)	Yes	Noah Weber
	Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	06/01/26	Pre-Opening	Pf	Observed ice machine deflector blade with pink residue.	306(a)		Noah Weber
	Mochi Boba Tea Inc	11 1/2 Lincolnway	Valparaiso	06/01/26	Pre-Opening	P	Observed prep sink in front of house being used to wash dishes and not using proper sanitizing step.	318(a)	Yes	Noah Weber
3	Nekter Juice Bar	2502 Calumet Avenue Suite 2	Valparaiso	06/15/26	Routine	Pf	Observed quat sanitizer testing kit expired since 2024.	301(a)		Noah Weber
	Nekter Juice Bar	2502 Calumet Avenue Suite 2	Valparaiso	06/15/26	Routine	C	Observed minor fuzzy green residue on green metal storage racks within walk in cooler.	306(b)&(c)		Noah Weber
	Nekter Juice Bar	2502 Calumet Avenue Suite 2	Valparaiso	06/15/26	Routine	C	Observed wet mop down within mop sink not hung to air dry properly.	447(a)		Noah Weber
2	Panda Express #2816	2904 John Howell Dr	Valparaiso	06/17/26	Routine	Pf	Observed x2 pineapple cans heavily dented within walk in cooler.	166(a)	Yes	Noah Weber
	Panda Express #2816	2904 John Howell Dr	Valparaiso	06/17/26	Routine	C	Observed x2 prep top cooler with water dripping from unit onto floor causing a puddle within walk way.	286(a),(b),or(c)		Noah Weber
5	Panera Bread #811	2710 Laporte Ave Ste 150	Valparaiso	06/05/26	Routine	P	Observed y-splitter on mop sink faucet with downstream shut off valves and chemical dispenser installed above atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	Panera Bread #811	2710 Laporte Ave Ste 150	Valparaiso	06/05/26	Routine	C	Observed dish machine with significant leak from vacuum breaker and from tubing going into the machine	363(a)(2)	Yes	Jonathan Weitgenant
	Panera Bread #811	2710 Laporte Ave Ste 150	Valparaiso	06/05/26	Routine	C	Observed shared dumpster lids open	400(a)		Jonathan Weitgenant
	Panera Bread #811	2710 Laporte Ave Ste 150	Valparaiso	06/05/26	Routine	C	Observed large amounts of refuse build up around dumpsters including boxes, cigarettes, and beverage cans.	402(a)		Jonathan Weitgenant
	Panera Bread #811	2710 Laporte Ave Ste 150	Valparaiso	06/05/26	Routine	C	Observed coving damaged and separating from wall near walk in cooler in main kitchen and mop sink.	411(a)or(b)	Yes	Jonathan Weitgenant
2	Parea	69 Franklin St	Valparaiso	06/26/26	Routine	C	Observed residue build up in the nozzles of soda guns in upstairs event bar space.	307(e)		Jonathan Weitgenant
	Parea	69 Franklin St	Valparaiso	06/26/26	Routine	C	Observed heavy soda syrup build up on floor and equipment in basement near dispenser	443(a),(b)		Jonathan Weitgenant
1	Pat's Ice Cream Parlor	222 Lincolnway	Valparaiso	06/29/26	Pre-Opening	C	Observed no seal on bottom of door leading to back alley way.	421(a)or(d)		Jonathan Weitgenant
3	Pico De Gallo Mobile Unit @ Lincoln Kitchen	704 Silhavy Rd	Valparaiso	06/02/26	Temporary	C	Observed hot corn outside on table with no covering from the elements.	189(a)		Noah Weber
	Pico De Gallo Mobile Unit @ Lincoln Kitchen	704 Silhavy Rd	Valparaiso	06/02/26	Temporary	P	Observed cooked meat in large plastic bins with very little ice temping at 66 degrees F.	213(a)(2),(b)		Noah Weber
	Pico De Gallo Mobile Unit @ Lincoln Kitchen	704 Silhavy Rd	Valparaiso	06/02/26	Temporary	C	Observed mobile unit door propped open with no screen door.	421(a)or(d)		Noah Weber
2	PJ's Pub	391 West US Hwy 6	Valparaiso	06/09/26	Routine	Pf	Observed no test kit onsite and the time of inspection.	281(a)		AntonioTurner
	PJ's Pub	391 West US Hwy 6	Valparaiso	06/09/26	Routine	C	Observed 3 bays leaking into buckets at the time of inspection.	363(a)(2)		AntonioTurner
6	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed bags of sugar and flour resting on kitchen floor in dish room in the presence of water and grease on the floor	189(a)		Jonathan Weitgenant
	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed beverage residue build up on lid of storage container under tea dispenser in dining room	306(b)&(c)		Jonathan Weitgenant
	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed strawberry fanta dispenser in dining room with residue build up. Observed residue build up in the dispensing nozzles of the frozen lemonades.	307(e)		Jonathan Weitgenant
	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	P	Observed y-splitters installed downstream on both mop sink faucets and chemicals installed above atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed water backing up through floor drains in ware washing area	363(a)(2)		Jonathan Weitgenant

	Popeyes/ Valpo QSR Corporation.	2382 Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed damaged coving in the corner between the dish room and fryer/breading line	411(a)or(b)		Jonathan Weitgenant
6	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed wiping clothes being stored on the table in between use with no sanitizer bucket available.	185(athruf)		Jonathan Weitgenant
	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed no labels for cookies packaged for sale	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant
	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed no written notification for consumers for presence of allergens	222(a),(b)		Jonathan Weitgenant
	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed cardboard being used for storage shelving in walk in cooler. Observed unsealed wood being used for storage in dry storage room.	234(a)		Jonathan Weitgenant
	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed residue build up on the edges of the ice chutes in ice machine and coca-cola self service machine	307(e)		Jonathan Weitgenant
	Recreational Ventures Inc. dba Inman's	3201 Evans Ave	Valparaiso	06/24/26	Routine	C	Observed damaged ceiling tiles in dry storage and bar.	442(a)		Jonathan Weitgenant
7	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	C	Observed multiple containers of prepared foods (queso, salsa, cut onions, etc) being stored in the walk in with no covering	175(a)(3thru8)		Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	C	Observed two tongs being stored on the edge of a trash can with one tong section down in the trash	183(a)	Yes	Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	Pf	Observed no consumer advisory on menu notifying customers of the risk for consuming undercooked eggs or meats.	223(a),(b),or(c)		Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	C	Observed opened cans of pineapple juice, jalapenos, and tomatoes in the walk in cooler	226(a)(2),(a)(3),(a)(4),or(a)(5)		Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	C	Observed soiled cardboard being used under product on 1 shelf in walk in and on dry storage shelves in back near soda syrup boxes	234(a)		Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	C	Observed two mops in two separate mop buckets submerged in soil water.	447(a)	Yes	Jonathan Weitgenant
	Santo Taco	2310 Laporte Ave Ste 500	Valparaiso	06/03/26	Routine	Pf	Observed presence of fruit flies throughout kitchen	450(a)(3)		Jonathan Weitgenant
3	Smyle Yogurt Bar	2620 Laporte Ave Ste 110	Valparaiso	06/23/26	Routine	C	Observed shared dumpster lids open	400(a)		Jonathan Weitgenant
	Smyle Yogurt Bar	2620 Laporte Ave Ste 110	Valparaiso	06/23/26	Routine	P	Observed can of raid stored on shelf in kitchen labeled for household use only	459(a)(2),(a)(3),or(b)	Yes	Jonathan Weitgenant
	Smyle Yogurt Bar	2620 Laporte Ave Ste 110	Valparaiso	06/23/26	Routine	P	Observed sanitizer bucket stored under toppings cart measuring above 200ppm chlorine solution	461(a)		Jonathan Weitgenant
6	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed residue build up on wire shelving holding food product in walk in cooler. Observed residue build up on wire shelving underneath can and bottle dispensing racks in reach in cooler.	306(b)&(c)		Jonathan Weitgenant
	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed dried milk residue on dairy dispenser at coffee station. Observed dried coffee residue build up on under plate of specialty coffee dispenser.	307(e)		Jonathan Weitgenant
	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed missing coving under 3bay sink	411(a)or(b)		Jonathan Weitgenant
	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed missing panel on walk in cooler door exposing wood stud underneath	416(a)		Jonathan Weitgenant
	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed cracked surface on counter top underneath pizza hot cabinet. Observed multiple ceiling tiles with water damage and staining.	442(a)		Jonathan Weitgenant
	Speedway #6630	2005 Morthland Dr.	Valparaiso	06/17/26	Routine	C	Observed food residue and refuse build up under the low boy reach in freezer in kitchen prep area. Observed soda syrup spill underneath dispensing rack in storage area. Observed coffee ground residue and refuse build up in trash receptacle cabinet near specialty coffee dispenser. Observed spill in storage cabinet containing flavor pump refills. Observed cans and refuse under the shelving units in walk in cooler.	443(a),(b)		Jonathan Weitgenant
2	Stacks Bar & Grill	175 Lincolnway Ste C	Valparaiso	06/30/26	Routine	P	Observed large walk in cooler outside with product measuring above 41 degrees.	213(a)(2),(b)		Jonathan Weitgenant
	Stacks Bar & Grill	175 Lincolnway Ste C	Valparaiso	06/30/26	Routine	C	Observed missing tiles on wall and floor in upstairs dish room area with water pooling along studs. Observed hole in wall in main kitchen exposing studs.	442(a)		Jonathan Weitgenant
13	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed metal spatula on flat top with heavy grease and food build up leftover from the night before	183(a)	Yes	Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	P	Observed bag of chili in pot of water on induction stove top that was thawed and reheated the night before	206(a),(b),(c),or(d)	Yes	Jonathan Weitgenant

	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed orange popsicles in freezer thawed and soft on the shelves and in boxes	208(a)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	P	Observed product in deli top cooler and reach in cooler on the left of the flat top measuring at 55 degrees internal temperature. Observed upright freezer in ice cream station measuring at 45 degrees with dairy product inside. Observed product in walk in cooler measuring at 44 degrees internal. Observed freezer ambient measuring at 25 degrees.	213(a)(2),(b)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	P	Observed old dried pan of chili being stored in the back of reach in cooler near drive thru	215(a)or(b)	Yes	Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	Pf	Observed freezer by ice cream station reading at -1.5 to -3.5 but internal temperature at 45 degrees.	247(a)or(b)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed heavy residue build up on the green wire shelves in the walk in cooler. Observed spill inside small cooler storing milk and chili underneath counter top near drive thru.	306(b)&(c)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	Pf	Observed large collection of old fries stuffed into the crease between the fryers and the fry seasoning/storage unit	306(a)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed residue build up on the flat underplate surface of the soda machine at the drive thru and in the dining room.	307(e)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	P	Observed no pressure relief and chemicals installed above mop sink faucet with atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed dumpster lids open	400(a)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed large pools of water spreading throughout kitchen, straws, refuse, grease, food residue, etc under tables and kitchen equipment.	443(a),(b)		Jonathan Weitgenant
	Steak N Shake #318	1251 Strongbow Center Dr	Valparaiso	06/30/26	Routine	C	Observed heavy grease build up on hood vents above fryer and flat top grill	445(a)or(b)		Jonathan Weitgenant
5	Strack & Van Til Food Market	2800 Calumet Ave	Valparaiso	06/15/26	Routine	P	Observed grilled chicken hot holding table with grilled wings at 109 degrees F and grilled legs at 112 degrees F, all other food was temping above 135 degrees F. Any food out of temp for longer than 4 hours was recommended to be discarded.	213(a)(1)		Noah Weber
	Strack & Van Til Food Market	2800 Calumet Ave	Valparaiso	06/15/26	Routine	C	Observed deli cooler vents with rust. Observed sides and wheels for fry station in chicken area with oil build up. Observed black residue on face of veggie room spray nozzle.	306(b)&(c)		Noah Weber
	Strack & Van Til Food Market	2800 Calumet Ave	Valparaiso	06/15/26	Routine	P	Observed mop sink hose below the flood rim at time of inspection.	348(a)		Noah Weber
	Strack & Van Til Food Market	2800 Calumet Ave	Valparaiso	06/15/26	Routine	P	Observed y-splitter in use at mop sink.	349(a)		Noah Weber
	Strack & Van Til Food Market	2800 Calumet Ave	Valparaiso	06/15/26	Routine	C	Observed old chicken and flour debris located underneath chicken dredging area and on walls. Observed oil and food debris on floors under chicken fry stations. Observed heavy grease on floor coving and walls underneath chicken rotisserie.	443(a),(b)		Noah Weber
5	Super 8 Motel / Food Permit	3005 John Howell Dr	Valparaiso	06/18/26	Routine	P	Observed white upright fridge/freezer measuring at 48 degrees internal temperature.	213(a)(2),(b)		Jonathan Weitgenant
	Super 8 Motel / Food Permit	3005 John Howell Dr	Valparaiso	06/18/26	Routine	C	Observed vinyl side of food counters missing exposing absorbent wood.	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
	Super 8 Motel / Food Permit	3005 John Howell Dr	Valparaiso	06/18/26	Routine	C	Observed beverage residue build up on the under plate surface of the growers pride juice dispenser. Observed residue build up on the deflector blade of ice machine	307(e)		Jonathan Weitgenant
	Super 8 Motel / Food Permit	3005 John Howell Dr	Valparaiso	06/18/26	Routine	P	Observed y-splitter with down stream shut off valves installed on mop sink faucet. Observed chemical dispenser with dispensing spout installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Super 8 Motel / Food Permit	3005 John Howell Dr	Valparaiso	06/18/26	Routine	C	Observed drain plug missing on dumpster	401(a)		Jonathan Weitgenant
2	Target Store T1286	2420 Laporte Ave	Valparaiso	06/02/26	Routine	Pf	Observed chlorine test strips in dispensing rooms expired in 2023.	301(a)	Yes	Jonathan Weitgenant

	Target Store T1286	2420 Laporte Ave	Valparaiso	06/02/26	Routine	P	Observed y-splitter on service sink near women's restroom with a downstream shutoff valve and chemicals installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
1	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/26/26	Follow-up	P	Observed product in walk in cooler measuring at 51 degrees.	213(a)(2),(b)		Jonathan Weitgenant
11	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed plastic souffle cup being used to dispense cole slaw in deli top cooler in kitchen	183(a)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	P	Observed product in walk in cooler measuring at 51 degrees.	213(a)(2),(b)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed no written allergen notification for customers present in establishment	222(a),(b)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed multiple instances of single use containers (sour cream) being reused to store food in freezers and coolers	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	Pf	Observed no available test strips for chlorine in kitchen	281(a)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed seals on reach in coolers on cook line damaged. Observed seal on small reach in cooler in lounge bar damaged.	286(a),(b),or(c)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed residue build up on beverage lines and build up on the floor in keg cooler in lounge bar. Observed residue build up on the bottom of the small reach in cooler in the lounge bar. Observed heavy residue build up on the top wire shelves of the peps cooler in kitchen.	306(b)&(c)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed residue build up on the top and lip of deflector blade in ice machine. Observed residue build up in the drain pipe of the soda gun holster	307(e)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed shared dumpster lid open	400(a)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed coving missing in lounge bar	411(a)or(b)		Jonathan Weitgenant
	Tommy B's Club House	210 Aberdeen Dr Unit B	Valparaiso	06/17/26	Routine	C	Observed floor of walk in cooler dented downwards allowing rain water to collect past the seal inside the cooler.	442(a)		Jonathan Weitgenant
1	Uptown Caf�� / Valparaiso Coffee Company	1400 Lincolnway	Valparaiso	06/05/26	Routine	C	Observed no covered receptacle in unisex bathrooms	394(a)		Jonathan Weitgenant
1	Urban Air Valparaiso	710 Porters Vale Blvd	Valparaiso	06/24/26	Routine	C	Observed no written notification to consumers about presence of major food allergens	222(a),(b)		Jonathan Weitgenant
3	Valparaiso Country Club	2501 Country Club Rd	Valparaiso	06/11/26	Routine	C	Observed ice scooper stored on top of ice machine.	183(a)	Yes	Noah Weber
	Valparaiso Country Club	2501 Country Club Rd	Valparaiso	06/11/26	Routine	Pf	Observed pink residue and dead pests within soda gun holster in bar area.	306(a)		Noah Weber
	Valparaiso Country Club	2501 Country Club Rd	Valparaiso	06/11/26	Routine	P	Observed mop sink hose below flood rim. Observed y splitter in use on mop sink.	348(a)	Yes	Noah Weber
	Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	Valparaiso	06/03/26	Routine	C	Observed accumulation of beverage residue on the back splash plating of oasis machine. Observed residual beverage product on the lids of drink blenders near ice cream coolers.	306(b)&(c)		Jonathan Weitgenant
	Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	Valparaiso	06/03/26	Routine	P	Observed y-splitter on service sink faucet with downstream shut off valve and chemical dispenser installed more than 6 inches above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	Valparaiso	06/03/26	Routine	C	Observed shared dumpster lids open	400(a)		Jonathan Weitgenant
	Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	Valparaiso	06/03/26	Routine	C	Observed large accumulation of water and coffee pooling behind reach in cooler and espresso machine on coffee line.	443(a),(b)		Jonathan Weitgenant
	Valpo 30 Donuts/Dunkin Donuts/Baskin Robbins	1651 Morthland Dr	Valparaiso	06/03/26	Routine	C	Observed y-splitter on service sink near women's restroom with a downstream shutoff valve and chemicals installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
5	Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	Valparaiso	06/23/26	Routine	C	Observed no written allergen notification for customers	222(a),(b)		Jonathan Weitgenant
	Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	Valparaiso	06/23/26	Routine	C	Observed acoustic ceiling tiles in kitchen area with damage. Observed absorbent wood being used for shelving in bar walk in cooler	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
	Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	Valparaiso	06/23/26	Routine	Pf	Observed quat test strips expired in 2023 present in kitchen	301(a)		Jonathan Weitgenant
	Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	Valparaiso	06/23/26	Routine	P	Observed spray nozzle resting below rim of sink on a sink with no air gap	348(a)		Jonathan Weitgenant
	Veterans Of Foreign Wars - VFW Hayes Post #988	705 Roosevelt Rd	Valparaiso	06/23/26	Routine	C	Observed dumpster lids open	400(a)		Jonathan Weitgenant

2	Walmart Store #1479	2400 Morthland Dr	Valparaiso	06/23/26	Routine	P	Observed y-splitter installed on service sink faucet in produce section with no pressure relief and chemical dispenser installed above atmospheric vacuum breaker.	349(a)		Jonathan Weitgenant
	Walmart Store #1479	2400 Morthland Dr	Valparaiso	06/23/26	Routine	C	Observed 3d dust build up on fan blade covers in produce walk in cooler and curbside walk in cooler.	443(a),(b)		Jonathan Weitgenant
4	Wendy's	2211 E Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed atmospheric vacuum breaker on dedicated chemical line damaged and leaking	363(a)(2)		Jonathan Weitgenant
	Wendy's	2211 E Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed cracked coving in the walk in cooler	411(a)or(b)		Jonathan Weitgenant
	Wendy's	2211 E Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed standing water with grease under flat top and reach in cooler unit near ice machine. Observed standing water on the outside and inside of the walk in cooler. Observed grease build up on the fire suppression nozzles in the hood.	443(a),(b)		Jonathan Weitgenant
	Wendy's	2211 E Morthland Dr	Valparaiso	06/09/26	Routine	C	Observed wet mop head being stored down in mop sink	447(a)		Jonathan Weitgenant
4	Wendy's of Valparaiso #320	1504 Calumet Ave	Valparaiso	06/22/26	Routine	P	Observed prep top cooler with cheese singles temping at 60.2 degrees F/ shredded cheese at 69.3/blue cheese at 66.4/ and cut tomatoes at 58.8 degrees F.	213(a)(2),(b)		Noah Weber
	Wendy's of Valparaiso #320	1504 Calumet Ave	Valparaiso	06/22/26	Routine	Pf	Observed pink residue on internal ice deflector blade in ice machine.	306(a)		Noah Weber
	Wendy's of Valparaiso #320	1504 Calumet Ave	Valparaiso	06/22/26	Routine	C	Observed metal bins stacked together before properly ai drying.	324(a)		Noah Weber
	Wendy's of Valparaiso #320	1504 Calumet Ave	Valparaiso	06/22/26	Routine	C	Observed plastic debris and sauce under storage units in dry storage area. Observed grease/oil underneath lemonade unit on floor.	443(a),(b)		Noah Weber
6	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	P	Observed 3 door upright cooler near office with product measuring 48 degrees or above.	213(a)(2),(b)		Jonathan Weitgenant
	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	P	Observed container of opened mustard in reach in cooler dated for disposition on 5/27	215(a)or(b)		Jonathan Weitgenant
	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	Pf	Observed no readily available sanitizer test strips for quat sanitizer	281(a)		Jonathan Weitgenant
	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	C	Observed food residue build up frozen onto shelf in low boy freezer located left of the fryers	306(b)&(c)		Jonathan Weitgenant
	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	P	Observed y-splitter on mop sink faucet with downstream shut off valves and chemical system installed above atmospheric vacuum breaker	349(a)		Jonathan Weitgenant
	White Castle #72 Valparaiso	153 Morthland Dr	Valparaiso	06/10/26	Routine	C	Observed dust build up on ceiling tiles near vent above fry station. Observed heavy grease and food (fries and onion rings) build up underneath fry station.	443(a),(b)		Jonathan Weitgenant
Number of Citations	Facility Name	Address	City	Date	Purpose	Inspector				
0	10-56 Brewing & Catering	2120 US Hwy 35	Knox	06/27/26	Temporary	AntonioTurner				
0	3 Aces Catering LLC/Ace Catering	118 Valley View Ln	Dyer	06/05/26	Temporary	AntonioTurner				
0	A Blend Above @ Sentry Seasonings Commissary	928 N Church Rd	Elmhurst	06/13/26	Temporary	Noah Weber				
0	AFC Sushi @ Town & Country #8782	6046 Central Ave	Portage	06/03/26	Routine	AntonioTurner				
0	Aldi Inc #37	2906 Laporte Ave	Valparaiso	06/29/26	Routine	JimChowning				
0	Balassone's Pizza @ Kankakee County Fairgrounds Kitchen	213 W 4000 Road S	Kankakee	06/20/26	Temporary	AntonioTurner				
0	Ben's Pretzels -TENT	2400 Morthland Dr	Valparaiso	06/28/26	Temporary	AntonioTurner				
0	Better Beef of Indiana @ Copper Custom Arms	2600 Beech St	Valparaiso	06/25/26	Routine	JimChowning				
0	Big Guy BBQ @ The Hub Kitchen	105 W Sigler St	Hebron	06/05/26	Temporary	AntonioTurner				
0	BLESSED BUBBLES	1673 N Summit Drive	LaPorte	06/13/26	Temporary	AntonioTurner				
0	Bryan's Concessions Sirlain Tip Mobile Unit	1027 Broadway St.	Plymouth	06/20/26	Temporary	AntonioTurner				
0	CVS Pharmacy #6905	1805 Calumet Ave	Valparaiso	06/16/26	Routine	JimChowning				
0	CVS Pharmacy #6911	3240 Willowcreek Rd	Portage	06/09/26	Routine	JimChowning				
0	CVS Pharmacy #6915	150 Morthland Dr	Valparaiso	06/17/26	Routine	JimChowning				
0	Dirty Pours @ The Hub Kitchen Commissary	105 W Sigler	Hebron	06/05/26	Temporary	AntonioTurner				
0	Dollar General #20601	1054 S State Road 2	Valparaiso	06/08/26	Routine	JimChowning				
0	Dollar General Store #2804	3024 Calumet Ave	Valparaiso	06/16/26	Routine	JimChowning				
0	Dollar General Store #4101	1805 Lincolnway	Valparaiso	06/16/26	Routine	JimChowning				
0	Dollar Tree #5691	5799 US Highway 6	Portage	06/11/26	Routine	JimChowning				
0	Dollar Tree #6048	810 County Square Plaza # County Square Shopping Ce	Hebron	06/22/26	Routine	JimChowning				
0	Donut NV Truck #1 @ Lincoln Kitchen	704 Silhavy Rd	Valparaiso	06/02/26	Temporary	Noah Weber				
0	Dr. Dawg! Hot Dog Cart @ John Andy's Cafe & Deli	205 South Main Street	Kouts	06/02/26	Temporary	Noah Weber				
0	Dr. Vegetable Elephant Ear I @ American Legion Post 260	5675 Mulberry Ave.	Portage	06/20/26	Temporary	AntonioTurner				
0	El Tacazo LLC @ HDC Community Kitchen	5233 Hohman Ave	Hammond	06/28/26	Temporary	Noah Weber				

0	Family Dollar #21831	390 W US Highway 6 South Haven Square	Valparaiso	06/11/26	Routine	JimChowning			
0	Family Dollar #22921	6040 Central Ave	Portage	06/15/26	Routine	JimChowning			
0	Family Express Corp #3	1612 E Lincolnway	Valparaiso	06/29/26	Routine	JimChowning			
0	Gil Drugs	52 Lincolnway	Valparaiso	06/17/26	Routine	JimChowning			
0	H302 Juice Bar	2610 Portage Mall	Portage	06/29/26	Routine	AntonioTurner			
0	Johnnys Gyros, LLC Mobile Unit	105 W Sigler	Hebron	06/20/26	Temporary	AntonioTurner			
0	Ken Dawgs Mobile Unit @ Church of the Four Seasons	3713 Cherry Hill Drive	Crown Point	06/20/26	Temporary	AntonioTurner			
0	Lang Gas & Food Mart	6001 Melton Rd.	Portage	06/04/26	Routine	AntonioTurner			
0	Main & Lincoln	210 E. Lincolnway	Valparaiso	06/24/26	Routine	Jonathan Weitgenant			
0	Maple City Coffee	822 N Karwick Rd	Michigan City	06/02/26	Temporary	Noah Weber			
0	Mazamitla Food Truck	5025 Central Ave	Lake Station	06/27/26	Temporary	AntonioTurner			
0	Menards / Valparaiso	351 Silhavy Rd	Valparaiso	06/25/26	Routine	JimChowning			
0	Nella's Sushi LLC @ Marina Shores	5964 Dune Harbor Dr	Portage	06/26/26	Routine	AntonioTurner			
0	O'Brien's Bakery & Cafe/Bobalicious Snack Bar	4405 N. Calumet	Valparaiso	06/20/26	Temporary	AntonioTurner			
0	O'Brien's Bakery & Cafe/Bobalicious Snack Bar	4405 N. Calumet	Valparaiso	06/26/26	Routine	Noah Weber			
0	PJ's Chicago Dogs TENT	7841 Mason Ave.	Burbank	06/13/26	Temporary	AntonioTurner			
0	Scooter's BBQ @ Cox Kitchen	404 W. Daumer Rd	Kouts	06/20/26	Temporary	AntonioTurner			
0	Snowie NWI @ The Lincoln Kitchen	704 Silhavy Road	Valparaiso	06/28/26	Temporary	AntonioTurner			
0	Subway Portage	2674 Willowcreek Rd	Portage	06/04/26	Routine	AntonioTurner			
0	Sunrise Health Foods, Two	1708 Lincolnway	Valparaiso	06/25/26	Routine	JimChowning			
0	Sweetfrog Premium Frozen Yogurt	1505 US Highway 41 Ste A14	Schererville	06/05/26	Temporary	AntonioTurner			
0	The Hub Kitchen LLC / Assaly's House Of Garlic LLC	105 W Sigler Street	Hebron	06/03/26	Routine	Jonathan Weitgenant			
0	The Lunch Box @ Picante Mexican Cuisine	454 S Greenwich St	Valparaiso	06/26/26	Temporary	AntonioTurner			
0	The Taco Guys Tent	3295 Atlanta Blvd	Portage	06/28/26	Temporary	Noah Weber			
0	Three Friends Ice Mobile Unit	221 Main St #173	Hobart	06/20/26	Temporary	AntonioTurner			
0	Tocayos Express Mexican Food Mobile Unit Truck # 2	6652 US Highway 6	Portage	06/20/26	Temporary	AntonioTurner			
0	Valpo Velvet / Truck #1	57 Monroe St	Valparaiso	06/28/26	Temporary	AntonioTurner			
0	Walgreens #03680	1903 Calumet Ave	Valparaiso	06/05/26	Routine	JimChowning			
0	Walgreens #04560	5995 US Highway 6	Portage	06/11/26	Routine	JimChowning			
0	Walgreens #04946	580 Indian Boundary Rd	Chesterton	06/30/26	Routine	JimChowning			
0	Walgreens #12074	308 N Main St	Hebron	06/22/26	Routine	JimChowning			
0	World Cup Coffee Shop @ Valparaiso Nazarene Church	2702 Glendale Blvd	Valparaiso	06/17/26	Routine	Noah Weber			