

Number of Citations	Facility Name	Address	City	Inspection Date	Purpose	Violation Type	Observation	Code	Immediate Correction	Inspector
6	Albano's	22 Washington St	Valparaiso	3/19/26	Routine	Pf	Observed no consumer advisory on menu when steak and salmon are available at different cook temperatures.	223(a),(b),or(c)		Jonathan Weitgenant
						C	Observed tray holder of dish machine being held together with zip ties and a tied plastic shopping bag	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed no covered receptacle in single available unisex bathroom	394(a)		Jonathan Weitgenant
						C	Observed ceiling tile moved back and exposing air duct in front of walk in door above uncovered foccaccia	416(a)		Jonathan Weitgenant
						C	Observed 3d dust build up on vent in walk in cooler. Observed dust build up on ceiling surrounding vent above prep line in kitchen	443(a),(b)		Jonathan Weitgenant
						C	Observed heavy dust build up on hood vents on secondary hood above prep/sauce area. Observed grease build up inside hood above cook line	445(a)or(b)		Jonathan Weitgenant
						C	Observed ice bin uncovered behind bar at the time of inspection.	175(a)(3thru8)		AntonioTurner
16	Applebee's Neighborhood Bar & Grill / Portage	6211 US Highway 6	Portage	3/12/26	Routine	C	Observed seasoning shakers and squirt bottles unlabeled at the time of inspection.	176(a)		AntonioTurner
						Pf	Observed no ambient thermometer in reach in cooler on cooks' line at the time of inspection.	247(a)or(b)		AntonioTurner
						C	Observed cutting board with heavy chipping at the time of inspection.	287(a)		AntonioTurner
						C	Observed water sprayer with black buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
						P	Measured sink and surface sanitizer at low ppm at the time of inspection.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		AntonioTurner
						C	Observed ice machine with pink and black buildup on ice deflector blade at the time of inspection.	307(e)		AntonioTurner
						C	Observed two microwaves with food splashed on inside at the time of inspection.	308(a)or(b)		AntonioTurner
						Pf	Observed hand sink with heavy food buildup being used for other purposes at the time of inspection.	359(a),(b),(c)		AntonioTurner
						P	Observed dipping well not draining and observed leaking wall pipes causing heavy water buildup on floor at the time of inspection.	363(a)(1)		AntonioTurner
						C	Observed no garbage can for 3rd stall in women's restroom at the time of inspection.	394(a)		AntonioTurner
						C	Observed trash and heavy grease buildup on ground by dumpster at the time of inspection.	402(a)		AntonioTurner
						C	Observed broken light shield in kitchen at the time of inspection.	417(a)or(c)		AntonioTurner
						C	Observed missing floor tiles on cooks' line at the time of inspection.	442(a)		AntonioTurner
						C	Observed water, grease and food buildup throughout kitchen at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed grease buildup on lip of vent hoods at the time of inspection.	445(a)or(b)		AntonioTurner
						P	Measured sanitizer at less than 10ppm at the time of inspection.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		AntonioTurner
4	Arby's Portage	3360 Willowcreek Rd	Portage	3/13/26	Routine	C	Observed grease buildup on fryer wheels at the time of inspection.	306(b)&(c)		AntonioTurner

						C	Observed soda syrup buildup on floor in dry storage room at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed hood filters with heavy grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
9	Aris Gyros & BBQ, LLC DBA Meraki Greek Street Food	3378 Willowcreek Rd	Portage	3/6/26	Routine	P	Observed eggs stored above ready to eat foods in reach in cooler at the time of inspection.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		AntonioTurner
						C	Observed food left in can after opening at the time of inspection.	304(a)or(b)		AntonioTurner
						Pf	Observed stationary can opener blade with dried food residue at the time of inspection.	306(a)		AntonioTurner
						C	Observed ice machine with black buildup on inside roof at the time of inspection.	307(e)		AntonioTurner
						C	Observed plastic containers above three bays sinks, wet nesting at the time of inspection.	324(a)		AntonioTurner
						Pf	Observed hand sink in kitchen blocked by cart and blocked by package of chicken at the time of inspection.	359(a),(b),(c)		AntonioTurner
						Pf	Observed no paper towel at hand sink on cooks' line at the time of inspection.	430(a)		AntonioTurner
						C	Observed ceiling tile missing by walk-in cooler and above mop sink area at the time of inspection.	442(a)		AntonioTurner
						C	Observed heavy grease buildup under fryer station at the time of inspection.	443(a),(b)		AntonioTurner
						Pf	Observed no sanitizer test kit at the time of inspection.	281(a)		AntonioTurner
						C	Observed cooler in kitchen leaking water onto inside floor and measured reach in cooler in self-serve area at 50F at the time of inspection.	286(a),(b),or(c)		AntonioTurner
5	Baymont Inn Portage	2323 Willowcreek Rd	Portage	3/3/26	Routine	C	Observed mop sink faucet leaking while turned off at the time of inspection.	363(a)(2)		AntonioTurner
						C	Observed ceiling inside in kitchen, peeling and pitting at the time of inspection.	442(a)		AntonioTurner
						Pf	Observed chemical spray bottle unlabeled at the time of inspection.	456(a)		AntonioTurner
1	Benelli's Pizzeria	15 Roosevelt Rd	Valparaiso	3/31/26	Routine	C	Observed food residue build up on wire rack in center reach in storage area of pizza prep cooler	306(b)&(c)		Jonathan Weitgenant
1	Ben's Soft Pretzels @ Meijers Portage	6050 US Highway 6	Portage	3/26/26	Routine	C	Observed heavy buildup inside soda nozzles at the time of inspection.	307(e)		AntonioTurner
10	Birdie's	218 E Lincolnway	Valparaiso	3/27/26	Routine	P	Observed raw uncovered salmon being stored on bottom shelf next to raw chicken and underneath beef hamburgers and steaks.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						C	Observed yellow handled scoop for ice cream stored on metal shelf in freezer with no protection	183(a)	Yes	Jonathan Weitgenant
						P	Observed deli top cooler in omelet station measuring at 50 degrees.	213(a)(2),(b)		Jonathan Weitgenant
						C	Observed heavy grease build up under the long flat top in the kitchen with towels soaking up grease	306(b)&(c)		Jonathan Weitgenant
						C	Observed single use paper towels and toilet paper being stored in the basement under sewage conveyance piping.	329(a)(1),(a)(3)thru(a)(8)_2	Yes	Jonathan Weitgenant
						C	Observed open trash bag with egg shells and other food waste on ground outside of dumpster	402(a)		Jonathan Weitgenant
						C	Observed coving underneath pre-rinse area of dish machine completely peeled off from the wall	411(a)or(b)		Jonathan Weitgenant
						C	Observed light shield in kitchen next to prep table and mop sink shattered and falling apart	417(a)or(c)		Jonathan Weitgenant

						C	Observed heavy grease with excess food residue build up underneath fryer station and build up on fryer wheels and sides,	443(a),(b)		Jonathan Weitgenant
						Pf	Observed unlabeled spray bottle of chemical on chemical shelf in kitchen	456(a)	Yes	Jonathan Weitgenant
3	Blockhead Beerworks	150 Washington St	Valparaiso	3/30/26	Routine	C	Observed two boxes of food product under condenser fans with heavy ice build up affecting the container in walk in freezer	181(a),(b)		Jonathan Weitgenant
						C	Observed clean tongs and utensils being stored at the end of the conveyor dishwasher being exposed to steam preventing proper drying and storage	328(a)&(c)		Jonathan Weitgenant
						C	Observed grease and dust build up on ansul spray nozzles and conduit piping in hood system	443(a),(b)		Jonathan Weitgenant
9	Blueberry Hill Pancake House	2606 Portage Mall	Portage	3/30/26	Routine	C	Observed drink without a lid on top shelf at the time of inspection.	148(a)		AntonioTurner
						C	Observed uncovered foods in walk-in cooler at the time of inspection.	175(a)(3thru8)		AntonioTurner
						C	Observed French fries thawed inside cooler at the time of inspection.	208(a)		AntonioTurner
						C	Observed stationary can opener blade, dull with metal shavings buildup at the time of inspection.	302(a)		AntonioTurner
						C	Observed reuse of single use containers on cooks' line and walk-in cooler at the time of inspection.	304(a)or(b)		AntonioTurner
						C	Observed pink and black buildup on inside of ice machine at the time of inspection.	307(e)		AntonioTurner
						C	Observed low light intensity in walk-in cooler and freezer at the time of inspection.	436(a),(b),or(c)		AntonioTurner
						Pf	Observed spray bottle with unknown chemical at the time of inspection.	455(a)		AntonioTurner
						P	Observed chemical spray bottle sitting on top of prep table at the time of inspection.	457(a)		AntonioTurner
6	Bob Evans Restaurants #499	475 Gateway Blvd N	Chesterton	3/3/26	Routine	Pf	Observed x4 milk gallons open with no date marking.	214(a),(b),or(c)	Yes	Noah Weber
						C	Observed green residue on soda machine under belly on far-left section in the front of house line. Observed food debris splatter on underbelly of metal shelving located above cook line prep area. Observed food debris and growth on gasket of cook line cooler drawers. Observed heavy grease build up on sides and underneath of flat top equipment in cook line. Observed grease and debris on metal shelving in walk in where cooked meats are stored.	306(b)&(c)		Noah Weber
						Pf	Observed dried food debris stuck on to cleaned spoon hanging in equipment area.	306(a)	Yes	Noah Weber
						Pf	Observed hand sink with butter knife and straw down in sink basin in front of house area.	359(a),(b),(c)		Noah Weber
						C	Observed open grease bin and dumpster at time of inspection.	400(a)		Noah Weber
						C	Observed grease/food debris/and dropped equipment underneath flat top and prep top equipment area floors.	443(a),(b)		Noah Weber
4	Brick Street Burrito	3 Napoleon St	Valparaiso	3/23/26	Routine	C	Observed heavy 3d dust build up on wire rack shelves next to kitchen line and on bottom wire shelves near prep coolers	306(b)&(c)		Jonathan Weitgenant
						C	Observed spray nozzle of pre-rinse dish station leaking	363(a)(2)		Jonathan Weitgenant

						C	Observed coving missing and peeling under the prep sink and pre-rinse sink in prep area	411(a)or(b)		Jonathan Weitgenant
						C	Observed heavy grease build up on hood vents and inside hood system. Observed grease build up dripping down the walls of the hood system	445(a)or(b)		Jonathan Weitgenant
7	Brother's Breakfast & Lunch	81 S Silhavy Rd	Valparaiso	3/10/26	Routine	C	Observed heavy ice build up on all boxes in walk in freezer	181(a),(b)		Jonathan Weitgenant
						C	Observed in-use tongs stored on string of apron of line cook	183(a)	Yes	Jonathan Weitgenant
						P	Observed reach in cooler in bar area measuring at 60 degrees internal temperature.	213(a)(2),(b)	Yes	Jonathan Weitgenant
						Pf	Observed no consumer advisory on menu detailing the consumption of undercooked eggs	223(a),(b),or(c)		Jonathan Weitgenant
						C	Observed 4bay sink in bar area unsealed from wall	284(a)or(b)		Jonathan Weitgenant
						C	Observed seal on bottom of main walk in in bad repair. Observed seals around walk in cooler door with heavy black residue build up. Observed door to freezer bent on bottom and top corner.	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed heavy soda syrup spillage on floor under ice machine and soda dispenser	443(a),(b)	Yes	Jonathan Weitgenant
						P	Observed salad low boy in prep room measuring at 48 degrees on top and internally	213(a)(2),(b)		Jonathan Weitgenant
4	Cafe Farina	55 Franklin St	Valparaiso	3/13/26	Routine	Pf	Observed no readily available chlorine or quat test strips when requested	281(a)		Jonathan Weitgenant
						Pf	Observed food residue on french fry cutter blade hanging on wall. Observed food residue build up on can opener blade	306(a)		Jonathan Weitgenant
						Pf	Observed hand sink on kitchen line obstructed by carts	359(a),(b),(c)		Jonathan Weitgenant
1	Charley's Cheesesteaks and Wings	6087 US-6	Portage	3/17/26	Routine	C	Observed grease buildup on hood filters at the time of inspection.	445(a)or(b)		AntonioTurner
8	Cheers in Chesterton	1050 Broadway Suite 36	Chesterton	3/3/26	Routine	C	Observed in use metal tongs hung on oven handle within cook line.	183(a)		Noah Weber
						C	Observed ROP salmon not removed from packaging after being thawed.	210(b)		Noah Weber
						Pf	Observed milk with no date marking at time of inspection.	214(a),(b),or(c)		Noah Weber
						C	Observed rubber spatula on cook line with missing chipped section. Advised to not use in food preparation.	236(a)		Noah Weber
						C	Observed debris and metal shaving on gear of mounted can opener. Observed grease bin on flat top full at time of inspection with grease dripping onto floor.	306(b)&(c)	Yes	Noah Weber
						Pf	Observed dark residue on deflector blade of ice machine unit.	306(a)		Noah Weber
						C	Observed metal bins stacked together before being allowed to properly air dry on clean dish rack area.	324(a)		Noah Weber
						C	Observed hood vents with grease and soot accumulation.	445(a)or(b)		Noah Weber
9	Cherries and Berries Pancake House	791 Indian Boundary Rd	Chesterton	3/17/26	Routine	P	Observed ice bin in bar area used to chill champagne and then served as drinking ice.	180(a)	Yes	Noah Weber
						Pf	Observed multiple containers of milk opened and not date marked.	214(a),(b),or(c)	Yes	Noah Weber
						Pf	Observed no available quat testing strips at time of inspection.	281(a)		Noah Weber

						C	Observed fan covers within veggie walk in with 3D dust. Observed green metal racks within walk in with green residue.	306(b)&(c)		Noah Weber
						Pf	Observed cook line hand sink temping at 48 degrees F.	347(a)		Noah Weber
						Pf	Observed bar hand sink being used as a dump sink at time of inspection.	359(a),(b),(c)		Noah Weber
						C	Observed leak underneath 3 bay sink within kitchen area.	363(a)(2)		Noah Weber
						C	Observed dumpster lids open at time of inspection.	400(a)		Noah Weber
						C	Observed no designated available employee area for belongings and coats.	440(a)or(b)		Noah Weber
1	Coffee Cake Guys @ Six 2 Nine Inc.	14643 State Route 38	DeKalb	3/30/26	Temporary	non-critical	No temporary hand wash station set up	7-24-342 (a)	No	Noah Weber
7	Country Inn & Suites Portage FOOD #4820	1630 Olmstead Dr	Portage	3/18/26	Routine	Pf	Observed employee not trained on hand washing or wash, rinse and sanitizing at the time of inspection.	135(a)(2)(A),(a)(2)(B)(i-v-vii)(ix-xv)		AntonioTurner
						Pf	Employee stated that hand washing is done while manually washing dishes at the time of inspection.	143(a)		AntonioTurner
						C	Observed metal shaving behind stationary can opener blade at the time of inspection.	302(a)		AntonioTurner
						C	Observed ice machines on 1st, 2nd, 3rd and 4th floor with heavy pink and black buildup at the time of inspection.	307(e)		AntonioTurner
						C	Observed broken light shield in kitchen at the time of inspection.	417(a)or(c)		AntonioTurner
						Pf	Observed no soap at hand sink at the time of inspection.	429(a)		AntonioTurner
						C	Observed missing ceiling tile in kitchen at the time of inspection.	442(a)		AntonioTurner
3	Cox Kitchen @ Lincoln Kitchen	704 N Silhavy Rd	Valparaiso	3/11/26	Routine	P	Observed prep top cooler shredded cheese at 46.2 degrees F/ pork at 49.8/and cheese singles at 52.5 degrees F. Food was out of temp less than 4 hours and was moved to proper temping cooler.	213(a)(2),(b)	Yes	Noah Weber
						Pf	Observed house made coleslaw and hot sauce not labeled or date marked.	214(a),(b),or(c)		Noah Weber
						C	Observed still waste water and food debris underneath 3 bay sink.	443(a),(b)	Yes	Noah Weber
5	Danny O's Bar & Grill	1050 S Calumet Rd	Chesterton	3/18/26	Routine	C	Observed internal facing door of beer walk in cooler constructed with unsealed wood panels.	234(a)		Noah Weber
						C	Observed fan covers within beer walk in with white residue and dust. Observed beer tubing, walls and ceiling of basement walk in cooler with white and black residue. Observed mounted can opener with food debris and metal shavings.	306(b)&(c)		Noah Weber
						C	Observed metal and plastic bins stacked together before properly air drying on clean dish rack.	324(a)		Noah Weber
						C	Observed back exit door located next to ware wash sink with gaps along the left side frame and bottom section of door.	421(a)or(d)		Noah Weber
						C	Observed missing floor tiles in kitchen cooking area.	442(a)		Noah Weber
6	D's Corner Tap Inc.	295 Melton Rd	Burns Harbor	3/20/26	Routine	Pf	Observed milk in walk in cooler opened and not date marked after 24 hours.	214(a),(b),or(c)		Noah Weber
						C	Observed no ambient air thermometer within prep top cooler.	260(a),(b),(d)		Noah Weber
						Pf	Observed ice machine deflector blade with minor pink residue.	306(a)		Noah Weber

						Pf	Observed hand sink faucet in kitchen area clogged with unknown fuzzy white residue preventing water from flowing properly. Recommended deep cleaning.	359(a),(b),(c)		Noah Weber
						C	Observed x3 doors propped open with no proper screen protection or preventative measures against pests.	421(a)or(d)		Noah Weber
						C	Observed hood vent with dust accumulation within grates. Service sticker states it was last serviced in 2021.	445(a)or(b)		Noah Weber
9	El Amigo Restaurant	3032 Calumet Ave	Valparaiso	3/2/26	Routine	P	Observed raw chicken stored above fresh limes in prep top cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		Noah Weber
						C	Observed bowls being used as scoops down within rice and sugar bins.	183(a)		Noah Weber
						C	Observed buckets of cooked refried beans store open and uncovered on floor located next to 3-bay and mop sink. Observed RTE food stored on floor of walk-in cooler.	189(a)	Yes	Noah Weber
						C	Observed hardshell tacos stored uncovered on prep table.	192(a)		Noah Weber
						P	Observed cooked meats and beans store on flat top to be hot held temping at 90-100 degrees F on top surface.	213(a)(1)	Yes	Noah Weber
						C	Observed dumpster open at time of inspection.	400(a)		Noah Weber
						C	Observed hood vent with missing drip pan with oil dripping onto metal bin on floor of kitchen. Observed rust covered walls within walk in cooler. Observed heavy ice buildup within walk in freezer floor in need of repair.	442(a)		Noah Weber
						C	Observed grease accumulation on ceiling tiles left of hood vent system.	443(a),(b)		Noah Weber
						C	Observed hood vent system with oil accumulation in need of cleaning.	445(a)or(b)		Noah Weber
						P	Observed raw chicken stored above raw steak and pork within walk in cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
						C	Observed multiple metal tongs stored on oven handles in cook line.	183(a)		Noah Weber
						Pf	Observed frozen fried chicken, mac and cheese, and fries set out to thaw at room temperature.	210(a)(1)thru(a)(3)	Yes	Noah Weber
						Pf	Observed no date marking on open milk gallon.	214(a),(b),or(c)		Noah Weber
						C	Observed green residue within shelving of reach in beer cooler in bar section.	306(b)&(c)		Noah Weber
						P	Observed kitchen dish machine initially with no chlorine sanitizer (0ppm). Observed bar dish machine testing 0ppm chlorine at time of inspection.	318(a)	Yes	Noah Weber
						C	Observed oil and food debris underneath prep table in cook line section.	443(a),(b)		Noah Weber
10	El Charrito Mexican Grill	6291 Central Ave	Portage	3/13/26	Routine	C	Observed several trays of tamales inside walk-in cooler without proper labeling at the time of inspection.	155(c),(f),(g)		AntonioTurner
						P	Measured chicken, steak and tomatoes in reach in cooler under flat top at 50F at the time of inspection.	213(a)(2),(b)		AntonioTurner
						C	Measured reach in cooler under flat top at 50F at the time of inspection	286(a),(b),or(c)		AntonioTurner
						C	Observed dull can opener blade at the time of inspection.	302(a)		AntonioTurner

						Pf	Observed can opener blade with dried, food buildup, observed inside roof of ice machine with black buildup at the time of inspection.	306(a)		AntonioTurner
						C	Observed damaged light shield above ware washing area at the time of inspection.	417(a)or(c)		AntonioTurner
						C	Observed front slightly cracked open and in need of repair at the time of inspection.	421(a)or(d)		AntonioTurner
						C	Observed ceiling in kitchen peeling and damaged floor tile at the time of inspection.	442(a)		AntonioTurner
						C	Observed dust buildup on ceiling near vent above cooks' line at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed hood filters with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
8	El Pueblo Restaurants Inc	5350 US Highway 6	Portage	3/3/26	Routine	Pf	Observed tomatoes in walk-in cooler not date marked at the time of inspection.	214(a),(b),or(c)	Yes	AntonioTurner
						C	Observed hand sink and dump sink without a seal at the time of inspection.	284(a)or(b)		AntonioTurner
						C	Observed metal shavings behind stationary can opener blade at the time of inspection.	302(a)		AntonioTurner
						C	Observed black build-up inside ice machine at the time of inspection.	307(e)	Yes	AntonioTurner
						C	Observed hand sink leaking at faucet at the time of inspection.	363(a)(2)		AntonioTurner
						C	Observed fly strip above prep table at the time of inspection.	419(a)or(b)	Yes	AntonioTurner
						Pf	Observed no paper towel at hand sink at the time of inspection.	430(a)	Yes	AntonioTurner
						Pf	Observed two chemical spray bottles unlabeled at the time of inspection.	456(a)	Yes	AntonioTurner
8	El Sabor Poblano Fresh Market	902 Calumet Avenue Suite 1	Valparaiso	3/3/26	Routine	P	Observed boxes of raw chicken being stored on top of boxes of beef and pork.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						C	Observed no label on bulk containers of salt and other foods in prep area	176(a)	Yes	Jonathan Weitgenant
						P	Observed tamales stored on top of display case measuring at 100 degrees.	213(a)(1)	Yes	Jonathan Weitgenant
						C	Observed containers of prepared food in cooler with no labeling. Observed inconsistent labeling on product in cooler with inconsistent best by dates. Observed no labels on tamales in tamale station. Observed missing labels on butchered meats in display cases.	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant
						C	Observed small leak on piping underneath 3bay sink	363(a)(2)		Jonathan Weitgenant
						C	Observed coving missing throughout prep and kitchen area.	411(a)or(b)		Jonathan Weitgenant
						C	Observed tiles broken under 3bay sink. Observed building in state of construction. Observed hole in wall underneath handwash sink in prep area.	442(a)		Jonathan Weitgenant
						P	Observed chlorine sanitizing solution in prep area measuring above 200ppm	461(a)	Yes	Jonathan Weitgenant
1	Evolution Artisan Confections	901 Calumet Ave Ste 2	Valparaiso	3/3/26	Routine	C	Observed mouse droppings in corners or closet with service sink	443(a),(b)	Yes	Jonathan Weitgenant
4	Excel Nutrition	3520 Calumet Ave	Valparaiso	3/5/26	Routine	Pf	Observed no available temp measuring devices at time of inspection.	279(a)or(b)		Noah Weber
						Pf	Observed no available sani testing strips for quat sanitizer.	281(a)		Noah Weber
						P	Observed sanitizer section of 3 bay sink testing at 0ppm at time of inspection.	317(a)	Yes	Noah Weber

						C	Observed ceiling tiles in food preparation area as absorbent acoustic tiles. Material needs to be smooth, nonabsorbent and easily cleanable.	407(a)		Noah Weber
5	Fajita Grill	385 W US Highway 6	Valparaiso	3/13/26	Routine	C	Observed tamales in walk-in cooler without proper label at the time of inspection.	155(c),(f),(g)		AntonioTurner
						C	Observed cutting board laying on top of garbage at the time of inspection.	183(a)		AntonioTurner
						Pf	Observed improper cooling methods, no rapid cooling at the time of inspection.	212(a)		AntonioTurner
						C	Observed no hood filters in place at the time of inspection.	245(a)		AntonioTurner
						Pf	Observed unlabeled jug with unknown chemical at the time of inspection.	456(a)		AntonioTurner
4	Family Express Corp #1	752 W. Lincolnway	Valparaiso	3/20/26	Routine	C	Observed heavy ice build up in center section of customer self serve freezer next to ice freezer.	286(a),(b),or(c)		ShelbySouth
						C	Observed right side ice chute/deflector of self serve soda machine with black and brown build-up.	306(b)&(c)		ShelbySouth
						C	Observed bottom of cabinet below customer self serve coffee/espresso machine heavily soiled with brown residue.	309(a)	Yes	ShelbySouth
						C	Observed exposed insulation on ceiling in back storage/prep area above 3 bay sink and ice machine.	407(a)		ShelbySouth
10	Family Express Corp #15	104 S Main St	Kouts	3/26/26	Routine		Observed ice scoops for ice bin being stored on top of ice bin with no protection			
						C	Observed no readily available quat test strips	183(a)		Jonathan Weitgenant
						Pf	Observed 3 different cut lengths of milk dispenser tubes and only 2 tubes cut at a diagonal	281(a)		Jonathan Weitgenant
						C	Observed residue build up on customer facing milk and soda shelves in walk in cooler	304(a)or(b)		Jonathan Weitgenant
						C	Observed residue build up on inside of cup and on mixing arm of F'real machine.	306(b)&(c)		Jonathan Weitgenant
						Pf	Observed beverage residue build up on nozzles of flavor magic dispenser. Observed heavy residue build up on steamer nozzle of espresso machine on right hand side. Observed heavy residue build up on nozzle of tea hot water dispenser.	306(a)		Jonathan Weitgenant
						C	Observed missing coving on wall between ice machine and employee door to hallway	307(e)		Jonathan Weitgenant
						C	Observed section of door seal missing on front doors near handles.	411(a)or(b)		Jonathan Weitgenant
						C	Observed toilet paper missing from first unisex bathroom	421(a)or(d)		Jonathan Weitgenant
						Pf	Observed heavy residue build up underneath 3bay sink on left hand side. Observed mouse droppings near trap along wall near water softener. Observed food residue (cheese, eggs, bread) along wall under food storage shelf in back of walk in cooler.	435(a)	Yes	Jonathan Weitgenant
						C		443(a),(b)		Jonathan Weitgenant
10	Fraternal Order of Eagles #2517	805 Elm St	Valparaiso	3/9/26	Routine	C	Observed boxes of marble rye on floor of walk in cooler	189(a)	Yes	Jonathan Weitgenant
						Pf	Observed no testing strips available in kitchen. Observed test strips for bar expired and damaged.	281(a)		Jonathan Weitgenant
							Observed 3d residue build up on roof and conduit piping of walk in cooler. Observed heavy residue build up in the keg cooler of banquet room bar.			
						C	Observed heavy residue build up on the walls and ceiling of the banquet bar ice machine	306(b)&(c)		Jonathan Weitgenant
						C		307(e)		Jonathan Weitgenant

						C	Observed 2 of the 4 available receptacles in women's stalls with missing lids	394(a)		Jonathan Weitgenant
						C	Observed lid of dumpster open	400(a)		Jonathan Weitgenant
						C	Observed drain plug not in place on dumpster	401(a)		Jonathan Weitgenant
						C	Observed large cut out section of dry wall in mop and chemical closet by bathrooms. Observed broken tiles in walk in cooler.	442(a)		Jonathan Weitgenant
						C	Observed heavy grease and residue build up under fryers and stove top cooking equipment. Observed food residue splatter on ceiling above 3bay sink. Observed soda spill and dried residue build up under and along the wall near soda boxes. Observed piping and floor under 4 bay sink in bar covered in concentrated sanitizer solution	443(a),(b)		Jonathan Weitgenant
						P	Observed two cans of residential pesticide in chemical storage room near bathrooms.	459(a)(2),(a)(3),or(b)		Jonathan Weitgenant
4	Gallops Travel Center	101 East Indiana Ave	Kouts	3/26/26	Routine	Pf	Observed containers of raw chicken in walk in cooler and in reach in cooler in kitchen with no date marking.	214(a),(b),or(c)		Jonathan Weitgenant
						Pf	Observed build up around the seals next to the mixing arm of the F'real machine	306(a)		Jonathan Weitgenant
						C	Observed residue build up on nacho cheese dispensing nozzles. Observed residue build up in the tubing of the cappuccino machine. Observed build up in the dispensing tube of the light cream dispenser.	307(e)		Jonathan Weitgenant
						C	Observed build up on the roof of the microwave next to the boiled peanuts and on the microwave under the hood in the kitchen.	308(a)or(b)		Jonathan Weitgenant
8	Gastro 49 Pub & Eatery	361 N Calumet Rd	Chesterton	3/4/26	Routine	P	Observed raw eggs, raw bacon wrapped jalapenos, and raw ground beef stored above fresh vegetables and RTE (ready to eat soups) in outside reach in coolers.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		Noah Weber
						C	Observed cups with no handles being used as scoops down within sugar and breadcrumb bins in basement area. Observed vegetable debris on used knives stored back onto knife magnet in kitchen prep area. Observed in use metal tongs stored on oven handle in cook line.	183(a)		Noah Weber
						C	Observed no ambient air temp devices in x2 cheese coolers located in basement area.	260(a),(b),(d)		Noah Weber
						C	Observed broiler in cook line with heavy grease build up on top and underbelly surface of equipment in need of cleaning.	306(b)&(c)		Noah Weber
						C	Observed metal bins cleaned and stacked together before fully air drying.	324(a)		Noah Weber
						C	Observed x10 black garbage bags, x2 buckets of uncovered oil, and large amount of cardboard stored outside on ground at time of inspection.	397(a)		Noah Weber
						C	Observed both restrooms not self-closing at time of inspection.	420(a)or(b)		Noah Weber
						C	Observed bar walk in cooler with walls and ceiling paint chipping and wood crumbling in need of repair.	442(a)		Noah Weber
						C	Observed missing seal on hand sink at the time of inspection.	284(a)or(b)		AntonioTurner
5	Gelsosomos Pizzeria	5023 US Highway 6	Portage	3/30/26	Routine	C	Observed grease buildup on left side of fryer at the time of inspection.	306(b)&(c)		AntonioTurner

						C	Observed gap along bottom of back door at the time of inspection.	421(a)or(d)		AntonioTurner
						Pf	Observed no soap at hand sink next to ware washing machine at the time of inspection.	429(a)		AntonioTurner
						C	Observed grease buildup under fryer and dust and flour buildup on ceiling vents above cooks' line at the time of inspection.	443(a),(b)		AntonioTurner
3	Hampton Inn Portage	6353 Melton Rd	Portage	3/5/26	Routine	Pf		306(a)		AntonioTurner
						C		442(a)		AntonioTurner
						Pf		456(a)		AntonioTurner
10	Happy Wok Chesterton, INC	552-2 Indian Boundary Rd	Chesterton	3/12/26	Routine	P	Observed raw chicken and pork stored above RTE foods in large silver reach in cooler and within white refrigerator.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
						C	Observed deli cup as scoop down within sweet and sour sauce. Observed used metal can used as scoop down within rice bin.	183(a)	Yes	Noah Weber
						Pf	Observed RTE (ready to eat) foods such as sauces, egg rolls, noodles, and chicken not labeled or date marked at time of inspection.	214(a),(b),or(c)		Noah Weber
						C	Observed front of house freezer with damaged internal top.	286(a),(b),or(c)		Noah Weber
						C	Observed mounted can opener with soiled plunger and gear.	306(b)&(c)		Noah Weber
						P	Observed no knowledge of setting up a proper 3- bay wash, rinse, sanitize section in kitchen.	318(a)	Yes	Noah Weber
						C	Observed metal bins staked together before properly air drying.	324(a)		Noah Weber
						Pf	Observed hand sink in kitchen blocked by trash can.	359(a),(b),(c)		Noah Weber
						C	Observed gap on bottom section of back door screen door in kitchen area.	421(a)or(d)		Noah Weber
						C	Observed food debris and grease underneath fry station in cook line.	443(a),(b)		Noah Weber
						C	Observed damaged seal behind hand sink at the time of inspection.	284(a)or(b)		AntonioTurner
						Pf	Observed no paper towel at hand sink in kitchen at the time of inspection.	430(a)		AntonioTurner
1	Hooters of Portage	1665 Olmsted	Portage	3/26/26	Routine	C	Observed fryer wheels with grease buildup at the time of inspection.	306(b)&(c)		AntonioTurner
3	Indiana Epsilon House Corporation	814 Union Street	Valparaiso	3/24/26	Routine	P	Observed bags of thawed raw chicken being stored on top of packages of hot dogs and above raw pork and beef	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						Pf	Observed lactic acid test strips but no quat test strips for the quat being used.	281(a)		Jonathan Weitgenant
						Pf	Observed trail of ants coming through the exit door to the patio into the dining area and food service area	450(a)(3)		Jonathan Weitgenant
10	Jade Garden Restaurant	3022 Calumet Ave	Valparaiso	3/12/26	Routine	Pf	Observed heavily dented can of applesauce being stored on shelf with other cans	166(a)	Yes	Jonathan Weitgenant
						P	Observed bus tub of celery being stored on floor in walk in under containers of raw chicken and beef	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						P	Observed fried chicken being stored in cardboard box previously used to store and transfer raw chicken. Observed cardboard box heavily soiled with grease while storing fried chicken on shelf next to fryers.	182(a)		Jonathan Weitgenant

						C	Observed tongs at fry station being left to rest on a soiled cardboard lid. Observed metal bowl and plastic pint containers being used to dispense bulk products.	183(a)		Jonathan Weitgenant
						Pf	Observed no date marking on food in low boy cooler or reach in cooler	214(a),(b),or(c)		Jonathan Weitgenant
						C	Observed metal cans opened and being used to dispense/store food	226(a)(2),(a)(3),(a)(4), or(a)(5)		Jonathan Weitgenant
						C	Observed heavy residue build up on the inside panel and surfaces of the low boy cooler on the line. Observed heavy residue build up on the wire racks in the reach in cooler and walk in cooler	306(b)&(c)		Jonathan Weitgenant
						C	Observed no coving along majority of the walls inside the kitchen and under the cook line	411(a)or(b)		Jonathan Weitgenant
						C	Observed gap on the bottom of the back door large enough to allow leaves into establishment	421(a)or(d)		Jonathan Weitgenant
						C	Observed grease residue build up behind cook line and along the wall next to fry station	443(a),(b)		Jonathan Weitgenant
3	Jewel-Osco #1189	747 Indian Boundary Rd	Chesterton	3/30/26	Routine	C	Observed in use metal tongs hung on railing of hot holding chicken unit.	183(a)		Noah Weber
						C	Observed dark grease and food debris on top of Rational Oven in chicken fry area. Observed minor green residue on underbelly surface of metal racks within dairy cooler.	306(b)&(c)		Noah Weber
						C	Observed no handwashing signage on most hand sinks within food prep areas.	432(a)	Yes	Noah Weber
1	Jimmy Johns Northside Valpo	3125 Calumet Ave Ste 1	Valparaiso	3/25/26	Routine	C	Observed heavy residue build up on the rim of the ice chute exit	307(e)		Jonathan Weitgenant
5	J & J's Pizza Shack of Portage, Inc.	6275 Central Ave	Portage	3/25/26	Routine	C	Observed buildup of metal shavings behind dull blade on stationary can opener at the time of inspection.	302(a)	Yes	AntonioTurner
						C	Observed gap along bottom of back door at the time of inspection.	421(a)or(d)		AntonioTurner
						C	Observed heavy dust buildup on all three ceiling vents above dough machine at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed grease and dust buildup on hood filters above fryer station at the time of inspection.	445(a)or(b)		AntonioTurner
						Pf	Observed two chemical spray bottles without labels at the time of inspection.	456(a)	Yes	AntonioTurner
5	J & J's Pizza Shack of Valparaiso	1454 Lincolnway	Valparaiso	3/3/26	Routine	Pf	Observed no sanitizer test kit onsite at the time of inspection.	281(a)		AntonioTurner
						C	Observed metal shavings behind blade of stationary can opener at the time of inspection.	302(a)		AntonioTurner
						C	Observed coving damaged behind large mixer at the time of inspection.	411(a)or(b)		AntonioTurner
						C	Observed hood filters with oil and flour buildup at the time of inspection.	445(a)or(b)		AntonioTurner
						Pf	Observed spray bottle without name of contents at the time of inspection.	456(a)	Yes	AntonioTurner
						10	Joe and Freddy's	2958 W Dunes Hwy	Michigan City	3/20/26
						C	Observed in use oven tongs stored on oven handles in cook line.	183(a)		Noah Weber
						C	Observed black residue on ceiling and walls of walk-in cooler.	306(b)&(c)		Noah Weber

						Pf	Observed minor pink residue on internal ceiling of ice machine. Observed "cleaned" metal bins stored on clean dish shelf with oil residue still on containers.	306(a)		Noah Weber
						P	Observed mop sink hose below flood rim at time of inspection.	348(a)		Noah Weber
						C	Observed hand sink next to mop sink with minor drip repaired with plastic cup and tape.	363(a)(2)		Noah Weber
						C	Observed large pile of cardboard stored outside on ground next to walk in freezer waiting to be burned in fire pit.	397(a)		Noah Weber
						C	Observed kitchen exit door with gap on top section letting in sunlight.	421(a)or(d)		Noah Weber
						C	Observed mouse droppings along basement wall edge behind large can storage.	443(a),(b)		Noah Weber
						P	Observed no hand sink for outdoor bbq operation.	489(b)		Noah Weber
						P	Observed raw fish stored under raw beef in walk in cooler	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
7	Kelsey's Steakhouse	2300 Morthland Dr	Valparaiso	3/5/26	Routine	C	Observed seal in bad repair on left hand door of server/expo cooler near host stand	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed dust build up on wire shelving in dry storage being used to store uncovered cut bread	306(b)&(c)		Jonathan Weitgenant
						Pf	Observed no convenient hand washing sink available in bar	351(a)		Jonathan Weitgenant
						C	Observed large hole in wall under dishwashing machine	442(a)		Jonathan Weitgenant
						C	Observed heavy grease build up in vents above fryer station. Observed missing vent above fryer station. Observed heavy 3d dust build up in an exposed exhaust vent above cook line.	445(a)or(b)		Jonathan Weitgenant
						P	Observed two cans of "home use" only insect spray on chemical storage shelving	459(a)(2),(a)(3),or(b)	Yes	Jonathan Weitgenant
						C	Observed tongs hanging from stove handle at the time of inspection.	183(a)		AntonioTurner
5	La Cabana II Mexican Restaurant	6510 US Highway 6	Portage	3/31/26	Routine	Pf	Observed no sanitizing bucket made in kitchen at the time of inspection.	282(a)or(b)		AntonioTurner
						C	Observed soda syrup buildup on floor under soda box storage area at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed hood filters with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
						Pf	Observed chemical spray bottle unlabeled at the time of inspection.	456(a)		AntonioTurner
						C	Observed knife being stored on line in the slot between two coolers. Observed food residue build up between the two coolers where the knife was being stored.	183(a)		Jonathan Weitgenant
3	Le Peep Restaurant	3712 Calumet Ave.	Valparaiso	3/18/26	Routine	Pf	Observed no consumer advisory on adult menu	223(a),(b),or(c)		Jonathan Weitgenant
						Pf	Observed chemical sanitizer generating device non-operational at 3bay sink when trying to dispense quat sanitizer	299(a)(6)(C),(a)(6)(D)		Jonathan Weitgenant
7	Leroy's Hot Stuff	333 W US Highway 20	Porter	3/30/26	Routine	P	Observed raw chicken and eggs stored above cooked steak and tamales in both the kitchen prep top cooler and walk in cooler.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Noah Weber
						C	Observed metal tongs in use stored on oven handle within kitchen. Observed in use knives stored underneath microwave in kitchen.	183(a)		Noah Weber

						P	Observed secondary prep to cooler with sliced tomatoes at 57.9 degrees F and pico de gallo at 59 degrees F. Recommended to discard of any food held out of temp for more than 4 hours.	213(a)(2),(b)		Noah Weber
						C	Observed inner ceiling of x2 microwaves with food splatter. Observed 3 bay spray nozzle face with black residue. Observed residue build up within x2 soda gun holsters within bar area.	306(b)&(c)		Noah Weber
						Pf	Observed x2 soda guns in bar with residue within nozzle.	306(a)		Noah Weber
						C	Observed back end of walk in cooler constructed out of unsealed particle board containing large amount of black residue on inner ceiling of wooden veggie cooler. Observed back of house with exposed insulation and studs.	407(a)		Noah Weber
						C	Observed back of house and external area behind building with equipment and refuse not in use.	453(a)		Noah Weber
3	Lia's Bella Cucina	401 Broadway	Chesterton	3/6/26	Routine	Pf	Observed three bottles of sauce containers not labeled or date marked in silver prep top cooler. Observed tubs of RTE tomato sauce and cheese with no labeling or date marking.	214(a),(b),or(c)		Noah Weber
						C	Observed mounted can opener with black residue and metal shavings. Observed microwave with red food splatter.	306(b)&(c)		Noah Weber
						C	Observed wet mop down within mop sink at time of inspection.	447(a)	Yes	Noah Weber
9	Longhorn Steakhouse of Portage #5279	1650 Omstead Drive Lot 15	Portage	3/11/26	Routine	C	Observed spatulas stored in mixing bowls with food buildup and observer utensils stored with food buildup in dirty water, all from the night before at the time of inspection.	183(a)		AntonioTurner
						C	Observed brown cutting board heavily scored and chipping at the time of inspection.	287(a)	Yes	AntonioTurner
						C	Observed outside water sprayer with heavy food buildup at the time of inspection.	289(a)		AntonioTurner
						P	Measured sanitizer bucket in wait staff area sat less than 10ppm at the time of inspection.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Yes	AntonioTurner
						C	Observed LCD monitors with food buildup, observed inside of reach in coolers on cooks' line and in wait staff area with food buildup on inside floor and observed heavy food buildup in between flat top and grill at the time of inspection.	306(b)&(c)		AntonioTurner
						C	Observed inside of microwave on cooks' line with food buildup on inside roof at the time of inspection.	308(a)or(b)	Yes	AntonioTurner
						Pf	Observed hand sink being used for other purposes at the time of inspection.	359(a),(b),(c)	Yes	AntonioTurner
						C	Observed trash on ground in front of dumpster at the time of inspection.	402(a)		AntonioTurner
						C	Observed gnats near bar area at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
9	Louie Wingz & Catfish	6016 Central Ave	Portage	3/20/26	Routine	C	Observed cardboard being used for storage shelving in beverage cooler in cashier area	234(a)		Jonathan Weitgenant
						Pf	Observed main cooler in kitchen broken. Observed only 2 refrigerated systems available but not enough storage space to keep all food cool	273(a)		Jonathan Weitgenant
						Pf	Observed no chlorine test strips readily available	281(a)		Jonathan Weitgenant
						C	Observed dumpster lids open	400(a)		Jonathan Weitgenant

						C	Observed cardboard being used as flooring under wire rack holding pans and utensils next to 3bay	407(a)		Jonathan Weitgenant
						C	Observed heavy grease build up on hood vents. Observed hood cleaning service hadn't been completed since August 2025.	445(a)or(b)		Jonathan Weitgenant
						Pf	Observed two spray bottles of chemicals with no labeling	456(a)		Jonathan Weitgenant
						P	Observed container of residential use only pesticide tucked behind beverage cooler in cashier area.	459(a)(2),(a)(3),or(b)		Jonathan Weitgenant
						P	Observed staff make a sanitizer bucket for rags, sanitizer concentration measured above 200ppm.	461(a)	Yes	Jonathan Weitgenant
3	Loyal Order of Moose #1623 / Chesterton	602 Broadway	Chesterton	3/18/26	Routine	Pf	Observed quat testing strips expired in 2017.	301(a)		Noah Weber
							Pf	Observed kitchen hand sink with bucket and cleaning chemicals down within basin.	359(a),(b),(c)	Noah Weber
							C	Observed grease on floor of kitchen.	443(a),(b)	Noah Weber
7	Maple & Bacon	210 Aberdeen Drive Suite A	Valparaiso	3/31/26	Routine	P	Observed reach in cooler under hood measuring at 50 degrees. Observed cooler on expo line with product inside measuring between 46 and 50 degrees.	213(a)(2),(b)		Jonathan Weitgenant
							C	Observed heavy beverage residue build up around the dispensing nozzle of necta coffee machine	307(e)	Jonathan Weitgenant
							C	Observed exposed sewage lines above storage shelves holding single use gloves, cups, lids, foil, and paper products	329(a)(1),(a)(3)thru(a)(8)_2	Jonathan Weitgenant
							C	Observed dumpster lid open	400(a)	Jonathan Weitgenant
							C	Observed missing section of wall, exposing studs, behind the ice bin in the bar	442(a)	Jonathan Weitgenant
							C	Observed residue left over from coffee leak on shelves, boxes, piping, floor, and food product in the basement storage area	443(a),(b)	Jonathan Weitgenant
							Pf	Observed two spray bottles on the line, and one spray bottle in the basement unlabeled with chemicals inside	456(a)	Jonathan Weitgenant
10	Mark O's Bar & Grill	2385 Willowcreek Rd	Portage	3/26/26	Routine	Pf	Observed no person in charge of kitchen, bartender is here filling in, at the time of inspection.	135(a)(2)(B)(i-iii),(xvi-xvii)		AntonioTurner
							C	Observed ice bin behind bar, uncovered at the time of inspection.	175(a)(3thru8)	AntonioTurner
							Pf	Observed sandwich bags of raw chicken stored in reach in cooler without date marking, at the time of inspection.	214(a),(b),or(c)	AntonioTurner
							Pf	Observed no sanitizing test kits at the time of inspection.	281(a)	AntonioTurner
							C	Observed ice machine with heavy buildup at the time of inspection.	307(e)	AntonioTurner
							C	Observed men's and women's restroom wedged open at the time of inspection.	420(a)or(b)	AntonioTurner
							Pf	Observed no hand drying provisions in kitchen or behind bar at the time of inspection.	430(a)	AntonioTurner
							C	Observed missing ceiling tiles in kitchen at the time of inspection.	442(a)	AntonioTurner
							C	Observed soda syrup spilled on floor under soda box storage and observed dust buildup on ceiling above stove at the time of inspection.	443(a),(b)	AntonioTurner
							Pf	Observed one chemical spray bottle, unlabeled above three bays at the time of inspection.	456(a)	AntonioTurner

2	McDonalds #1420	2002 Calumet Ave	Valparaiso	3/16/26	Routine	C	Observed heavy beverage residue build up in orange juice drink nozzle. Observed beverage residue build up on under plate of creamer dispenser. Observed coffee build up on under plate of dispenser.	307(e)		Jonathan Weitgenant
						C	Observed ceiling tile missing and roof partially falling down outside of public restrooms and dining room mop closet	442(a)		Jonathan Weitgenant
1	McDonalds #4233	480 E Indian Boundary Rd	Chesterton	3/18/26	Routine	P	Observed 3 bay quat sanitizer testing over 500 ppm.	461(a)		Noah Weber
2	McDonalds #29828	243 Melton Rd	Burns Harbor	3/13/26	Routine	C	Observed plastic bins stacked together before properly air drying.	324(a)	Yes	Noah Weber
						P	Observed 3 bay sink quat sanitizer testing too high at 600ppm.	461(a)	Yes	Noah Weber
2	Meditrina Market Caf��	24 N. Washington St	Valparaiso	3/3/26	Routine	C	Observed guest bathroom and employee bathroom with no self closing device	420(a)or(b)		Jonathan Weitgenant
						P	Observed sanitizer bucket in the kitchen reading above 100ppm chlorine sanitizing solution	461(a)		Jonathan Weitgenant
3	Meijer Store #266	6050 US Highway 6	Portage	3/26/26	Routine	C	Observed no thermometer in deli cold case at the time of inspection.	260(a),(b),(d)		AntonioTurner
						C	Observed heavy buildup water sprayer nozzle in produce cut room at the time of inspection.	289(a)		AntonioTurner
						C	Observed chicken juice buildup on floor inside walk-in deli cooler at the time of inspection.	443(a),(b)		AntonioTurner
5	Meijer Store #297	405 Porters Vale Blvd	Valparaiso	3/20/26	Routine	P	Observed puramino baby formula dated for expiration of 1 March 2026.	154(a),(b)	Yes	Jonathan Weitgenant
						Pf	Observed dented and opened cans of baby formula on shelves	166(a)	Yes	Jonathan Weitgenant
						C	Observed heavy food residue build up on ceiling and walls of microwave in fry/chicken area	308(a)or(b)		Jonathan Weitgenant
						C	Observed leak from vacuum breaker on spigot at sanitizer sink in deli 3bay	363(a)(2)		Jonathan Weitgenant
						C	Observed heavy grease residue build up in the drain underneath pressure fryers	443(a),(b)		Jonathan Weitgenant
13	Mirage Baums Bridge Inn	1092 Baums Bridge Rd	Kouts	3/26/26	Routine	P	Observed carton of eggs held on shelf of walk in cooler above salad dressings and jello shots.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						C	Observed box of idaho potatoes being stored on ground underneath shelf in dry storage room	189(a)		Jonathan Weitgenant
						P	Observed walk in cooler measuring 50 degrees.	213(a)(2),(b)		Jonathan Weitgenant
						Pf	Observed no date marking on bags of frozen burgers. Observed no date marking on product held more than 24 hours in walk in cooler	214(a),(b),or(c)		Jonathan Weitgenant
						C	Observed unsealed wood shelving being used in beer walk in cooler	234(a)		Jonathan Weitgenant
						Pf	Observed no ambient thermometer in walk in cooler or upright cooler on kitchen line	247(a)or(b)		Jonathan Weitgenant
						Pf	Observed no quat test strips available to test sanitizer at bar. Observed chlorine strips damaged and no new strips available to test dish machine	281(a)		Jonathan Weitgenant
						C	Observed seal on left hand door of keg cooler at bar broken away from door	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed heavy grease and dust accumulation in fan blowing into kitchen and exhaust fan blowing out of kitchen	306(b)&(c)		Jonathan Weitgenant
						C	Observed heavy build up in soda nozzles and soda nozzle holsters at bar	307(e)		Jonathan Weitgenant
						P	Observed chlorine sanitizer in dish machine reading below 50ppm when run three times and primed	317(a)		Jonathan Weitgenant

						C	Observed leak from dishwasher causing pooling of water on floor under machine and running through kitchen area. Observed leak on rusted spray nozzle at 2 bay sink.	363(a)(2)		Jonathan Weitgenant
						C	Observed heavy grease build up under cooking equipment on the cook line.	443(a),(b)		Jonathan Weitgenant
5	Namaste @ The Lincoln Kitchen	704 Silhavy Rd	Valparaiso	3/9/26	Routine	C	Observed metal tongs stored on oven handle in cook line.	183(a)		Noah Weber
						P	Observed prep top cooler with cooked goat temping at 46.2 degrees F/ cooked chicken at 47.6 degrees F/ and shredded cheese at 46 degrees F.	213(a)(2),(b)		Noah Weber
						Pf	Observed no available temperature probe measuring device available at time of inspection.	279(a)or(b)	Yes	Noah Weber
						C	Observed 3 bay wash rinse sanitize sink set up improperly with sanitizer testing 0ppm and mixed with soap.	315(a)	Yes	Noah Weber
						C	Observed minor food debris and oil on floor underneath cooking equipment and prep table area.	443(a),(b)		Noah Weber
						C	Observed metal bowl used as scoop down within tub of soy sauce.	183(a)	Yes	Noah Weber
3	New Dragon @ Lincoln Kitchen	704 Silhavy Rd	Valparaiso	3/9/26	Routine	Pf	Observed RTE cooked food in reach in cooler with no labeling or date marking at time of inspection.	214(a),(b),or(c)		Noah Weber
						C	Observed minor oil accumulation on sides of cook top equipment in cook line.	306(b)&(c)		Noah Weber
						C	Observed open bag of chocolate chips in basement bakery area with no proper coverage.	189(a)		Noah Weber
						C	Observed ROP fish no removed from packaging before thawing in reach in cooler.	210(b)		Noah Weber
						Pf	Observed chlorine testing strips with water damage and no visible expiration date on holding container.	281(a)		Noah Weber
						C	Observed walk in cooler metal racks with black and white residue.	306(b)&(c)		Noah Weber
8	Octave Grill	105 S Calumet Rd	Chesterton	3/5/26	Routine	Pf	Observed fry baskets stored on open tray in basement covered in oil with food debris not in use. Needs to be properly cleaned for storage if not being used.	306(a)		Noah Weber
						C	Observed dark grease accumulation on wall located on left side of hood vent and on wall above hood vent area in need of cleaning. Observed large amount of grease and food debris underneath fry station and prep top table. Observed mouse droppings on floor edge located behind bakery area in basement. Observed very heavy black grease build up on basement floor.	443(a),(b)		Noah Weber
						C	Observed hood vents in cook line with oil and soot build up.	445(a)or(b)		Noah Weber
						P	Observed chlorine sanitizer spray bottle in bar testing over 200ppm at time of inspection.	461(a)	Yes	Noah Weber
						C	Observed rice bin uncovered at the time of inspection.	175(a)(3thru8)	Yes	AntonioTurner
						C	Observed ice machine with black buildup on inside ceiling at the time of inspection.	307(e)		AntonioTurner
						C	Observed water buildup on floor under self-served soda machine at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed wet mop sitting on floor next to hand sink at the time of inspection.	447(a)	Yes	AntonioTurner
4	Panda Express #2087	6150 US Highway 6	Portage	3/31/26	Routine					

1	Papa John's Pizza #4120	709 Plaza Dr Unit 3	Chesterton	3/16/26	Routine	C	Observed employee making pizza with no beard net.	151(a)		Noah Weber
5	Parkhurst Dining @ VU Founders Table Cafe	1509 Chapel Dr	Valparaiso	3/2/26	Routine	C	Observed no labels on self service desserts in bell and beacon cafe	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant
						C	Observed broken door seal on meat cooler door	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed food residue spills on floor in meat cooler and fry freezer	306(b)&(c)		Jonathan Weitgenant
						C	Observed visible light through gaps in outer door leading to loading dock	421(a)or(d)		Jonathan Weitgenant
						C	Observed floor paneling in produce cooler loose and coming off the floor. Observed ceiling tiles in condiment storage room stained and cracking.	442(a)		Jonathan Weitgenant
						C	Observed exposed wood on base and top of wall near ice cream machine.	442(a)		Jonathan Weitgenant
1	Parkhurst Dining @ VU Grinders Cafe	1410 Chapel Dr	Valparaiso	3/24/26	Routine	C	Observed no individual labels on self service desserts available for customers	221(a),(b)(1),(b)(2),(b)(3),(b)(4),(b)(6),(b)(7),(c),(d)		Jonathan Weitgenant
1	Parkhurst Dining @ VU "The Bell and Beacon"	1509 Chapel Dr	Valparaiso	3/2/26	Routine	C	Observed small reach in cooler on grill side of cook line with food measuring at 54 degrees.	213(a)(2),(b)	Yes	Jonathan Weitgenant
3	Pestos Italian Restaurant	3123 Calumet Ave	Valparaiso	3/9/26	Routine	P	Observed cardboard lining shelves and wall on pizza station shelves	234(a)		Jonathan Weitgenant
						C	Observed missing drain plug in trash dumpster	401(a)		Jonathan Weitgenant
3	Phil B's Caf��	908 Roosevelt Rd Ste E	Valparaiso	3/12/26	Routine	C	Observed heavy rusting, pitting, and holes forming in metal housing for walk in cooler vent. Observed no seal between the dish machine table and wall.	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed leak coming from inlet piping for water softener. Observed leak affecting wall and floor	363(a)(2)		Jonathan Weitgenant
						C	Observed acoustic absorbent tiles in use in back storage room where prepping occurs	407(a)		Jonathan Weitgenant
2	Pico De Gallo @ the Lincoln Kitchen	704 Silhavy Rd	Valparaiso	3/11/26	Routine	C	Observed plastic cup used as scooper down within rice bin.	183(a)	Yes	Noah Weber
						P	Observed prep top cooler with steak temping at 46 degrees F and shredded cheese at 45 degrees F.	213(a)(2),(b)	Yes	Noah Weber
3	Pines Village Retirement Community	3303 Pines Village Circle	Valparaiso	3/11/26	Routine	P	Observed cooler in server station in main dining room measuring at 48 degrees ambient, and cheesecake in cooler measuring at 46 degrees. Observed chicken curry in small cooler in cafe measuring at 46 degrees, verified by 2 probe thermometers.	213(a)(2),(b)		Jonathan Weitgenant
						C	Observed sugar residue build up on dispenser plate of juice dispensers in main dining, cafe, and breakfast kitchen	306(b)&(c)		Jonathan Weitgenant
						Pf	Observed presence of fruit flies in dry storage, server station, and dish room	450(a)(3)		Jonathan Weitgenant
4	Pop's Portage	6475 US-6	Portage	3/26/26	Routine	C	Observed frozen chicken patties, not frozen at the time of inspection.	208(a)		AntonioTurner
						Pf	Measured hand sink at 65F at the time of inspection.	347(a)		AntonioTurner
						C	Observed hood filters above fryers with grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
						Pf	Observed chemical bottle unlabeled at the time of inspection.	456(a)	Yes	AntonioTurner
1	Portage Township Bonner Senior Center	5800 Lexington Ave	Portage	3/3/26	Routine	C	Observed metal shavings behind blade of stationary can opener blade at the time of inspection.	302(a)		AntonioTurner
11	Portage Wings, LLC dba Buffalo Wild Wings	6530 US Highway 6	Portage	3/17/26	Routine	C	Observed employee eating on cooks' line on prep table at the time of inspection.	148(a)	Yes	AntonioTurner

						C	Observed bucket of pickles without a lid in walk-in cooler at the time of inspection.	175(a)(3thru8)	Yes	AntonioTurner
						C	Observed both water sprayer nozzles with green buildup at the time of inspection.	289(a)		AntonioTurner
						C	Observed reach in cooler under flat top with food debris on inside floor, beverage residue buildup in reach in cooler behind bar and grease buildup in between fryers at the time of inspection.	306(b)&(c)		AntonioTurner
						C	Observed microwave on cooks' line with food buildup on inside roof at the time of inspection.	308(a)or(b)		AntonioTurner
						C	Observed plastic containers at 3 bays wet nesting at the time of inspection.	324(a)		AntonioTurner
						Pf	Observed hand sink used for purposes other than hand washing at the time of inspection.	359(a),(b),(c)		AntonioTurner
						C	Observed light shield missing next to mop sink area at the time of inspection.	417(a)or(c)		AntonioTurner
						C	Observed dust buildup on ceiling and ceiling vents above cooks' line and observed heavy grease buildup under fryer station at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed hood filters with heavy grease buildup at the time of inspection.	445(a)or(b)		AntonioTurner
						C	Observed two wet mops laying at bottom of mop sink at the time of inspection.	447(a)		AntonioTurner
1	Porter Quick Stop	20 E US Hwy 20	Porter	3/6/26	Routine	C	Observed front double doors with gaps of light coming through center section. Door sweeps in need of replacement.	421(a)or(d)		Noah Weber
10	Quaker Steak & Lube	6245 Ameriplex Drive	Portage	3/30/26	Routine	C	Observed all ice bins behind all three bars, uncovered at the time of inspection.	175(a)(3thru8)		AntonioTurner
						C	Observed produce sink with missing seal at the time of inspection.	284(a)or(b)		AntonioTurner
						C	Measured reach in cooler across from grill at 45F at the time of inspection.	286(a),(b),or(c)		AntonioTurner
						C	Observed water sprayer with black buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
						C	Observed grease buildup on fryer wheels at the time of inspection.	306(b)&(c)		AntonioTurner
						Pf	Observed food residue on stationary can opener blade and observed food residue on big slicer blade at the time of inspection.	306(a)		AntonioTurner
						Pf	Observed hand sink next to walk-in cooler, not accessible at the time of inspection.	359(a),(b),(c)		AntonioTurner
						C	Observed grease buildup on hood filters above fryer at the time of of inspection.	445(a)or(b)		AntonioTurner
						C	Observed several gnats at bar #3 at the time of inspection.	450(a)(1),(a)(2),or(a)(4)		AntonioTurner
						Pf	Observed unlabeled spray bottle next to bar #3 at the time of inspection.	456(a)		AntonioTurner
						P	Measured breakfast sausage at 102.2F at the time of inspection.	213(a)(1)	Yes	AntonioTurner
						C	Observed dumpster open at the time of inspection.	400(a)	Yes	AntonioTurner
						Pf	Observed no hand soap at hand sink at kitchen at the time of inspection.	429(a)	Yes	AntonioTurner
						Pf	Observed chemical spray bottle unlabeled at the time of inspection.	456(a)	Yes	AntonioTurner
12	Radius	15 E Lincolnway	Valparaiso	3/30/26	Routine	Pf	Observed old and dented cans on can rack in the basement	166(a)		Jonathan Weitgenant

						P	Observed multiple instances of raw beef stored above ready to eat food and raw chicken and eggs being stored improperly.	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						C	Observed knife being stored in between coolers on cook line. Observed metal ramekins and plastic souffle cups being used to dispense food and seasoning in kitchen	183(a)		Jonathan Weitgenant
						C	Observed pasta, tortillas, and other food products being stored under unprotected sewage lines in the basement	189(a)		Jonathan Weitgenant
						P	Observed pepsi cooler and small silver cooler under stairs measuring between 46-50 degrees	213(a)(2),(b)		Jonathan Weitgenant
						Pf	Observed multiple containers of prepped food stored in various coolers with no date marking	214(a),(b),or(c)	Yes	Jonathan Weitgenant
						Pf	Observed no consumer advisory on menu	223(a),(b),or(c)	Yes	Jonathan Weitgenant
						C	Observed cardboard being used for storage on bottom of coolers and on shelving in kitchen	234(a)		Jonathan Weitgenant
						Pf	Observed no readily available food probe thermometer when requested	279(a)or(b)		Jonathan Weitgenant
						C	Observed gap in bottom of door leading to back alley	421(a)or(d)		Jonathan Weitgenant
						C	Observed heavy soda syrup build up on floor near soda boxes and throughout the basement. Observed a container with puddle of soda syrup	442(a)		Jonathan Weitgenant
						C	Observed heavy grease leaking through floor boards into the basement and soaking into the support beams	443(a),(b)		Jonathan Weitgenant
8	Rosewood Family Restaurant	367 W US Highway 6	Valparaiso	3/31/26	Routine	C	Observed uncovered food in walk-in cooler at the time of inspection.	175(a)(3thru8)		AntonioTurner
						C	Observed water sprayer with heavy buildup around nozzle at the time of inspection.	289(a)		AntonioTurner
						C	Observed reuse of sour cream buckets at the time of inspection.	304(a)or(b)		AntonioTurner
						C	Observed black buildup on inside walls of ice machine and observed soda syrup buildup in Brisk tea soda nozzle in wait staff area at the time of inspection.	307(e)		AntonioTurner
						P	Observed Y Valve on mop sink faucet at the time of inspection.	348(a)		AntonioTurner
						Pf	Observed no paper towel at hand sink on cooks' line at the time of inspection.	430(a)	Yes	AntonioTurner
						C	Observed wall and floor tiles damaged at the time of inspection.	442(a)		AntonioTurner
						C	Observed grease buildup on hood filters at the time of inspection.	445(a)or(b)		AntonioTurner
						C	Observed large bag of panko bread crumbs open and uncovered within dry storage area.	189(a)	Yes	Noah Weber
8	Round The Clock / Chesterton	1607 S Calumet Rd	Chesterton	3/16/26	Routine	Pf	Observed 2% and chocolate milk in sliding door reach in cooler with no date marking.	214(a),(b),or(c)		Noah Weber
						C	Observed sauce and food splatter on underbelly of hot table shelving within cook line. Observed oil and food debris accumulation on very bottom underbelly of hot table in cook line.	306(b)&(c)		Noah Weber
						C	Observed washed metal bins stacked together before properly air drying on clean dish rack.	324(a)		Noah Weber
						C	Observed minor drip coming from pvc piping underneath prep sink in kitchen.	363(a)(2)		Noah Weber
						C	Observed oil and food debris build up on floor underneath fry station and cook line.	443(a),(b)		Noah Weber

						C	Observed oil and soot accumulation on hood vent within cook line.	445(a)or(b)		Noah Weber
						C	Observed fruit flies within ware wash area coming from floor drain. Observed fruit flies in dry storage area focusing on singular spoiled onion.	450(a)(1),(a)(2),or(a)(4)		Noah Weber
5	Santini's Pizza	390 W US Highway 6	Valparaiso	3/27/26	Routine	Pf	Observed food residue buildup on stationary can opener blade at the time of inspection.	306(a)		AntonioTurner
						C	Observed coving missing at the end of cooks' line at the time of inspection.	411(a)or(b)		AntonioTurner
						C	Observed gaps at back exit door at the time of inspection.	421(a)or(d)		AntonioTurner
						C	Observed grease buildup under cooking equipment and buildup on lower wall behind three bays at the time of inspection.	443(a),(b)		AntonioTurner
						C	Observed flour and dust buildup on some hood filters at the time of inspection.	445(a)or(b)		AntonioTurner
						C	Observed containers of chili and peeled onions stored uncovered in walk in cooler	175(a)(3thru8)		Jonathan Weitgenant
						C	Observed soup bowl being used to scoop flour in bulk container	183(a)		Jonathan Weitgenant
13	Schoop's Hamburgers	2816 Calumet Ave	Valparaiso	3/6/26	Routine	C	Observed food being stored on bread rack on top of garbage can on end of cook line	189(a)	Yes	Jonathan Weitgenant
						C	Observed plastic single use containers being used to store food in cooler and on cook line	226(a)(2),(a)(3),(a)(4),or(a)(5)		Jonathan Weitgenant
						Pf	Observed probe thermometer present on the line measuring outside of +/- 2 degree difference from calibrated thermometer	246(a)or(b)		Jonathan Weitgenant
						P	Observed sanitizer buckets in server stations measuring below 50ppm chlorine solution	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		Jonathan Weitgenant
						C	Observed build up on underside of juice dispensing machine in server area. Observed syrup residue build up on the flat underside of soda dispensers.	307(e)		Jonathan Weitgenant
						C	Observed heavy food residue build up on the walls and ceiling of microwave in kitchen	308(a)or(b)		Jonathan Weitgenant
						P	Observed dish machine automatically dispensing too little (less than 50ppm) sanitizer for the sanitizing step	317(a)		Jonathan Weitgenant
						C	Observed metal mixing paddle being stored with the paddle in contact with the wall, held up by an electrical conduit. Observed steel honing blades being stored against the wall being held up by electrical conduit.	328(a)&(c)		Jonathan Weitgenant
						C	Observed dumpster open	400(a)		Jonathan Weitgenant
						C	Observed coving peeling from wall under the dishwashing machine	411(a)or(b)		Jonathan Weitgenant
						C	Observed heavy grease build up behind, under, and on the side of the fryers. Observed heavy grease build up behind the waffle making shelving unit	443(a),(b)		Jonathan Weitgenant
						P	Observed raw beef being stored above fresh tomatoes in walk in cooler	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Yes	Jonathan Weitgenant
						C	Observed missing/broken tiles under 3bay sink. Observed wall and coving in bad repair under 3bay sink	442(a)		Jonathan Weitgenant
						C	Observed heavy grease build up on wall, side of hood, and anseel system above electric fryer	443(a),(b)		Jonathan Weitgenant

12	Shenanigans	6121 Melton Rd.	Portage	3/24/26	Routine	Pf	Observed employee without demonstration of knowledge at the time of inspection.	135(a)(1)		AntonioTurner
							C	Observed flour bin uncovered at the time of inspection	175(a)(3thru8)	AntonioTurner
							C	Observed squirt bottles and seasoning shakers unlabeled at the time of inspection.	176(a)	AntonioTurner
							C	Observed bowl used as a scooper at the time of inspection.	183(a)	AntonioTurner
							Pf	Observed frozen chicken tenders inside metal pans being thawed under heat lamp at the time of inspection.	210(a)(1)thru(a)(3)	AntonioTurner
							Pf	Observed no chlorine test strips at the time of inspection.	281(a)	AntonioTurner
							C	Observed ice machine exposed on both sides due to wrong top piece at the time of inspection.	286(a),(b),or(c)	AntonioTurner
							P	Measures were washing machine at less than 10 ppm at the time of inspection.	317(a)	AntonioTurner
							C	Observed uncovered garbage cans in women's restrooms at the time of inspection.	394(a)	AntonioTurner
							C	Observed hole in walls behind ware washing machine and drying rack at the time of inspection.	442(a)	AntonioTurner
							C	Observed soda syrup on floor under soda box storage area at the time of inspection.	443(a),(b)	AntonioTurner
							C	Observed hood filters with dust buildup at the time of inspection.	445(a)or(b)	AntonioTurner
6	Smokey's Southern BBQ	375 E Hwy 20	Chesterton	3/26/26	Routine	C	Observed scoop cups with no handles down within product of large salt and sugar bins in back of house.	183(a)		Noah Weber
							Pf	Observed chlorine sanitizer testing strips expired in 2017.	301(a)	Noah Weber
							C	Observed gap at bottom section of back exit screen door, recommended new door sweep. Observed gap located on top section of door frame at front entrance.	421(a)or(d)	Noah Weber
							C	Observed front facing windows located on far right side of building with minor broken glass with holes.	442(a)	Noah Weber
							C	Observed dust accumulation and residue on ceiling of walk in cooler.	443(a),(b)	Noah Weber
							P	Observed chlorine sanitizer testing over 200 ppm and mixed with dawn dish soap within sanitizer buckets.	461(a)	Noah Weber
4	Speedway #5522	502 Gateway Blvd North	Chesterton	3/7/26	Routine	C	Observed multiple boxes of food stored and spilled onto floor of walk-in freezer. Recommend discarding all food that has been removed from packaging and touched floor due to contamination.	189(a)		Noah Weber
							Pf	Observed back of house hand sink located next to prep sink blocked from use.	359(a),(b),(c)	Noah Weber
							C	Observed standing pool of water on floor outside walk in cooler in back of house area.	386(a)	Noah Weber
							C	Observed minor dust accumulation on beverage walk in fan covers. Observed black residue build up on top of concrete flooring in back of house kitchen. Observed dust and dark residue on flooring underneath Slurpee machine area in need of cleaning.	443(a),(b)	Noah Weber

3	Spring House Inn/Aria Hospitality LLC	303 N Mineral Springs Rd	Porter	3/11/26	Routine	P	Measured fried eggs and sausage in hot holding on breakfast buffet at 122 degrees F. Measured cheese omelets in hot holding on breakfast buffet at 127 degrees F.	213(a)(1)	Yes	ShelbySouth
							Pf	Observed no full kit of test strips available at time of inspection, only wrapped refills strips available.	281(a)	ShelbySouth
							C	Observed open sticky traps and rodent droppings in storage cabinet in breakfast prep area.	419(a)or(b)	ShelbySouth
1	Subway 7310	383 W. US Hwy 6	Valparaiso	3/6/26	Routine	C	Observed three bays sink leaking into metal pan and observed self-serve soda station leaking from water line onto inside of cabinet floor at the time of inspection.	363(a)(2)		AntonioTurner
1	Taco Bell #41205	631 N Main St	Hebron	3/26/26	Routine	C	Observed heavy collection of soda syrup residue in cabinet underneath dining room self service soda machine	306(b)&(c)		Jonathan Weitgenant
5	Taco Pros	2005 Morthland Drive	Valparaiso	3/17/26	Routine	P	Observed backs of raw chicken being stored in upper drawer above raw beef in cooler under flat top	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)		Jonathan Weitgenant
							C	Observed plastic cup, used for scooping, stored in bus tub of diced tomato in walk in cooler	183(a)	Jonathan Weitgenant
							C	Observed heavy beverage syrup build up on soda nozzles, under plate, and wall of soda machine	307(e)	Jonathan Weitgenant
							C	Observed mop sitting in a full bucket of water and wet mop head in the service sink	447(a)	Jonathan Weitgenant
							Pf	Observed 4 spray bottles throughout establishment with no labeling.	456(a)	Jonathan Weitgenant
10	Texas Corral	5880 US Highway 6	Portage	3/23/26	Routine	P	Measured cooked ribs in hot hold cabinet at 70F at the time of inspection.	206(a),(b),(c),or(d)	Yes	AntonioTurner
							C	Observed two hand sinks without a seal at the time of inspection.	284(a)or(b)	AntonioTurner
							C	Observed water buildup on inside bottom of cooler on cooks' line and observed ceiling in walk-in cooler leaking water onto floor at the time of inspection.	286(a),(b),or(c)	AntonioTurner
							C	Observed heavy buildup in water sprayer, around nozzle at the time of inspection.	289(a)	AntonioTurner
							C	Observed all four fan covers in walk-in cooler with heavy dust buildup at the time of inspection.	306(b)&(c)	AntonioTurner
							P	Observed mop sink hose below flood rim level at the time of inspection.	348(a)	AntonioTurner
							Pf	Observed hand sink with heavy food buildup at the time of inspection.	359(a),(b),(c)	AntonioTurner
							C	Observed no coving in walk-in cooler, food buildup in gaps at the time of inspection.	411(a)or(b)	AntonioTurner
							C	Observed peeling, cracked and hanging ceiling tile throughout kitchen at the time of inspection.	442(a)	AntonioTurner
							P	Observed spider killer in kitchen at the time of inspection.	457(a)	AntonioTurner
2	Texas Roadhouse	6130 US Highway 6	Portage	3/24/26	Routine	C	Observed left hand sink in women's restroom leaking at the time of inspection.	363(a)(2)		AntonioTurner
							C	Observed wet mop sitting at bottom of mop sink at the time of inspection.	447(a)	AntonioTurner
4	The Hive	139-1/2 S Calumet Rd	Chesterton	3/10/26	Routine	Pf	Observed ice machine with pink and black residue.	306(a)		Noah Weber
							Pf	Observed kitchen hand sink with sponges and plastic trays down within basin.	359(a),(b),(c)	Noah Weber
							Pf	Observed no easily accessible hand soap at bar hand sink.	429(a)	Noah Weber
							Pf	Observed pet dog behind bar at time of inspection.	454(a)	Noah Weber

2	The Lincoln Kitchen	704 Silhavy Road	Valparaiso	3/11/26	Routine	C	Observed front left most and right most entrances with gaps in bottom sections letting in light and air from outside. Recommended to replace door sweeps.	421(a)or(d)		Noah Weber
						C	Observed damaged flooring in bathroom in need of repair.	442(a)		Noah Weber
1	Toy Ann's Sweeterie @ The Lincoln Kitchen	704 Silhavy Rd	Valparaiso	3/9/26	Routine	Pf	Observed milk opened and not date marked at time of inspection.	214(a),(b),or(c)	Yes	Noah Weber
1	Val's Custom Cakes	539 Broadway	Chesterton	3/26/26	Routine	C	Observed "Sure Vent: air admittance valve" attached to plumbing of mop sink to grease trap expelling water when toilet is flushed.	363(a)(2)		Noah Weber
2	Veterans of Foreign Wars #2511 Porter	1290 Wagner Rd	Porter	3/30/26	Routine	Pf	Observed quat testing strips expired in 2017.	301(a)		Noah Weber
						C	Observed hood vent system with soot and oil accumulation.	445(a)or(b)		Noah Weber
13	Virks New Mart	3901 W Dunes Hwy	Michigan City	3/3/26	Routine	Pf	Observed no vomit and diarrhea clean up instructions available to the employees.	153(a)	Yes	Carrie Batson
						C	Observed no ambient air thermometer in the reach in freezers.	260(a),(b),(d)		Carrie Batson
						Pf	Observed no bleach sanitizer test kit available for use.	281(a)		Carrie Batson
						Pf	Observed no bleach sanitizer prepared and tested to 50ppm concentration and available to use on washed equipment during hours of operation.	282(a)or(b)		Carrie Batson
						C	Observed a build up of mouse feces inside of the cabinets underneath the coffee/beverage station in the front service station. Recommend immediate discard of any materials stored in those cabinets, cleaning and disinfecting before placing new items in them.	309(a)		Carrie Batson
						C	Observed a build up of mouse feces inside of the cabinets underneath the coffee/beverage station in the front service station. Recommend immediate discard of any materials stored in those cabinets, cleaning and disinfecting before placing new items in them.	309(a)		Noah Weber
						C	Observed the garbage receptacle lid open.	400(a)		Carrie Batson
						C	Observed a large gap between the front door where pests can easily enter the premises.	421(a)or(d)		Carrie Batson
						C	Observed a large hole in the wall underneath the service sink in the back storage area where pests can easily travel between the walls and the interior of the store.	442(a)		Carrie Batson
						C	Observed mouse feces along the outer edges of the storage room floor.	443(a),(b)		Carrie Batson
						C	Observed damp mops not inverted or hung to dry.	447(a)		Carrie Batson
						C	Observed dead insects, including dead roaches, underneath the shelving loaded with soda against the front store windows.	451(a)		Carrie Batson
						C	Observed a build up of store goods cluttering the back storage area on the floors and in the 3 bay sink.	453(a)		Carrie Batson
						Pf	Observed Raid insect killer stored under the hand sink in the front service area.	458(a)		Carrie Batson
9	Wagners	361 Wagner Rd	Porter	3/19/26	Routine	C	Observed small buckets being used as scoops down within large bbq sauce buckets in kitchen.	183(a)		Noah Weber

						P	Observed prep top cooler within cook line holding multiple TCS foods above 41 degrees F. Observed diced tomatoes at 54.5 degrees F/ shredded cheese 54.5 degrees F/cheese slices at 56.6 degrees F/chihuahua cheese at 58.4 degrees F/ sliced tomatoes at 57.3 degrees F/ raw chicken 54.5 degrees F/ roast beef 58.6 degrees F/ cooked chicken 60.8 degrees F/ raw calamari 53.6 degrees F/ raw shrimp 56.5 degrees F/ cooked pork 57 degrees F/ raw fish 57.0 degrees F. Any food that was held above 41 degrees F for longer than 4 hours was recommended to discard.	213(a)(2),(b)		Noah Weber
						C	Observed ware wash station sprayer repaired with duct tape.	286(a),(b),or(c)		Noah Weber
						C	Observed green/white residue on green metal racks of basement walk in cooler.	306(b)&(c)		Noah Weber
						Pf	Observed pink residue on ice machine deflector blade.	306(a)		Noah Weber
						C	Observed both dumpsters open at time of inspection.	400(a)		Noah Weber
						C	Observed kitchen exit door propped open with brush and no protection.	421(a)or(d)		Noah Weber
						C	Observed ceiling within kitchen with chipping paint and exposed material.	442(a)		Noah Weber
						C	Observed bbq sauce splattered on ceiling above cook line in need of cleaning. Observed grease and food debris on flooring underneath cook line and prep top coolers. Observed dark liquid from grease trays of cooking units dripping onto floor of cook line.	443(a),(b)		Noah Weber
4	Walmart Supercenter #2544	6087 US Highway 6	Portage	3/17/26	Routine	P	Observed employee on cell phone with gloves and returning to cooking food without changing at the time of inspection.	186(a)		AntonioTurner
						Pf	Observed no ambient thermometer in bakery cooler at the time of inspection.	247(a)or(b)	Yes	AntonioTurner
						Pf	Observed hand sink in deli kitchen blocked at the time of inspection.	359(a),(b),(c)		AntonioTurner
						C	Observed cell phones on prep table in bakery area at the time of inspection.	440(a)or(b)		AntonioTurner
1	Wendy's of Portage II #330	6181 US Highway 6	Portage	3/5/26	Routine	P	Measured sanitizer on cooks' line at less than 10ppm at the time of inspection.	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)		AntonioTurner
6	Wings Etc	501 Silhavy Rd	Valparaiso	3/5/26	Routine	C	Observed heavy water build up on lid of prepared food storage containers in reach in cooler	189(a)		Jonathan Weitgenant
						Pf	Observed sauce with disposal date of 2/28 in reach in cooler. Observed diced onions and sliced peppers with disposal date of 3/4 in reach in cooler. Observed no labeling on marinated chicken in walk in cooler or reach in cooler on cook line.	214(a),(b),or(c)		Jonathan Weitgenant
						C	Observed drainage pipe in reach in cooler near walk in cooler leaking water	286(a),(b),or(c)		Jonathan Weitgenant
						C	Observed heavy dust build up on shelves and monitors above the cook/prep/expo line	306(b)&(c)		Jonathan Weitgenant
						C	Observed dumpster lids open	400(a)		Jonathan Weitgenant
						C	Observed heavy dried food residue build up on walk in floor under boxes and containers of raw chicken. Observed dust build up on the walls surrounding the walk in door.	443(a),(b)		Jonathan Weitgenant