

Facility Name	Address	Inspection Date	Violation Type	Immediately Corrected	Code	Observation	Inspector
AFC Sushi @ Strack & Vantil #3	1605 Calumet Ave	10/14/2025	C		284(a)or(b)	Observed no caulking on back of hand sink in prep area.	Noah Weber
AFC Sushi @ Strack & Vantil #3	1605 Calumet Ave	10/14/2025	C		324(a)	Observed plastic bins stacked together before fully air drying.	Noah Weber
American Legion Post #301	PO Box 307 959 W Indiana St	10/6/2025	Pf		281(a)	Observed no test strips at 3 bays at the time of inspection.	AntonioTurner
American Legion Post #301	PO Box 307 959 W Indiana St	10/6/2025	P		317(a)	Observed no sanitizer for 3 bays at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	P		141(a)&(b)	Observed staff using a non-disposable towel to dry hands at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	P		173(b)	Observed staff touching ready to eat foods with bare hands at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	Pf		214(a),(b),or(c)	Observed date mark expired on apple dressing, garlic dressing and mustard dressing at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed walls of walk-in cooler, not sealed and exposed insulation materials at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	C		249(a)	Observed no hood system above fryer station in back bottling room near garage door at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	Pf		297(a)	Measured ware washing machine at less than 160F at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	C		401(a)	Observed no drain plugs on dumpster at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	C		443(a),(b)	Observed cat vomit on floor in dry storage/wine barrel area at the time of inspection.	AntonioTurner
Anderson's Winery & Vinyard / Elevations	430 E US Highway 6	10/17/2025	Pf		454(a)	Observed cats walking through kitchen and dining area, observed cat litter, cat box, open cans of cat food and observed cat box with feces, all in dry storage area near single use supplies at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C	Yes	148(a)	Observed no lid on drink on cooks' line at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	P	Yes	173(b)	Observed cooks' touching ready to eat foods without gloves at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	P	Yes	213(a)(2),(b)	Measure shelled eggs sitting out at 74F and measured rice sitting out at 70F at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed food left in can after opening in middle cooler at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		234(a)	Observed grease buildup on fryer wheels, observed heavy dust in hood above ware washing machine and observed heavy dust of fan covers in middle cooler at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		302(a)	Observed can opener blade dull and metal shavings built up at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		304(a)or(b)	Observed the reuse of single use containers at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		307(e)	Observed ice machine with black buildup on inside ceiling and walls at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		324(a)	Observed dishes stacked wet on back counter across from ware washing area at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		417(a)or(c)	Observed light shield cover missing in dry storage area at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C	Yes	421(a)or(d)	Observed back door wedged open at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		445(a)or(b)	Observed hood filters with grease buildup at the time of inspection.	AntonioTurner
Blueberry Hill Pancake House	2606 Portage Mall	10/10/2025	C		451(a)	Observed three dead roaches in kitchen at the time of inspection.	AntonioTurner

Blue Chip Casino - TENT	777 Blue Chip Drive	10/16/2025	Pf		281(a)	Observed no available sanitizer testing strips.	Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	10/22/2025	C		183(a)	Observed scooper handle down within ham chunks within cooler drawer.	Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	10/22/2025	Pf		214(a),(b),or(c)	Observed no date marking on chocolate milk that was opened 2 days prior.	Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	10/22/2025	C		306(b)&(c)	Observed food splatter on underbelly of passover shelf at cook line. Observed food/grease splatter on internal ceiling of microwaves. Observed large amounts of fuzzy green organic growth on metal shelving and walls of walk in cooler. Observed heavy grease build up underneath flat top stove equipment on left side of cook line. Observed	Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	10/22/2025	Pf		306(a)	Observed x2 soda machine underbelly with organic green growth.	Noah Weber
Bob Evans Restaurants #247	2201 Morthland Dr	10/22/2025	C		443(a),(b)	Observed grease build up on floors and walls behind fry station at cook line.	Noah Weber
Bru Man's Hot Chicken	1608 E Lincolnway Suite B & C	10/21/2025	P		348(a)	Observed a hose splitter located on the mop faucet and below the AVB and leading to the cleaning chemical dispensers.	Carrie Batson
Bru Man's Hot Chicken	1608 E Lincolnway Suite B & C	10/21/2025	C		447(a)	Observed mops stored down in the mop sink between uses.	Carrie Batson
Bru Man's Hot Chicken - TENT	1608 E Lincolnway Suite B/C	10/16/2025	Pf	Yes	351(a)	Observed no available hand sink at tent set up.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	C		286(a),(b),or(c)	Observed soda machine face missing and damaged with exposed glass lighting with no cover.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	C		306(b)&(c)	Observed green organic growth on soda machine nozzle underbelly. Observed organic growth on the green metal storage racks within the walk in cooler.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	Pf		306(a)	Observed minor organic growth in small ice machine.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	C	Yes	328(a)&(c)	Observed single-use to go containers face down on top of soiled cooler with oil and food debris.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	C		442(a)	Observed damaged flooring within cook line.	Noah Weber
Burgerhaus Restaurant	3304 Calumet Ave	10/23/2025	C	Yes	443(a),(b)	Observed dust around ceiling vents in back kitchen area.	Noah Weber
Burger King #3273	2921 Calumet Ave	10/23/2025	C		447(a)	Observed x2 used mops down within mop sink not hung up to properly air dry.	Noah Weber
Burger King #3273	2921 Calumet Ave	10/23/2025	C		450(a)(1),(a)(2),or(a)(4)	Observed two flies in kitchen area. Pest control is in place.	Noah Weber
Caldwell Subway II, Inc. dba Subway Sandwiches	3004 N. Calumet Ave	10/22/2025	C		324(a)	Observed metal bins stacked together before being allowed to properly air dry.	Noah Weber
Cinemark 12 at Valparaiso Commons	700 Porters Vale Blvd	10/21/2025	P		348(a)	Observed a hose splitter located on the mop faucet and below the AVB and leading to the cleaning chemical dispensers.	Carrie Batson
Cinemark 12 at Valparaiso Commons	700 Porters Vale Blvd	10/21/2025	C		363(a)(2)	Observed two urinals in the men's restroom out of order due to leaking fixtures. Observed a leaking faucet in the family restroom.	Carrie Batson
Days Inn	6161 US Highway 20	10/29/2025	P		213(a)(2),(b)	Observed fridge in breakfast area at 45 degrees ambient temperature at time of inspection. Observed food inside fridge at 45 degrees internally at time of inspection	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	Pf		214(a),(b),or(c)	Observed gallon of milk open but no date marking inside cooler at time of inspection	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	C		307(e)	Observed residue build up on deflector in both operational ice machines at time of inspection.	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	Pf		359(a),(b),(c)	Informed that the hand sink is being used for multiple purposes at time of inspection	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	P		382(a)(b)	Informed that mop water was disposed of outside and not through an approved sewage conveyance system at time of inspection	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	C		400(a)	Observed dumpster lids open at time of inspection	Jonathan Weitgenant

Days Inn	6161 US Highway 20	10/29/2025	C		402(a)	Observed large collection of refuse (buckets, propane tanks, cardboard, misc. trash) surrounding dumpster and into wooded area at time of inspection. Follow up required in 10 days to ensure proper cleanup and elimination of refuse build up.	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	C		442(a)	Observed exposed wall studs in dry storage behind shelf at time of inspection. Observed missing and water damaged ceiling tiles at time of inspection.	Jonathan Weitgenant
Days Inn	6161 US Highway 20	10/29/2025	C		451(a)	Observed buildup of dead pests and rodent droppings under shelves in dry storage/kitchen during time of inspection	Jonathan Weitgenant
Domino's #2603	1895 Crisman Rd	10/30/2025	Pf		281(a)	Observed no chlorine test strips for ware washing machine at time of inspection	Jonathan Weitgenant
Domino's #2603	1895 Crisman Rd	10/30/2025	C		324(a)	Observed water remaining in nested storage containers at time of inspection	Jonathan Weitgenant
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw meat stored above RTE food in walk-in cooler at time of inspection. Observed raw eggs stored above RTE food at time of inspection.	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	C		189(a)	Observed onions stored under a table and RTE food in cooler stored less than 6 inches from the floor at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	C	Yes	304(a)or(b)	Observed food stored in original metal container at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	Pf		306(a)	Observed residue build up on the deflector of the ice machine at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	P		317(a)	Observed no sanitizer use at three bay ware washing station at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	Pf		359(a),(b),(c)	Observed food residue in the hand sink at time of the inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	C		411(a)or(b)	Observed coving separated from the wall near the soda syrups at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	C		421(a)or(d)	Observed sunlight through gaps in back door near the office at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	C		442(a)	Observed build up of ice in the freezer coming down from the fan unit at the time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	Pf		456(a)	Observed two spray bottles with unlabeled unknown substances at time of inspection	Antonio Turner
El Amigo Restaurant	3032 Calumet Ave	10/23/2025	Pf		459(c)	Observed a can of raid above the handwashing sink at time of inspection	Antonio Turner
Family Express Corp #15	104 S Main St	10/3/2025	C		234(a)	Observed outside of espresso machine with heavy buildup at the time of inspection.	Antonio Turner
Family Express Corp #15	104 S Main St	10/3/2025	C		289(a)	Observed buildup inside water sprayer nozzle at the time of inspection.	Antonio Turner
Family Express Corp #15	104 S Main St	10/3/2025	P		307(a)or(c)	Observed large ice machine in back storage area with buildup on ice deflector and inside walls and ceiling and observed buildup on Beverage Bay ice deflectors, both, at the time of inspection.	Antonio Turner
Family Express Corp #15	104 S Main St	10/3/2025	P		348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
Family Express Corp #15	104 S Main St	10/3/2025	Pf	Yes	359(a),(b),(c)	Observed hand sink in Crave area, blocked with gloves and bin at the time of inspection.	Antonio Turner
Farina Cafe	55 Franklin St	10/2/2025	Pf		281(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	C		284(a)or(b)	Observed no caulking on 3 bay sink in kitchen area.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	C		306(b)&(c)	Observed prep top cooler bottom with residue and debris.	Noah Weber

Farina Cafe	55 Franklin St	10/2/2025	Pf		306(a)	Observed ice machine basement with organic black growth.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	P		348(a)	Observed drain from 3 bay sink and dish washer having drainpipes below flood rim. Observed bar drainpipe below flood rim.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	C		401(a)	Observed dumpster with no available drain plug at time of inspection.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	C		417(a)or(c)	Observed light bulb in walk in cooler with no covering.	Noah Weber
Farina Cafe	55 Franklin St	10/2/2025	C		443(a),(b)	Observed dust accumulating on areas around ceiling air vents. Observed 3D dust on utensil rack in kitchen. Observed rust build up on shelving next to dish machine and underneath 3 bay.	Noah Weber
Five Guys Burgers & Fries	6036 US Highway 6	10/28/2025	C		185(athruf)	Observed low ppm in sanitizer bucket on the hot cook line at time of inspection	Jonathan Weitgenant
Five Guys Burgers & Fries	6036 US Highway 6	10/28/2025	C		400(a)	Observed lids to dumpsters open at time of inspection	Jonathan Weitgenant
Five Guys Burgers & Fries	6036 US Highway 6	10/28/2025	C		411(a)or(b)	Observed coving separating from wall behind fry seasoning area at time of inspection. Observed crack in coving in corner between 3-bay and fry cutting sink bay at time of inspection.	Jonathan Weitgenant
Five Guys Burgers & Fries	6036 US Highway 6	10/28/2025	C		443(a),(b)	Observed food scrap build up in floor drain in prep area at time of inspection	Jonathan Weitgenant
Fluid Coffee South / Bosco Store	260 S Franklin Street Ste 101	10/15/2025	C	Yes	183(a)	Observed sugar scoop handle down within product.	Noah Weber
Fluid Coffee South / Bosco Store	260 S Franklin Street Ste 101	10/15/2025	Pf		306(a)	Observed organic growth on front plate of ice machine.	Noah Weber
Fluid Coffee South / Bosco Store	260 S Franklin Street Ste 101	10/15/2025	Pf		359(a),(b),(c)	Observed hand sink being used as dump sink at time of inspection.	Noah Weber
Fluid Coffee South / Bosco Store	260 S Franklin Street Ste 101	10/15/2025	C		447(a)	Observed wet mop down on floor of maintenance closet not hung up to dry properly.	Noah Weber
Four Corners Winery	294 East 600 North	10/16/2025	C		286(a),(b),or(c)	Observed torn gaskets that are loose/hanging on the door of the reach in cooler in the kitchen.	Carrie Batson
Four Corners Winery	294 East 600 North	10/16/2025	C		306(b)&(c)	Observed dried food build up inside of the microwave used on the cook's line.	Carrie Batson
Four Corners Winery	294 East 600 North	10/16/2025	C		420(a)or(b)	Observed no self closing door on the bathroom in the tasting room.	Carrie Batson
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored above beef and fish in cook line silver fridge. Observed raw chicken stored above ramen base and vegetable.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C		183(a)	Observed in use tongs stored on oven handle touching side of unclean cardboard. Observed scooper handle down within dry tempura batter mix.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C		189(a)	Observed open panko breadcrumbs stored next to grease drip tray by wall fan. Observed rag touching frozen crab rangoons in silver freezer.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	Pf		214(a),(b),or(c)	Observed no labeling or date marking on food products within coolers.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C	Yes	260(a),(b),(d)	Observed no ambient air temp measuring device in sushi cooler in bar area.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C		306(b)&(c)	Observed grease accumulation on side and top of silver fridge at cook line. Observed organic growth on fan cover of walk-in cooler. Observed organic growth on soda machine underbelly specifically on the Tropicana lemonade section.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	Pf		306(a)	Observed soda gun at bar with minor organic growth within nozzle and soda gun holster cup. Observed organic growth piece within ice of basement ice machine.	Noah Weber
Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C		400(a)	Observed outside dumpster open at time of inspection.	Noah Weber

Furin Japanese Restaurant	21 Lincolnway	10/8/2025	C		451(a)	Observed large amount of dead cockroaches within basement are in need of removal.	Noah Weber
Gallops Travel Center	101 East Indiana Ave	10/3/2025	P		213(a)(1)	Measured brats in hot hold at less than 120F at the time of inspection.	Antonio Turner
Gallops Travel Center	101 East Indiana Ave	10/3/2025	C		289(a)	Observed water sprayer with residue on nozzle at the time of inspection.	Antonio Turner
Gallops Travel Center	101 East Indiana Ave	10/3/2025	P		307(a)or(c)	Observed build up inside coke zero soda nozzle at the time of inspection.	Antonio Turner
Gallops Travel Center	101 East Indiana Ave	10/3/2025	Pf		359(a),(b),(c)	Observed hand sink in kitchen, blocked with dawn dish soap and scrub pads at the time of inspection.	Antonio Turner
Gallops Travel Center	101 East Indiana Ave	10/3/2025	C		443(a),(b)	Observed chicken blood on walk-in cooler floor at the time of inspection.	Antonio Turner
Hangry2Happy @ Tarimoro Fresh Produce	4294 Central Ave	10/4/2025	P		213(a)(2),(b)	Observed cheese out of the cooler and measuring 67 degrees F.	Antonio Turner
Hangry2Happy @ Tarimoro Fresh Produce	4294 Central Ave	10/4/2025	Pf		279(a)or(b)	Observed no food probe thermometer available.	Antonio Turner
Hebron Elementary / Middle School	307 S Main St	10/3/2025	C		443(a),(b)	Observed minor organic black material on ceiling of walk in cooler.	Noah Weber
Immanuel Lutheran School	1700 Monticello Park Dr	10/6/2025	Pf		301(a)	Observed no available quat testing strips that aren't damaged or expired.	Noah Weber
Immanuel Lutheran School	1700 Monticello Park Dr	10/6/2025	C		306(b)&(c)	Observed metal shavings in gear of mounted can opener and Observed dust accumulation on fan guard of walk in cooler.	Noah Weber
Indiana Epsilon House Corporation	814 Union Street	10/13/2025	C		306(b)&(c)	Observed residue buildup on face of sink spray nozzle.	Noah Weber
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken being held in walk in cooler above raw beef and raw pork at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		183(a)	Observed improper usage of bowls and other utensils being used for portioning and scooping of ingredients at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	P		213(a)(2),(b)	Observed fried chicken (69 degrees), Sweet and Sour Chicken (60 degrees), and Egg Rolls (55 degrees) on shelf at end of cook line at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		234(a)	Observed residue build up on handles of reach in cooler at entrance to kitchen at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		284(a)or(b)	Observed sealing cracked around handwashing sink in kitchen at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		289(a)	Observed residue build up on sprayer nozzle at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		304(a)or(b)	Observed sauces (hoisin and oyster) being held for service in their original metal cans at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		324(a)	Observed wet nesting of mixing bowls on rack at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		400(a)	Observed lid of dumpster open at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C		416(a)	Observed ceiling tile open above walk-in cooler exposing rafters at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	Pf		430(a)	Observed no hand towels available in employee restroom at time of inspection	Antonio Turner
Jade Garden Restaurant	3022 Calumet Ave	10/23/2025	C	Yes	450(a)(1),(a)(2),or(a)(4)	Observed pests inside of a container of flour in the dry storage area at time of inspection	Antonio Turner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	Pf	Yes	166(a)	Observed three boxes with heavy ice buildup soaking through box in freezer 5d at the time of inspection.	Antonio Turner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	C		176(a)	Observed several unlabeled food containers in bakery kitchen at the time of inspection.	Antonio Turner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	C	Yes	302(a)	Observed two baking pans in bad repair in bakery kitchen at the time of inspection.	Antonio Turner

Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	C		306(b)&(c)	Observed heavy grease and food buildup on top of Rationale oven in deli kitchen at the time of inspection.	AntonioTurner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	Pf	Yes	306(a)	Observed two Potatoe peelers stored on utensil hooks with heavy food residue at the time of inspection.	AntonioTurner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	Pf		347(a)	Measured hand sink in deli kitchen at 67F at the time of inspection.	AntonioTurner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	P	Yes	348(a)	Observed mop sink hose below flood rim level at the time of inspection.	AntonioTurner
Jewel-Osco #1189	747 Indian Boundary Rd	10/16/2025	C		443(a),(b)	Observed milk spilled on floor in dairy cooler at the time of inspection.	AntonioTurner
Jimmy's Caf��	55 Michigan Ave	10/8/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw ground beef stored next to milk jug and above butter in basement walk in cooler.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		146(a)	Observed kitchen employee with a wrist watch.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	Pf		166(a)	Observed heavily dented pineapple juice cans in the dry storage not separated from usable stock	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	Pf		173(c)	Observed no glove use for cooks preparing ready to eat food	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored above and raw pork and next to ready to eat cheese within walk in cooler.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	Pf		214(a),(b),or(c)	Observed no date marking on or labeling on the prepared items in the reach in cooler on the salad cook line. Observed no date marking or labeling on open containers of cream in the walk-in.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		324(a)	Observed metal bins and bowls stacked together before properly drying.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	Pf		359(a),(b),(c)	Observed bar mats in the hand sink in the bar area obstructing access to handwashing	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	P		363(a)(1)	Observed basement floor drain clogged and pooling with standing water. Observed pvc pipe leading to drain repaired with duct tape leaking onto floor.	Noah Weber
Main & Lincoln	210 Lincolnway	10/16/2025	P		363(a)(1)	Observed clogged floor drain in basement.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		417(a)or(c)	Observed no light cover on fluorescent light bulbs in the walk in cooler.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		421(a)or(d)	Observed gap on lower righthand side of side door entering into the storage and kitchen area. Observed sunlight coming in through the gap.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		442(a)	Observed broken floor within walk in cooler.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		443(a),(b)	Observed sugar syrup from soda machine on floor in basement near keg cooler.	Noah Weber
Main & Lincoln	210 Lincolnway	10/2/2025	C		450(a)(1),(a)(2),or(a)(4)	Observed fruit flies in the onion and potato storage in the basement. Will return for a follow-up in 7 days.	Noah Weber
Main & Lincoln	210 Lincolnway	10/9/2025	C		450(a)(1),(a)(2),or(a)(4)	Observed fruit flies in the onion and potato storage in the basement. Will return for a follow-up in 7 days.	Noah Weber
Meditrina Market Caf��	24 N. Washington St	10/29/2025	Pf		210(a)(1)thru(a)(3)	Observed frozen salmon being allowed to thaw on room temperature counter.	Noah Weber
Meditrina Market Caf��	24 N. Washington St	10/29/2025	Pf		359(a),(b),(c)	Observed hand sink being used to dump ice cubes.	Noah Weber
Meditrina Market Caf��	24 N. Washington St	10/29/2025	C		420(a)or(b)	Observed kitchen toilet door not self-closing.	Noah Weber
Meditrina Market Caf��	24 N. Washington St	10/29/2025	C		443(a),(b)	Observed 3D dust accumulation on ceiling in kitchen.	Noah Weber
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	Pf		210(a)(1)thru(a)(3)	Observed fish thawing in the sink without a continuous flow of water at the time of inspection.	Antonio Turner
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	Pf		247(a)or(b)	Observed no ambient thermometer inside white refrigerator at the time of inspection.	Antonio Turner
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	Pf		281(a)	Observed no chlorine test strips at the time of inspection.	Antonio Turner
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	Pf		306(a)	Observed can opener blade with dried and heavy residue at the time of inspection.	Antonio Turner

Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	P		307(a)or(c)	Observed ice machine with heavy buildup on deflector at the time of inspection.	Antonio Turner
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	C		421(a)or(d)	Observed back screen door, not tight fitting and gaps along top, sides and bottom at the time of inspection.	Antonio Turner
Mirage Baums Bridge Inn	1092 Baums Bridge Rd	10/3/2025	C		443(a),(b)	Observed grease buildup under equipment and on coving, at the time of inspection.	Antonio Turner
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025	C		183(a)	Observed deli cup being used as scoop within large rice bin.	Noah Weber
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025			197(a)	Observed dead fruit fly down within condensed milk container located in the back of house area. Advised to discard of contaminated product.	Noah Weber
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025	P		213(a)(2),(b)	Observed can of condensed milk opened and left on room temperature counter for over 24 hours. Can states to refrigerate after opening.	Noah Weber
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025	C		324(a)	Observed metal and plastic bins stacked together before fully air drying.	Noah Weber
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025	C		420(a)or(b)	Observed employee toilet room in the back of house with no self-closing door.	Noah Weber
Mochi Boba Tea Inc	11 1/2 Lincolnway	10/13/2025	C		447(a)	Observed wet mop not hung properly to air dry.	Noah Weber
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		135(a)(1)	Observed no certified food handler on shift at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		135(a)(2)(A),(a)(2)(B),(a)(1)(C),(a)(2)	Observed no demonstration of food safety knowledge from staff at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	P	Yes	175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken being stored above sauces in cooler at time of inspection. Observed raw turkey being stored above shelled eggs at time of inspection.	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	P		211(a),(b),(c),or(d)	Observed yogurt in cooler measuring 90 degrees covered at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		212(a)	Observed pot of butter chicken sauce on counter measuring at 70 degrees at tie of inspection. Observed Paneer measuring at 103 degrees on sheet tray cooling in kitchen at time of inspection.	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	P		213(a)(2),(b)	Observed food measuring 65 degrees on shelf being held for service at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		217(a)	Observed yogurt in the process of fermentation in the cooler at time of inspection. In need of a variance.	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	P		226(a)(1)	Observed food product being held in non-food safe/certified containers at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	C		234(a)	Observed cardboard being used for shelving under onions and in kitchen at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		279(a)or(b)	Observed no readily accessible or calibrated thermometer at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	C		286(a),(b),or(c)	Observed leak under sink, spray nozzle, and gas regulator valve in disrepair at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	C		306(b)&(c)	Observed residue buildup on microwave handle at time of inspection. Observed residue buildup on storage shelves in cooler at time of inspection.	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		342(a)	Observed water pressure insufficient at hand sink in kitchen at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	P		348(a)	Observed hose coiled in mop sink below the flood rim at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		359(a),(b),(c)	Observed hand sink being used for draining food at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	C		411(a)or(b)	Observed coving coming off the wall on cook line at time of inspection	Jonathan Weitgenant

Namaste India Restaurant	715 Plaza Dr	10/29/2025	C		421(a)or(d)	Observed gap underneath door in dining area near pepsi machine at time of inspection. Observed screen on back door unattached at time of inspection.	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		450(a)(3)	Observed non-covered, baited mouse traps in dry storage at time of inspection	Jonathan Weitgenant
Namaste India Restaurant	715 Plaza Dr	10/29/2025	Pf		456(a)	Observed unlabeled bottle of unknown liquid in kitchen at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	Pf		135(a)(1)	Observed food handlers certificate expired at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	P		173(b)	Observed bare hand contact with RTE food at the time of inspection.	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	Pf		214(a),(b),or(c)	Observed no date marking on food items being held for more than 24 hours at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	Pf		223(a),(b),or(c)	Observed no consumer advisory on the menu at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	Pf		281(a)	Observed sanitation test strips expired at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	C	Yes	304(a)or(b)	Observed food left in can after opening at time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	C	Yes	309(a)	Observed 3d residue build up in walk-in cooler on light fixture at the time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	C		394(a)	Observed no covered receptacles in either public restroom at the time of inspection	Jonathan Weitgenant
Northside Diner	100 N Calumet Rd	10/22/2025	C		451(a)	Observed two dead pests in basement at the time of inspection.	Jonathan Weitgenant
Papa John's Pizza #603	123 Lincolnway	10/29/2025	C		306(b)&(c)	Observed dark debris on door frame of walk in cooler located in far back of house.	Noah Weber
Papa John's Pizza #603	123 Lincolnway	10/29/2025	C		447(a)	Observed wet mop not hung up to properly air dry.	Noah Weber
Parkhurst Dining @ VU Founders Table Cafe	1509 Chapel Dr	10/15/2025	Pf	Yes	306(a)	Observed stationary potato slicer that hasn't been used since yesterday, with food residue on blade at the time of inspection.	antonioturner
Parkhurst Dining @ VU Gelleys Grab & Go	1900 Chapel Dr	10/23/2025	C		407(a)	Observed the flooring material in the food service area to be made of carpeting and torn in several places.	Carrie Batson
Parkhurst Dining @ VU Gelleys Grab & Go	1900 Chapel Dr	10/23/2025	C		421(a)or(d)	Observed the double exterior doors opposite the cafe to have a worn out seal down the center resulting in a gap.	Carrie Batson
Parkhurst Dining @ VU "The Bell and Beacon"	1509 Chapel Dr	10/15/2025	C		353(a),(b),(c),or(d)	Observed no service sink available to dispose of dirty mop water. Team member stated they dump the dirty water outside on the ground by the loading dock.	Carrie Batson
Parkhurst Dining @ VU "The Bell and Beacon"	1509 Chapel Dr	10/15/2025	C		443(a),(b)	Observed a heavy residue growth in the floor drain under the soda machine in the self service area.	Carrie Batson
Parlor Doughnuts Valpo	255 Morthland Dr	10/28/2025	C	Yes	183(a)	Observed ice scoop handle down in ice at time of inspection.	Noah Weber
Parlor Doughnuts Valpo	255 Morthland Dr	10/28/2025	C		443(a),(b)	Observed cook line floor soiled.	Noah Weber
Parlor Doughnuts Valpo	255 Morthland Dr	10/28/2025	C		445(a)or(b)	Observed dust accumulation in hood vent on the cook line.	Noah Weber
Pav's Grill	642 N Main St	10/14/2025	P		186(a)	Observed gloves not being changed and hands not washed when employee handled equipment and then touched raw hamburger.	Noah Weber
Pav's Grill	642 N Main St	10/14/2025	C		306(b)&(c)	Observed gyros heating machine with dark residue on top of unit. Observed grease on handles of bottom section reach in cooler located at cool line.	Noah Weber
Pav's Grill	642 N Main St	10/14/2025	C		324(a)	Observed large amounts of metal and plastic bins very wet and not air dried before stacking together.	Noah Weber
Pav's Grill	642 N Main St	10/14/2025	C		443(a),(b)	Observed underbelly of cook line shelving with food splatter. Observed organic growth in walk in cooler walls.	Noah Weber

Pav's Grill	642 N Main St	10/14/2025	C		445(a)or(b)	Observed main cook line hood vent with heavy grease build up. Observed small hood vent in back of house with grease accumulation dripping from sides.	Noah Weber
Pav's Grill	642 N Main St	10/14/2025	C		447(a)	Observed two wet mops down within mop sink not hung properly to air dry.	Noah Weber
Phil B's CafÃ©	908 Roosevelt Rd Ste E	10/17/2025	C		309(a)	Observed some grease dripping on the hood that is located over the main cook top.	Carrie Batson
Phil B's CafÃ©	908 Roosevelt Rd Ste E	10/17/2025	C		421(a)or(d)	Observed a gap between the two outer doors and along the top left side of the inner door in the center lobby of the building and shared with the gas station.	Carrie Batson
Pilot Travel Center #036 & Subway #036	4105 E US Highway 30	10/16/2025	C		151(a)	Observed the team member working behind the Subway counter with a bandana on but without hair fully restrained.	Carrie Batson
Rockin Robbins BBQ @ Key Soul Cafe Express	5468 Broadway	10/25/2025	C		306(b)&(c)	Observed a build up of food residue inside of the reach in cooler.	Carrie Batson
Shenanigans	6121 Melton Rd.	10/9/2025	C		151(a)	Observed staff without a beard restraint at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		185(athruf)	Observed wet wiping towel laying on top of cooler behind main bar and not in a sanitizer bucket in between use at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		208(a)	Observed bag of French fries stored in cooler and not frozen at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		234(a)	Observed acoustic ceiling tiles in kitchen area at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf		281(a)	Observed no test kit on site at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf		306(a)	Observed ice machine with buildup on inside ceiling and veggie slicer with food residue on blade at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		353(a),(b),(c),or(d)	Observed no service sink in establishment at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		420(a)or(b)	Observed both rest room doors wedged open at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C	Yes	421(a)or(d)	Observed garage style door near main bar, wide open and observed back kitchen door wide open at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf	Yes	429(a)	Observed no soap at hand sink behind bar at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf	Yes	430(a)	Observed no paper towel at hand sink behind bar at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		443(a),(b)	Observed soda syrup spilled on floor next to back kitchen, exit door and observed food debris on floor throughout establishment at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C	Yes	447(a)	Observed wet mop sitting on floor in between use at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf		450(a)(3)	Observed a large number of gnats behind bar, around soda guns at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	C		453(a)	Observed a large number unused equipment inside and outside establishment at the time of inspection.	Antonio Turner
Shenanigans	6121 Melton Rd.	10/9/2025	Pf	Yes	456(a)	Observed two spray bottles, unlabeled with unknown chemicals at the time of inspection.	Antonio Turner
Shoe's Pizzeria	3300 N Calumet Ave	10/24/2025	C		183(a)	Observed flour scooper handle down within product.	Noah Weber
Shoe's Pizzeria	3300 N Calumet Ave	10/24/2025	Pf		279(a)or(b)	Observed food probe thermometer temping at 42 degrees F while in ice slurry.	Noah Weber
Shoe's Pizzeria	3300 N Calumet Ave	10/24/2025	C		306(b)&(c)	Observed face of 3 bay spray nozzle with organic material.	Noah Weber

Shoe's Pizzeria	3300 N Calumet Ave	10/24/2025	C		324(a)	Observed metal bins stacked together before properly air drying.	Noah Weber
Shoe's Pizzeria	3300 N Calumet Ave	10/24/2025	Pf		359(a),(b),(c)	Observed beer hand sink with ice in bottom of basin being used as dump sink.	Noah Weber
Speedway #6673	473 W US Highway 30	10/2/2025	C		443(a),(b)	Observed black residue covering floor of men's restroom along with heavy urine build up on floor area below urinal . Observed toilet paper stored on floor of restroom next to toilet.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	non-critical	No	7-24-324 (a)(2)	Observed water leaking from the mop sink faucet. Observed visual corrosion of metal on the faucet and pressure breaker.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	C		306(b)&(c)	Observed organic growth on face of ware wash spray nozzle. Observed organic green growth on green metal racks in walk in cooler. Observed syrup splatter on underbelly of shake mixer and milkshake dispenser. Observed food debris and oil splatter on internal surfaces of kitchen microwave.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	Pf		306(a)	Observed heavy ice build up dripping from walk in freezer fan unit onto open food products. Observed soiled metal bins stacked together on clean dish dry rack.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	C		324(a)	Observed wet metal bins tacked together before fully air drying.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	C		400(a)	Observed dumpster open at time of inspection.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	C		443(a),(b)	Observed heavy ice accumulation of floor of walk in freezer from fan unit.	Noah Weber
Steak N Shake #318	1251 Strongbow Center Dr	10/24/2025	C		445(a)or(b)	Observed hood vent above burger flat top with grease accumulation.	Noah Weber
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C	Yes	192(a)	Observed employee cutting and processing food on a metal work top at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	Pf		247(a)or(b)	Observed various ambient non-functioning thermometers throughout coolers in the store at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C		286(a),(b),or(c)	Observed seals to produce cooler torn and in bad repair at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C		306(b)&(c)	Observed 3d residue buildup on fan covers and ceilings in various coolers/freezers at time of the inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	Pf	Yes	306(a)	Observed residue buildup in gears and on blade of can opener in deli area at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C		400(a)	Observed dumpster lid open at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C		421(a)or(d)	Observed broken seal on emergency door leading to dumpster area at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C	Yes	440(a)or(b)	Observed lunch box with personal food on top of retail milk in dairy cooler at time of inspection	Jonathan Weitgenant
Strack & Van Til Food Market	1600 Pioneer Trail	10/29/2025	C		442(a)	Observed cracked floor tiles under the stove and fryer station at time of inspections. Observed gashes and pitting on the floor of the meat processing room at time of inspection.	Jonathan Weitgenant
Subway Portage	2674 Willowcreek Rd	10/28/2025	C		260(a),(b),(d)	Observed no ambient thermometer inside stand-up Pepsi cooler at the time of inspection.	AntonioTurner
Subway Portage	2674 Willowcreek Rd	10/28/2025	C		309(a)	Observed the sides and behind the self-serve soda dispenser at the time of inspection.	AntonioTurner
Subway Portage	2674 Willowcreek Rd	10/28/2025	C		324(a)	Observed dishes above three bays, wet nesting at the time of inspection.	AntonioTurner
Subway Portage	2674 Willowcreek Rd	10/28/2025	C		443(a),(b)	Observed food debris and black buildup on walk-in cooler floor behind racks at the time of inspection.	AntonioTurner

Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		183(a)	Observed scooper handle down within gf chocolate mix in bakery.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	Pf		210(a)(1)thru(a)(3)	Observed ROP salmon being thawed within vacuum package not cut open.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		306(b)&(c)	Observed insect stuck within fan cover of walk in meat cooler. Observed crushed insect within ice machine ice scoop handle.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		324(a)	Observed metal bins stacked together before fully air drying.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		421(a)or(d)	Observed screen door in back of kitchen not full self-closing and having a large gap on right side of door. Observed window open with no screen in dining room area.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		432(a)	Observed no handwash signage and bakery hand sink.	Noah Weber
Suzie's CafÃ© & Catering	1050 Southpoint Drive	10/8/2025	C		445(a)or(b)	Observed hood vent in kitchen cook line with excess dust and grease.	Noah Weber
Taco Bell #3002078	1808 Calumet Ave	10/28/2025	C		183(a)	Observed plastic single use bowl being used as scoop down within cinnamon sugar mix.	Noah Weber
Taco Bell #3002078	1808 Calumet Ave	10/28/2025	Pf		306(a)	Observed organic growth on underbelly of soda station at drive through window. Observed build up inside soda nozzles at self serve soda station.	Noah Weber
Taco Bell #3002078	1808 Calumet Ave	10/28/2025	C		443(a),(b)	Observed 3D dust accumulating on ceiling of walk in cooler.	Noah Weber
Taco Bell #3002081	2110 Morthland Dr	10/22/2025	C		151(a)	Observed no beard net on employee while preparing food.	Noah Weber
Taco Bell #3002081	2110 Morthland Dr	10/22/2025	Pf		306(a)	Observed dark debris build up under underbelly of soda freeze nozzles.	Noah Weber
Taco Bell #3002081	2110 Morthland Dr	10/22/2025	C		324(a)	Observed metal bins not properly air dried before being stacked together on clean dish rack.	Noah Weber
Taco Bell #3002081	2110 Morthland Dr	10/22/2025	C		443(a),(b)	Observed grease and food debris located on floor behind fry station.	Noah Weber
Taco Bell #3002081	2110 Morthland Dr	10/22/2025	C		447(a)	Observed wet mop down within mop sink at time of inspection.	Noah Weber
Teriyaki Madness	2502 Calumet Avenue Suite 1	10/27/2025	C		306(b)&(c)	Observed sauce and food splatter on sides of prep top cooler and large silver reach in freezer in kitchen area.	Noah Weber
Teriyaki Madness	2502 Calumet Avenue Suite 1	10/27/2025	C		324(a)	Observed metal bins stacked together before being allowed to properly air dry.	Noah Weber
Teriyaki Madness	2502 Calumet Avenue Suite 1	10/27/2025	C		443(a),(b)	Observed heavy smoke deposits and discoloring on walls and ceiling around hood vent area. Observed sauce and food splatter on walls next to prep station. Observed floors next to walk in cooler soiled and sticky with sauce residue. Observed walls next to broom storage and soy sauce bins with splatter. Observed dust on ceiling tiles next to air vents.	Noah Weber
The Coffee Press	9 Lincolnway	10/7/2025	C		306(b)&(c)	Observed face of 3 bay spray nozzle with organic growth.	Noah Weber
Thornapple Subway	1655 Morthland Dr	10/29/2025	C		286(a),(b),or(c)	Observed walk in freezer with large icicles hanging from ceiling vent.	Noah Weber
Thornapple Subway	1655 Morthland Dr	10/29/2025	Pf		306(a)	Observed organic black growth on back of house ice machine deflector blade.	Noah Weber
Thornapple Subway	1655 Morthland Dr	10/29/2025	C		324(a)	Observed metal bins stacked together before properly air drying.	Noah Weber
Thornapple Subway	1655 Morthland Dr	10/29/2025	C		447(a)	Observed use mops not hung up to properly air dry in mop sink.	Noah Weber

Tres Amigos	816 Country Square Plz	10/14/2025	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw chicken stored next to cooked rice in cooler fridge. Observed raw steak stored above ready to eat cheese dip in walk in cooler.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	P		213(a)(1)	Observed cheese dip in slow cooker being held at 115 degrees F.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	C		286(a),(b),or(c)	Observed gasket of pepsi cooler hanging down to the ground.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	C		306(b)&(c)	Observed organic growth on middle section of margarita mixer.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	Pf		306(a)	Observed organic growth on ice machine deflector blade.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	P		363(a)(1)	Observed hall hand sink in bussing area turned off due to faulty plumbing and in need of repair.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	C		419(a)or(b)	Observed fly glue traps stored above food prep counters in cook line area.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	C		443(a),(b)	Observed dust accumulation around ceiling vent tiles.	Noah Weber
Tres Amigos	816 Country Square Plz	10/14/2025	C		445(a)or(b)	Observed hood vents with grease accumulation. Stated to be serviced soon.	Noah Weber
Waiting Room	56 Indiana Ave.	10/30/2025	C		447(a)	Observed mop not hung up to dry properly.	Noah Weber
Walmart Store #1479	2400 Morthland Dr	10/20/2025	C		183(a)	Observed in use metal tong handles touching fried chicken product within ready to order chicken warmer.	Noah Weber
Walmart Store #1479	2400 Morthland Dr	10/20/2025	C		306(b)&(c)	Observed 3D dust build up on fan covers of delivery walk in cooler and large meat cooler.	Noah Weber
Walmart Store #1479	2400 Morthland Dr	10/20/2025	C		442(a)	Observed bakery tile veneers peeling off of walls. Work order is in place to repair.	Noah Weber
Walmart Store #1479	2400 Morthland Dr	10/20/2025	C		447(a)	Observed x2 wet mops stored down within mop bucket not hung up to properly air dry located next to receiving bays.	Noah Weber
Wendy's of Chesterton #327	748 Indian Boundary Rd	10/17/2025	C		286(a),(b),or(c)	Observed fryer station pump in bad repair at the time of inspection.	AntonioTurner
Wendy's of Chesterton #327	748 Indian Boundary Rd	10/17/2025	C		306(b)&(c)	Observed heavy grease buildup behind fryer equipment on pipes and plugs at the time of inspection.	AntonioTurner
Wendy's of Chesterton #327	748 Indian Boundary Rd	10/17/2025	Pf		435(a)	Observed no tissue paper in family restroom at the time of inspection.	AntonioTurner
Wendy's of Chesterton #327	748 Indian Boundary Rd	10/17/2025	C		443(a),(b)	Observed grease and food buildup on all floors in establishment at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		189(a)	Observed soda boxes stored directly on floor at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		286(a),(b),or(c)	Observed entry of walk-in cooler with exposed wood and in bad repair at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		289(a)	Observed water sprayer with heavy buildup on inside nozzle at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		308(a)or(b)	Observed microwave, inside roof with 3d food buildup at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	P		317(a)	Measured ware washing machine at less than 10ppm at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	P		348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		400(a)	Observed dumpster lid open at the time of inspection at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		443(a),(b)	Observed heavy food and grease buildup under both grills at the time of inspection.	AntonioTurner
Wendy's of Portage #321	2675 Willowcreek Rd	10/28/2025	C		450(a)(1),(a)(2),or(a)(4)	Observed several gnats throughout establishment at the time of inspection.	AntonioTurner
Whistle Stop Tavern	206 Lincoln St	10/22/2025	Pf	Yes	214(a),(b),or(c)	Observed dairy products in cooler opened but unlabeled at time of inspection	Jonathan Weitgenant

Whistle Stop Tavern	206 Lincoln St	10/22/2025	C	Yes	304(a)or(b)	Observed food product left in original can in cooler at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	C		306(b)&(c)	Observed 3d residue build up on fan covers in walk in at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	P	Yes	348(a)	Observed service sink hose resting below the flood line at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	C		402(a)	Observed unused equipment, pvc piping, and other refuse around dumpster and back storage room at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	C		443(a),(b)	Observed mice feces on floor of back storage room at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	C		447(a)	Observed wet mop not inverted, laying on service sink floor at time of inspection	Jonathan Weitgenant
Whistle Stop Tavern	206 Lincoln St	10/22/2025	Pf		456(a)	Observed unlabeled container of unknown chemical on chemical shelf at time of inspection	Jonathan Weitgenant
Wings Etc	501 Silhavy Rd	10/23/2025	P	No	299(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Observed the chlorine based sanitizer concentration in the final cycle of the dish machine measuring O ppm.	Carrie Batson
Wings Etc	501 Silhavy Rd	10/23/2025	Pf	Yes	306(a)	Observed food residue on two food scoops hanging with the cleaned utensils.	Carrie Batson
Wings Etc	501 Silhavy Rd	10/23/2025	C		309(a)	Observed heavy grease residue build up on the back, front and sides of the deep frying equipment.	Carrie Batson
Wings Etc	501 Silhavy Rd	10/23/2025	P		348(a)	Observed a y splitter with shut offs attached to the mop sink faucet below the AVB and with a hose connected to a chemical dispenser.	Carrie Batson
Wings Etc	501 Silhavy Rd	10/23/2025	C		443(a),(b)	Observed grease residue build up on the walls behind the fryers and on the floors under the fryers.	Carrie Batson