

Facility Name	Address	Inspection Date	Violation Type	Corrected	Code	Observation	Inspection Conducted by
American Legion Post #170	798 Wabash Ave	3-Sep-25	C		260(a),(b),(d)	Observed no ambient thermometer inside True cooler at the time of inspection.	Antonio Turner
American Legion Post #170	798 Wabash Ave	3-Sep-25	P		307(a)or(c)	Observed black buildup on inside of ice machine at the time of inspection.	Antonio Turner
American Legion Post #170	798 Wabash Ave	3-Sep-25	Pf		359(a),(b),(c)	Observed hand sink blocked by blue buckets at the time of inspection.	Antonio Turner
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw shrimp located above open soup containers in cook line reach in cooler.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		183(a)	Observed scooper handle down within rice and flour bins. Observed deli cup floating in tea bin.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	Pf		210(a)(1)thru(a)(3)	Observed ROP fish thawed in reach in cooler still within sealed packaging.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	P		213(a)(2),(b)	Observed cut steak in prep top cooler temping at 48.7 degrees F. Observed fried tofu at 59 degrees F/ scallops at 51 degrees F/ cut pork at 53.4 degrees F all in prep top cooler.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	P		213(a)(1)	Observed 84 degrees F sauce in warmer by cook line. Observed cooked rice in warmer located in cook line temping at 59.3 degrees F.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		286(a),(b),or(c)	Observed water pooling within 3-door reach in cooler.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		286(a),(b),or(c)	Observed broken plastic lid on large tea bin. Observed heavily damaged knife in knife block.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		306(b)&(c)	Observed black organic growth on metal shelving of sliding reach in cooler located in cook line.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	P		307(a)or(c)	Observed sushi rice cooker with rice not thrown out from the previous day.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		324(a)	Observed plastic bins stacked together before fully air drying properly.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		353(a),(b),(c),or(d)	Observed no proper mop sink installed in facility.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	Pf		359(a),(b),(c)	Observed hand sink in dish wash area with bin within basin.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	Pf		429(a)	Observed no easily available hand soap at multiple hand sinks.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	C		443(a),(b)	Observed dark sauce splatter located on ceiling of rice/tea room. Observed heavy grease accumulation on metal table and corner walls left of cook line.	Noah Weber
Bangkok Thai Sushi	2103 Calumet Ave	17-Sep-25	P		469(b)	Observed medicine and cough syrup stored above cooked rice in back of kitchen by personal storage area.	Noah Weber
Be Good Juicerie	259 Indiana Ave Suite C	29-Sep-25	C		260(a),(b),(d)	Observed no ambient air temp device within reach in cooler x2.	Noah Weber
Be Good Juicerie	259 Indiana Ave Suite C	29-Sep-25	Pf		281(a)	Observed no quat testing strips available and chlorine testing strips were expired.	Noah Weber
Benchwarmer's Grille The Twist Pretzels Mob	6028 Central Ave	26-Sep-25	Pf		281(a)	Observed no available sani testing strips at time of inspection.	Noah Weber

Benchwarmer's Grille The Twist Pretzels Mob	6028 Central Ave	26-Sep-25	C		421(a)or(d)	Observed back door and multiple windows open without any protected outer openings to block pests.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	P		213(a)(2),(b)	Observed raw tuna in back of house prep top cooler temping at 55.9 degrees F, cream cheese crab mix at 56 degrees F, raw salmon at 52.5 degrees F, blue cheese bins at 46.2 degrees F, and hard-boiled eggs at 50.2 degrees F. Advised to discard all out of temp at risk foods that have been held out of temp for longer than 4 hours.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		284(a)or(b)	Observed damaged caulking at front and back of house hand sinks.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		286(a),(b),or(c)	Observed prep top lids located at front and back of house damaged and repaired with duct tape.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		306(b)&(c)	Observed heavy amounts of white organic growth within basement walk in cooler shelving and tubing.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	Pf		306(a)	Observed soda gun holster located on far right end of bar with black organic growth.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		324(a)	Observed metal and plastic bins on drying rack stacked together before fully air drying.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	P		363(a)(1)	Observed basement 3 bay sink spray nozzle hanging below flood rim and repaired with rags and metal clamps. Observed basement hand sink left of dish machine repaired with rubber gloves. Observed water dripping from basement ceiling in front of walk in leaking onto floor. Observed second basement ceiling leak located in dish wash area next to dry storage shelving.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		400(a)	Observed single dumpster open at time of inspection.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		407(a)	Observed basement ceiling above dish machine constructed out of unsealed dry wall and is showing signs of water damaged and is sagging from the ceiling. At risk of falling.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	Pf		430(a)	Observed no available paper towels in basement area to dry hands at hand sink.	Noah Weber
Blue Point Oysters & Sushi Bar	13 Lincolnway	23-Sep-25	C		443(a),(b)	Observed walk in floor covered in dried food debris in need of cleaning. Observed dust on walls of cook line. Observed heavy soot and dust build up in top right corner of room to the right of hood vent with debris build up hanging from ceiling and pipes in need of cleaning.	Noah Weber
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		181(a),(b)	Observed condensation soaked boxes in the freezer due to a door that will not seal properly.	Carrie Batson

Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		286(a),(b),or(c)	Observed the walk in freezer door not sealing properly allowing condensation to build up on the inside surfaces and falling down into and on boxes of food.	Carrie Batson
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		394(a)	Observed one sanitary napkin receptacle without the lid.	Carrie Batson
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C	Yes	400(a)	Observed the dumpster lid open.	Carrie Batson
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		401(a)	Observed the drain plug missing from the dumpster.	Carrie Batson
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		421(a)or(d)	Observed the cover missing on a floor drain underneath the center food production area. Observed a gap along the bottom of the back door in the kitchen.	Carrie Batson
Burger King #2727	2595 Willowcreek Rd	25-Sep-25	C		443(a),(b)	Observed a build up of 3D dust on the wires and monitors above the center kitchen food production area.	Carrie Batson
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		148(a)	Observed large, Styrofoam cup without lid, above food prep table at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		151(a)	Observed cook with no beard restraint at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		176(a)	Observed five squirt bottles on cooks' line, unlabeled at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		179(a)	Observed lettuce being prepped before washing at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		183(a)	Observed tongs hanging from stove handle and observed cups being used as scoopers at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	Pf		212(a)	Measured chicken sitting out on prep table at 75F at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C	Yes	226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed food left in can after opening at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	Pf		279(a)or(b)	Observed no food probe thermometer in establishment at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	Pf		306(a)	Observed stationary can opener blade with dried buildup at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	C		443(a),(b)	Observed soda syrup on floor under soda box storage at the time of inspection.	Antonio Turner
Cherries and Berries Pancake House	791 Indian Boundary Rd	19-Sep-25	Pf		456(a)	Observed spray bottle with unknown chemical, unlabeled at the time of inspection.	Antonio Turner
Cielito Lindo Cafe - TENT	1423 119th St.	17-Sep-25	Pf	No	347(a)	Observed hand wash station did not have a free flowing spigot for proper hand washing to prevent recontamination of hands.	SusanBell
Craft House	711-2 Plaza Dr	17-Sep-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed no lid on ice bin behind bar and observed food containers inside walk-in cooler and freezer, uncovered at the time of inspection.	Antonio Turner

Craft House	711-2 Plaza Dr	17-Sep-25	C		176(a)	Observed several squirt bottles inside cooler, unlabeled at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	C		208(a)	Observed bag of chicken tenders and fries stored inside freezer, not frozen at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		210(a)(1)thru(a)(3)	Observed bags of partially frozen meat, improperly thawing on counter in hallway at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		247(a)or(b)	Observed no ambient thermometer inside cooler on cooks' line at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		281(a)	Observed no chlorine test strips for ware washing machine at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	C		289(a)	Observed water sprayer near ware washing machine with heavy buildup at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		306(a)	Observed slicer on rack in back hallway with food buildup on blade, observed both ice machines with black buildup inside, and observed soda nozzle in upstairs bar with buildup at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf	Yes	359(a),(b),(c)	Observed hand sink at the end of cooks' line, blocked with a box of produce at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	C		363(a)(2)	Observed hand sink at the end of cooks' line leaking water at faucet, only when turned on at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	C		400(a)	Observed dumpster lid open at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		430(a)	Observed no paper towels in women's restroom next to wait staff area at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	C		443(a),(b)	Observed heavy grease buildup under cooking equipment and sauce splashed on wall behind storage racks in hallway at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf		450(a)(3)	Observed a large number of gnats in back utility closet and in wait staff area at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	Pf	Yes	456(a)	Observed two spray bottles with unknown chemicals, unlabeled at the time of inspection.	Antonio Turner
Craft House	711-2 Plaza Dr	17-Sep-25	P		457(a)	Observed chemicals, cleaner stored above single use lids inside dry storage area at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	Pf		214(a),(b),or(c)	Observed sliced tomatoes and shredded cheese in need if date marking at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	C		234(a)	Observed grease buildup on fryer wheels and observed food debris on toppings, reach in cooler at the time of inspection.	Antonio Turner

Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	C		306(b)&(c)	Observed heavy food residue on stationary can opener blade at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	C		307(e)	Observed buildup on ice machine deflector blade at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	P		348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	C		443(a),(b)	Observed heavy, food residue buildup on all floors in kitchen at the time of inspection.	Antonio Turner
Dairy Queen Grill & Chill Chesterton	552 Indian Boundary Rd # 1	23-Sep-25	C		450(a)(1),(a)(2),or(a)(4)	Observed flies in kitchen at the time of inspection.	Antonio Turner
DCE/Sausage King @ Pivot Lounge & Restaurant	11217 Whitcomb St.	6-Sep-25	P		142(a)	Observed staff not wash hands after smoke break at the time of inspection.	Jim Chowning
DCE/Sausage King @ Pivot Lounge & Restaurant	11217 Whitcomb St.	6-Sep-25	Pf		347(a)	Observed hand sink temperature at less than 85F at the time of inspection	Jim Chowning
Double Squeezed Lemon & Lime Shake Ups	10702 W 124th Ave	27-Sep-25	Pf		279(a)or(b)	Observed no available thermometer at time of inspection for cooked hotdogs.	Noah Weber
Double Squeezed Lemon & Lime Shake Ups	10702 W 124th Ave	27-Sep-25	C		347(b),(c),or(d)	Observed no free flowing spout on hand sink station.	Noah Weber
Euphoria Cafe	540 Indian Boundary Rd	18-Sep-25	Pf	Yes	456(a)	Observed spray bottle under dump sink, unlabeled at the time of inspection.	Antonio Turner
Family Express Corp #31	1681 Pioneer Trl	3-Sep-25	Pf		306(a)	Observed all four ice deflector chutes with orange and black buildup and observe large ice machine in back room with black buildup at the time of inspection.	Antonio Turner
Global Grinders LLC @ Blue Point LLC	13 East Lincolnway	6-Sep-25	C		363(a)(2)	Observed hand sink leaking from spout while turned off at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	P		213(a)(2),(b)	Measured two bins of cheese in cooler at 47F at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C		286(a),(b),or(c)	Measured pop top cooler in wait staff area at 48F at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C		304(a)or(b)	Observed single use cup being used as scooper in flour at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	P		307(a)or(c)	Observed ice machine with buildup on deflector blade and observed stationary can opener blade with heavy food buildup at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C		443(a),(b)	Observed food debris on walk-in cooler floor at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C		445(a)or(b)	Observed hood filters with heavy grease buildup at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C	Yes	447(a)	Observed wet mop laying on floor next to mop sink at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C	Yes	451(a)	Observed dead roach on floor in dry storage room at the time of inspection.	Antonio Turner
Goblin & The Grocer	1 W Dunes Hwy	22-Sep-25	C	Yes	452(a)or(b)	Observed steel scrubber stored in bin with clean and ready to use utensils at the time of inspection.	Antonio Turner

Hilton Garden Inn Chesterton - American Grill	501 Gateway Blvd N, Suite 300	11-Sep-25	P	Yes	99(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured sanitizer bucket at less than 10ppm at the time of inspection.	Antonio Turner
Hilton Garden Inn Chesterton - American Grill	501 Gateway Blvd N, Suite 300	11-Sep-25	Pf	Yes	430(a)	Observed no paper towel at hand sink next to ware washer at the time of inspection.	Antonio Turner
Huck's / Ste. Marie Concessions @	3907 North Calumet Avenue	6-Sep-25	P		142(a)	Observed team member not washing hands before putting on gloves.	Jim Chowning
Huck's / Ste. Marie Concessions @	3907 North Calumet Avenue	6-Sep-25	P		173(b)		Jim Chowning
Huck's Tent @ Nana Clare's Kitchen	3907 North Calumet Avenue	6-Sep-25	C	Yes	183(a)	Observed ice scoop handle touching ice in the bin.	Jim Chowning
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf	Yes	166(a)	Observed a large dent on the seam of a #10 can of tomato sauce.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	C		176(a)	Observed no labels on the spice shakers on the pizza station on the kitchen line.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	C		189(a)	Observed a case of ground beef stored on the floor in the walk in cooler.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	P	No	213(a)(2),(b)	Observed raw chicken, raw burgers, and sliced cheeses measuring 47-48 degrees F in the line cooler fridge drawers.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	P		215(a)or(b)	Observed a container of pesto in the walk in cooler with an August made on date.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf		281(a)	Observed the quat sanitizer test kit available but expired in 2021.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	C		306(b)&(c)	Observed grease residue build up on the sheet tray holding shelves on the kitchen line. Observed food residue build up underneath the prep top cooler cover on the pizza line. Observed dark residue build up around the soda nozzles in the back wait station.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf		306(a)	Observed a pink residue build up on the ice deflector inside of the ice machine. Observed a residue build up inside of the bar soda gun. Observed food debris on the mandolin slicer and vegetable dicer in the kitchen on the clean dish shelves.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	C		394(a)	Observed no cover on the employee restroom garbage can.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf		429(a)	Observed no hand soap available at the hand washing sink in the bar.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf		430(a)	Observed no paper hand towels available at the bar hand sink.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	C		442(a)	Observed the ceiling panels above the kitchen cook line peeling off.	Carrie Batson
Industrial Revolution Eatery & Grille	1084 Linwood Ave	19-Sep-25	Pf	Yes	456(a)	Observed no label on the sanitizer spray bottles used in the bar.	Carrie Batson
J & J's Pizza Shack of Valparaiso	1454 Lincolnway	15-Sep-25	C		183(a)	Observed plastic bowl being used as scoops down within food products at prep top cooler.	Noah Weber

J & J's Pizza Shack of Valparaiso	1454 Lincolnway	15-Sep-25	P		213(a)(2),(b)	Observed raw meat in under storage of prep top cooler temping at 49.6 degrees F. Advised to move meat to reach proper temp if meat has not been out of temp for longer than 4 hours.	Noah Weber
J & J's Pizza Shack of Valparaiso	1454 Lincolnway	15-Sep-25	C		260(a),(b),(d)	Observed no available temp measuring devices within prep top cooler.	Noah Weber
J & J's Pizza Shack of Valparaiso	1454 Lincolnway	15-Sep-25	Pf		306(a)	Observed soda machine underbelly with organic green growth and ice dispenser with organic growth.	Noah Weber
J & J's Pizza Shack of Valparaiso	1454 Lincolnway	15-Sep-25	C		445(a)or(b)	Observed hood vent system above fry station lightly soiled with oil and dust.	Noah Weber
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	P		213(a)(1)	Measured cooked rice sitting out on table at 68F and measured raw shrimp at 46F at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	P		226(a)(1)	Observed pork fat inside of "thank you" bags at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	C		260(a),(b),(d)	Observed no ambient thermometer inside pop top cooler at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	C		304(a)or(b)	Observed rice being microwaved inside a Country Crock butter container at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	P		307(a)or(c)	Observed soda nozzle behind bar with heavy buildup on inside at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	Pf		359(a),(b),(c)	Observed cook washing a dish rag in hand sink at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	C		363(a)(2)	Observed three bays sink clogged due to fatty meats being rinsed in bays at the time of inspection.	Antonio Turner
Joe's Downtown Tacos	139 S Calumet Rd	4-Sep-25	Pf		456(a)	Observed spray bottle with unknown, yellow chemical, unlabeled at the time of inspection.	Antonio Turner
Journeyman Distillery	258 S. Campbell St	2-Sep-25	C		183(a)	Observed in use tongs stored on oven handle at cook line. Observed 2 oz metal sauce cup being used as a scoop in seasoning bin at cook line.	Noah Weber
Journeyman Distillery	258 S. Campbell St	2-Sep-25	Pf		306(a)	Observed organic black growth on internal ceiling of ice machine in kitchen. Observed organic black growth on x4 soda guns in bar area along with corresponding soda gun holsters.	Noah Weber
Journeyman Distillery	258 S. Campbell St	2-Sep-25	C		324(a)	Observed metal bins next to cook and in back dish storage area stacked together before fully drying.	Noah Weber
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		148(a)	Observed team member drinks stored in the reach in cooler in the kitchen above food prepared for customers.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		176(a)	Observed no labels available on any of the clear plastic spice shakers used to finish prepared dishes.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		183(a)	Observed a scoop with no handle sitting in the flour bucket touching the food.	Carrie Batson

Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C	Yes	189(a)	Observed an open brown sugar on the floor of the kitchen.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	P		213(a)(1)	Observed house made wing sauce sitting out at 70 degrees F instead of hot held at 135 degrees F or above.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	Pf		214(a),(b),or(c)	Observed no date marking on any prepped containers of food in the reach in coolers.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	Pf		281(a)	Observed no chlorine sanitizer test strips available.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		286(a),(b),or(c)	Observed a build up of ice on the fan unit in the reach in cooler in the back kitchen storage area. Water from the ice build up was dripping on to food in the cooler and pooling in the bottom of the unit.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		309(a)	Observed greasy residue build up on the food warming unit door and handle in the kitchen. Observed a build up of food residue in the cooler gaskets.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	P	Yes	317(a)	Observed the sanitizer in the towel buckets reading 0ppm chlorine.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C	Yes	328(a)&(c)	Observed two open cases of to go containers stored on the floor in dry storage.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		400(a)	Observed the lids on the garbage and grease receptacles open.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		402(a)	Observed empty cardboard boxes and other paper goods in a pile behind the dumpsters.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		403(a),(b),(c)	Observed a build up of food and grease residue on the large kitchen garbage cans.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		409(a)	Observed unsealed walls surrounding the mop sink. Observed the walls buckling and peeling from moisture.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		411(a)or(b)	Observed no coving present on the juncture to seal the walls and floor in the utility sink area.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	Pf	Yes	429(a)	Observed hand soap not available at the front hand sink and the employee restroom hand sink.	Carrie Batson
Louie Wingz & Catfish	6016 Central Ave	11-Sep-25	C		447(a)	Observed a wet mop not inverted to dry between uses.	Carrie Batson
Marquette Yacht Club	1218 Crisman Rd	17-Sep-25	Pf		295(a)or(b)	Observed the wash temperature in the mechanical dish machine measuring 116 degrees F.	Carrie Batson
Marquette Yacht Club	1218 Crisman Rd	17-Sep-25	P		317(a)	Observed the chlorine chemical sanitizer in the dish machine not measuring 50ppm.	Carrie Batson
Martinis	1004 Calumet Ave	4-Sep-25	P	Yes	213(a)(2),(b)	Observed glass reach in cooler with milk temping at 53.2 degrees F.	Noah Weber
Martinis	1004 Calumet Ave	4-Sep-25	Pf		214(a),(b),or(c)	Observed many different ready to eat foods in reach in cooler and bottom sections of prep coolers uncovered and not labeled or date marked.	Noah Weber
Martinis	1004 Calumet Ave	4-Sep-25	C		286(a),(b),or(c)	Observed reach in cooler at beginning or cook line with damaged gasket.	Noah Weber

Martinis	1004 Calumet Ave	4-Sep-25	C		324(a)	Observed metals bins on clean rack stacked together before fully air drying.	Noah Weber
Martinis	1004 Calumet Ave	4-Sep-25	C		443(a),(b)	Observed organic white growth in meat walk in cooler on ceiling above beer kegs.	Noah Weber
Max's Grab N Go	1175 Broadway	5-Sep-25	C		443(a),(b)	Observed debris buildup on floors, food buildup on racks and a pungent odor inside walk-in cooler across from fryer station at the time of follow up.	Antonio Turner
Max's Grab N Go	1175 Broadway	5-Sep-25	C		453(a)	Observed clutter and unnecessary litter in back hallway leading to back exit door at the time of follow up.	Antonio Turner
One 13North Kitchen & Bar - Mobile Unit	111 N. Main St	6-Sep-25	Pf		359(a),(b),(c)		Antonio Turner
Parea	69 Franklin St	30-Sep-25	Pf		166(a)	Observed x2 red pepper can in dry storage with heavy denting on seals.	Noah Weber
Parea	69 Franklin St	30-Sep-25	Pf		172(a),(b),(c),(d),(e)	Observed no tags available for recent order within walk in cooler.	Noah Weber
Parea	69 Franklin St	30-Sep-25	C		189(a)	Observed frozen bag of veggie scraps on floor of walk-in freezer.	Noah Weber
Parea	69 Franklin St	30-Sep-25	Pf		306(a)	Observed organic black growth on internal ceiling of ice machine. Observed beer tubing with organic growth. Observed metal sheet pan soiled with oil in clean storage.	Noah Weber
Parea	69 Franklin St	30-Sep-25	C		472(a)	Observed cell phone stored on prep top cutting board.	Noah Weber
Pico De Gallo - TENT	7343 Indianapolis Blvd	9-Sep-25	Pf		279(a)or(b)	Observed no thermometer at the time of inspection.	antonioturmer
Pico De Gallo - TENT	7343 Indianapolis Blvd	9-Sep-25	C		330(a),(b),(c)_1	Observed single use utensils not inverted at the time of inspection.	antonioturmer
Pico De Gallo - TENT	7343 Indianapolis Blvd	9-Sep-25	Pf		351(a)	Observed no hand sink set up at the time of inspection.	antonioturmer
Portage Central Elementary School	2825 Russell St	18-Sep-25	C		306(b)&(c)	Observed a build up of dust residue on the fan covers inside the reach in cooler to the right of the table where the microwave is sitting.	Carrie Batson
Portage Jones Elementary School	2374 McCool Rd	25-Sep-25	C	No	309(a)	Observed a build up of residue on the fan covers in the reach in cooler opposite the service buffet.	Carrie Batson
Portage Jones Elementary School	2374 McCool Rd	25-Sep-25	C	Yes	400(a)	Observed the dumpster lid open.	Carrie Batson
Portage Willowcreek Middle School	5962 Central Ave	12-Sep-25	C		400(a)	Observed dumpster lid open on one dumpster.	Carrie Batson
Root & Bone	600 Gateway Blvd	24-Sep-25	C		183(a)	Observed bin of clean utensils, with food debris at bottom of bin at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	C		226(a)(2),(a)(3),(a)(4),or(a)(5)	Observed condensed milk left in small can after opening, in walk-in cooler at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	C		289(a)	Observed water sprayer nozzle with food buildup at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	Pf		306(a)	Observed can opener blade with dried food residue at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	P		307(a)or(c)	Observed buildup inside ice machine on ice deflector blade at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	P		317(a)	Measured the ware washing machine at 0ppm at the time of inspection.	Antonio Turner

Root & Bone	600 Gateway Blvd	24-Sep-25	Pf		430(a)	Observed no paper towel behind bar at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	C		443(a),(b)	Observed ceiling vents above white deep freezer with dust buildup at the time of inspection.	Antonio Turner
Root & Bone	600 Gateway Blvd	24-Sep-25	P		457(a)	Observed insect killer stored inside kitchen at the time of inspection.	Antonio Turner
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	P		213(a)(2),(b)	Observed the food in the prep top cooler measuring 50 degrees F.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		234(a)	Observed shelves where bowls and cooking trays are stored in the kitchen with a peeling surface. Observed the wire shelving in the small bar cooler where glasses are placed with the coating chipping off and rust present.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	Pf		281(a)	Observed quat sanitizer test strips not available.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	Pf		306(a)	Observed pink and brown residue build up on the ice deflector in the machine behind the bar.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		309(a)	Observed the filters inside of the kitchen hoods with a heavy grease and dust build up. Observed a build up of 3D dust on the walk in fan covers and the ceiling of the walk in cooler.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	Pf		351(a)	Observed no hand sink available for use behind the bar.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		394(a)	Observed no covered waste receptacles in the ladies room.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		400(a)	Observed the lids open on the garbage dumpsters.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		402(a)	Observed a build up of paper and glass debris around the garbage dumpsters.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		407(a)	Observed missing ceiling tiles in several places throughout the kitchen leaving exposed wood beams, insulation and wiring above food prep areas.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	Pf	Yes	430(a)	Observed no paper hand towels at the hand sink in the kitchen.	Carrie Batson
Rusty Nail Bar	2420 Dombey Rd	12-Sep-25	C		443(a),(b)	Observed a build up of grease on the floors underneath the fryers.	Carrie Batson
S. Douglas Concessions @ The Hub Kitchen, L	105 W Sigler Street	6-Sep-25	C	Yes	189(a)	Observed lemons washed for use and not covered.	Carrie Batson
S. Douglas Concessions @ The Hub Kitchen, L	105 W Sigler Street	6-Sep-25	C	Yes	328(a),(b)	Observed plastic cups not inverted.	Carrie Batson
Sky's Catering	25248 St Rd 23	27-Sep-25	Pf		359(a),(b),(c)	Observed plastic bin within hand sink blocking it from use.	Noah Weber
Sky's Catering	25248 St Rd 23	27-Sep-25	Pf		429(a)	Observed no available hand soap at internal hand sink.	Noah Weber
Sky's Catering	25248 St Rd 23	27-Sep-25	Pf		450(a)(3)	Observed multiple flies within food truck at time of inspection.	Noah Weber
Special Education Learning Facility (SELF)	750 Ransom Rd	24-Sep-25	Pf		279(a)or(b)	Observed digital thermometer temping at 116 degrees F while in ice water when unit is moved. When unit is still it at time read the correct temperature. Recommend a new digital thermometer.	Noah Weber

Special Education Learning Facility (SELF)	750 Ransom Rd	24-Sep-25	Pf		281(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	16-Sep-25	C		183(a)	Observed ice scoop handle down within ice.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	16-Sep-25	C		287(a)	Observed heavy scoring on prep top cutting board.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	16-Sep-25	C		306(b)&(c)	Observed organic green growth and food debris on metal shelving of upstairs walk in cooler.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	16-Sep-25	Pf		306(a)	Observed organic growth on soda gun in first floor bar area. Observed organic growth on internal ceiling of ice machine.	Noah Weber
Stacks Bar & Grill	175 Lincolnway Ste C	16-Sep-25	C		421(a)or(d)	Observed exit door in upstairs propped open with no screen protection.	Noah Weber
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	C		151(a)	Observed staff in kitchen without hair and beard restraint at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	C		183(a)	Observed clean, salt and pepper shakers, stored in bin with food residue at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	C		286(a),(b),or(c)	Measured cooler next to ice machine and cooler in wait staff area at 47F at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	P	Yes	99(a)(1),(a)(2),(a)(3),(a)(4),(a)(5),(a)(6)(A),(a)(6)(B)	Measured all sanitizer buckets at less than 10ppm at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	Pf		306(a)	Observed slicer with food residue on blade, from the day before at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	P	Yes	348(a)	Observed mop sink hose hanging below flood rim level at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	Pf	Yes	359(a),(b),(c)	Observed hand sink across from three bays, blocked with bin at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	C		443(a),(b)	Observed food debris under cooking equipment at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	C		445(a)or(b)	Observed hood filters above fryer station with grease buildup at the time of inspection.	Antonio Turner
StoryPoint Chesterton	700 Dickinson Rd	24-Sep-25	Pf		456(a)	Observed spray bottle with unknown chemical, unlabeled, in wait staff area at the time of inspection.	Antonio Turner
Taco Bell #41205	631 N Main St	22-Sep-25	Pf		306(a)	Observed black growth on underbelly and nozzle section of slushy machine. Observed soda syrup accumulation on nozzles of self-serve soda station.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		151(a)	Observed cook line member not wearing any hair coverings at time of inspection.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		183(a)	Observed in use tongs hung on oven handle at cook line along with food presses being stored between pipe and soiled wall of kitchen. Observed 2 oz plastic cup being used as scoop down within salt bin. Observed bowl being used as scoop down within flour bag.	Noah Weber

Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		234(a)	Observed cardboard with organic growth on surface being used shelf liner within 2nd bar beer cooler.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	Pf		281(a)	Observed no available quat testing strips at time of inspection.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		286(a),(b),or(c)	Observed small prep top cooler in kitchen with water pooling in bottom section and not draining properly. Observed heavily rusted and dented walk-in cooler floor in need of repair/replacement.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	Pf		306(a)	Observed pink and black organic growth on deflector blade of ice machine.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		324(a)	Observed metal bins stacked together before fully air drying.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		353(a),(b),(c),or(d)	Observed no available mop sink at time of inspection, staff currently dumping mop water outside into storm drain.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		421(a)or(d)	Observed screen door in kitchen with no proper seals along edges to prevent pests.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		443(a),(b)	Observed dust on ceiling tiles near air vents. Observed organic white growth on walls of walk in cooler.	Noah Weber
Tommy B's Club House	210 Aberdeen Dr Unit B	26-Sep-25	C		450(a)(1),(a)(2),or(a)(4)	Observed large amount of fruit flies located in "onion corner" attached to kitchen area with no observed attempt of pest control.	Noah Weber
Union Center Elementary School	272 N County Rd 600 W	25-Sep-25	C		324(a)	Observed metal bins stacked together before properly air drying.	Noah Weber
Valparaiso Parkview Elementary School	1405 Wood St	26-Sep-25	Pf		246(a)or(b)	Observed the food probe thermometer unable to calibrate to plus or minus 2 degrees of a calibrated thermometer.	Carrie Batson
Valparaiso Parkview Elementary School	1405 Wood St	26-Sep-25	C		402(a)	Observed carboard, full garbage bags and other debris around the outside dumpster inside the enclosure.	Carrie Batson
Valparaiso Thomas Jefferson Middle School	1600 Roosevelt Rd	19-Sep-25	P	Yes	380(a)	Observed the hose connected to the faucet at the mop sink sitting below the flood rim.	Carrie Batson
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	P		175(a)(1)(A),(a)(1)(B),(a)(1)(C),(a)(2)	Observed raw bacon in packaging stored next to and against cooked rice and lime juice gallons.	Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	C		183(a)	Observed in use tongs stored on oven handle.	Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	Pf		214(a),(b),or(c)	Observed opened milk in glass reach in cooler with no date marking.	Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	Pf		281(a)	Observed no chlorine testing strips within the building.	Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	C		286(a),(b),or(c)	Observed bottom doors of prep top cooler with broken handles in cook line.	Noah Weber
Veleros Restaurant	255 1/2 Indiana Ave	18-Sep-25	C		324(a)	Observed metal and plastic bins stacked together before fully air drying.	Noah Weber

Veterans of Foreign Wars #2511	Porter	1290 Wagner Rd	9-Sep-25	C		260(a),(b),(d)	Observed no ambient thermometer inside white refrigerator at the time of inspection.	Antonio Turner
Veterans of Foreign Wars #2511	Porter	1290 Wagner Rd	9-Sep-25	C		306(b)&(c)	Observed grease buildup in between fryer equipment at the time of inspection.	Antonio Turner
Veterans of Foreign Wars #2511	Porter	1290 Wagner Rd	9-Sep-25	P		307(a)or(c)	Observed ice machine with black buildup at the time of inspection.	Antonio Turner
Veterans of Foreign Wars #2511	Porter	1290 Wagner Rd	9-Sep-25	C		443(a),(b)	Observed heavy grease buildup behind cooking equipment on floor at the time of inspection.	Antonio Turner
Veterans of Foreign Wars #2511	Porter	1290 Wagner Rd	9-Sep-25	C		445(a)or(b)	Observed buildup on hood filters above grill at the time of inspection.	Antonio Turner
Wheeler High School / Union Township Midd		587 W Co Rd 300 N	25-Sep-25	Pf		166(a)	Observed large can of ketchup with heavy dent on bottom seam of can.	Noah Weber
Wheeler High School / Union Township Midd		587 W Co Rd 300 N	25-Sep-25	C		443(a),(b)	Observed oil and food debris on floor underneath of fry station	Noah Weber